

Laboratory **Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan**

Accreditation Standard **ISO/IEC 17025: 2005**

Certificate Number **TC-8197 (in lieu of T-1484, 1485)**

Page 1 of 13

Validity **19.11.2018 to 18.11.2020**

Last Amended on **14.12.2018**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
<u>BIOLOGICAL TESTING</u>				
I.	DRUG & PHARMACEUTICALS			
A.	Raw Material			
1.	Lactose	Total Aerobic Microbial counts	USP2018<61> <2021, 2023>	≥10 cfu/g
		Total yeast and mould counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		E.coli	USP 2018<62> <2022, 2023>	Present / Absent / g
		Salmonella	USP 2018<62> <2022, 2023>	Present / Absent / 10g
		P. aeruginosa	USP 2018<62> <2022, 2023>	Present / Absent / g
		S. aureus	USP 2018<62> <2022, 2023>	Present / Absent / g
2.	Microcrystalline cellulose	Total Aerobic Microbial counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		Total yeast and mould counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		E.coli	USP 2018<62> <2022, 2023>	Present / Absent / g
		Salmonella	USP 2018<62> <2022, 2023>	Present / Absent / 10g
		P. aeruginosa	USP 2018<62> <2022, 2023>	Present / Absent / g
		S. aureus	USP 2018<62> <2022, 2023>	Present / Absent / g
3.	Magnesium Stearate	Total Aerobic Microbial counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		Total yeast and mould counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		E.coli	USP 2018<62> <2022,	Present / Absent / g

Laboratory **Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan**

Accreditation Standard **ISO/IEC 17025: 2005**

Certificate Number **TC-8197 (in lieu of T-1484, 1485)**

Page 2 of 13

Validity **19.11.2018 to 18.11.2020**

Last Amended on **14.12.2018**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			2023>	
		Salmonella	USP 2018<62> <2022, 2023>	Present / Absent / 10 g
		P. aeruginosa	USP 2018<62> <2022, 2023>	Present / Absent / g
		S. aureus	USP 2018<62> <2022, 2023>	Present / Absent / g
4.	Cross carmel lose Sodium	Total Aerobic Microbial counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		Total yeast and mould counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		E.coli	USP 2018<62> <2022, 2023>	Present / Absent / g
		Salmonella spp.	USP 2018<62> <2022, 2023>	Present / Absent / 10 g
		P. aeruginosa	USP 2018<62><2022, 2023>	Present / Absent / g
		S. aureus	USP 2018<62><2022, 2023>	Present / Absent / g
5.	Maize Starch (Pre-gelatinized Starch)	Total Aerobic Microbial counts	USP 2018<61><2021, 2023>	≥10 cfu/g
		Total yeast and mould counts	USP 2018<61><2021, 2023>	≥10 cfu/g
		E.coli	USP 2018<62> <2022, 2023>	Present / Absent / g
		Salmonella	USP 2018<62> <2022, 2023>	Present / Absent / 10 g
		P. aeruginosa	USP 2018<62> <2022, 2023>	Present / Absent / g
		S. aureus	USP 2018<62> <2022, 2023>	Present / Absent / g

Laboratory **Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan**

Accreditation Standard **ISO/IEC 17025: 2005**

Certificate Number **TC-8197 (in lieu of T-1484, 1485)**

Page 3 of 13

Validity **19.11.2018 to 18.11.2020**

Last Amended on **14.12.2018**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
II.	FOOD & AGRICULTURAL PRODUCTS			
A.	Essential Nutrients Including Vitamin			
1.	Water soluble vitamins with mineral blends	Total Aerobic Microbial counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		Total yeast and mould counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		E.coli	USP 2018<62> <2022, 2023>	Present / Absent / g
		Salmonella	USP 2018<62> <2022, 2023>	Present / Absent / 10 g
		P. aeruginosa	USP 2018<62> <2022, 2023>	Present / Absent / g
		S. aureus	USP 2018<62> <2022, 2023>	Present / Absent / g
2.	Oil soluble vitamins with mineral blend	Total Aerobic Microbial counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		Total yeast and mould counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		E.coli	USP 2018<62> <2022, 2023>	Present / Absent / g
		Salmonella spp.	USP 2018<62> <2022, 2023>	Present / Absent / 10 g
		P. aeruginosa	USP 2018<62> <2022, 2023>	Present / Absent / g
		S. aureus	USP 2018<62> <2022, 2023>	Present / Absent / g
3.	Multivitamin Tablets	Vitamin B12	APAD-145 Rev. no. 01, Effective dt:20/07/16	> 0.0049 mcg/ml
		Calcium Pantothenate	APAD-147 Rev. no. 01, Effective dt:20/07/16	> 3.87 mg/ml

Laboratory **Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan**

Accreditation Standard **ISO/IEC 17025: 2005**

Certificate Number **TC-8197 (in lieu of T-1484, 1485)**

Page 4 of 13

Validity **19.11.2018 to 18.11.2020**

Last Amended on **14.12.2018**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Biotin	APAD-146 Rev. no. 02, Effective dt:20/07/16	>0.0055 mg/ml
4.	Multivitamin Capsules	Vitamin B12	APAD-149 Rev. no. 01, Effective dt:20/07/16	> 0.020 mcg/ml
		Calcium Pantothenate	APAD-148 Rev. no. 01, Effective dt:20/07/16	> 3.87 mg/ml
b.	Herbs, Spices & Condiments	Total Aerobic Microbial counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		Total yeast and mould counts	USP 2018<61> <2021, 2023>	≥10 cfu/g
		E.coli	USP 2018<62> <2022, 2023>	Present / Absent / g
		Salmonella	USP 2018<62> <2022, 2023> IS 5887 (P-3):1999; Reaff: 2005	Present / Absent / 10 g Present / Absent / 25 g
		P. aeruginosa	USP 2018<62> <2022, 2023>	Present / Absent / g
		S. aureus	USP 2018<62> <2022, 2023>	Present / Absent / g
c.	Milk & Dairy Products	Total Plate Count	IS 5402:2012	≥10 cfu/g/ml
		Coliform	IS 5401(P-1):2002	≥10 cfu/g/ml
		S.aureus	IS 5887 (P-2): 1976 Reaff: 2005	Absent / Present/g/ml
		Salmonella	IS 5887 (P-3):1999; Reaff: 2005	Absent / Present/25g/ml
		Shigella	IS 5887 (P-7):1999; Reaff: 2005	Absent / Present/25g/ml
		Yeast & Mould Count	IS 5403:1999; Reaff: 2005	≥10 cfu/g/ml
d.	Gelatin & Other	Total Plate Count	IS 5402:2012	≥10 cfu/g

Laboratory **Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan**

Accreditation Standard **ISO/IEC 17025: 2005**

Certificate Number **TC-8197 (in lieu of T-1484, 1485)**

Page 5 of 13

Validity **19.11.2018 to 18.11.2020**

Last Amended on **14.12.2018**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Gums	Yeast & Mould Count	IS 5403:1999; Reaff: 2005	≥10 cfu/g
		E.coli	IS 5887 (P-1):1976; Reaff: 2005	Absent / Present / g
		Salmonella	USP 2018<62> <2022, 2023> IS 5887 (P-3):1999; Reaff: 2005	Absent / Present / g Absent / Present / 25 g
e.	Starch & Starch Products	E.Coli	IS 5887 (P-1): 1976; Reaff: 2005	Absent / Present / g
		Salmonella	IS 5887 (P-3) : 1999; Reaff: 2005	Absent / Present / 25g
f	Bakery & Confectionery Products	S.aureus	IS 5887 (P-2):1976; Reaff: 2005	Absent / Present / g
		Salmonella	IS 5887 (P-3):1999; Reaff: 2005	Absent / Present / 25 g
		E.Coli	IS 5887 (P-1):1999; Reaff:2005	Absent / Present / g
		Yeast & Mould Count	IS 5403 : 1999; Reaff: 2005	≥10 cfu/g
g.	other Specified Tests			
1.	Malted Milk Food	Total Plate Count	IS 5402:2012	≥10 cfu/g
		Coliform	IS 5401 (P-1):2002	≥10 cfu/g
III.	WATER			
1	Packaged Drinking Water	E.coli	IS 15185: 2002	Absent / Present / 250 ml
		Coliform	IS 15185: 2002	Absent / Present / 250 ml
		Faecal Streptococci	IS 15186: 2002; Reaff: 2007	Absent / Present / 250 ml
		S.aureus	IS 5887 (P-2):1976; Reaff: 2005	Absent / Present / 250 ml
		Pseudomonas aeruginosa	IS 13428: 2005 Annex D	Absent / Present /

Laboratory Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-8197 (in lieu of T-1484, 1485)

Page 6 of 13

Validity 19.11.2018 to 18.11.2020

Last Amended on 14.12.2018

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
				250 ml
		Total viable count at (20-22°C)	IS 5402:2012	≥1 cfu/ml
		Total viable count at (37°C)		
		Yeast & Mould	IS 5403:1999; Reaff: 2005	Absent / Present / 250 ml
		Salmonella	IS 5887 (P-3):1999; Reaff: 2005	Absent / Present / 250 ml
		Shigella	IS 5887 (P-7): 1976; Reaff 2005	Absent / Present / 250 ml
		Sulphite reducing anaerobes	IS 13428: 2005 Annex C	Absent / Present / 50 ml
		Vibrio cholerae	IS 5887 (P-5) :1976;Reaff: 2005	Absent / Present / 250 ml
		Vibrio parahaemolyticus	IS 5887 (P-5) :1976;Reaff: 2005	Absent / Present / 250 ml
2	Drinking water	Coliform	IS 1622:1981 Amend. 2003	< 1 to 161 MPN / 100 ml
		E-coli	IS 1622:1981 Amend. 2003	Absent / Present / 100 ml

Laboratory **Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan**

Accreditation Standard **ISO/IEC 17025: 2005**

Certificate Number **TC-8197 (in lieu of T-1484, 1485)**

Page 7 of 13

Validity **19.11.2018 to 18.11.2020**

Last Amended on **14.12.2018**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
<u>CHEMICAL TESTING</u>				
I.	DRUG & PHARMACEUTICALS			
1.	Ibuprofen	Identification(By IR)	IP2018, Vol. II, pg:2261-2262	Qualitative Test
2.	Ferrous Fumarate	Identification (By IR)	USP 41, Vol. I, pg:1710-1712	Qualitative Test
3.	D-Biotin	Identification(By IR)	USP 41, Vol. I pg:528	Qualitative Test
4.	Glucosamine Hydrochloride	Identification (By IR)	USP 41, Vol. III pg:4669	Qualitative Test
5.	Multi Vitamins and Minerals Tablets	Calcium	SOP No.APAD-163 (Issue Dt. 18/09/14; Issue No.: 00)	05 to 280 mg/g
		Magnesium	SOP No.APAD-170 (Issue Dt. 18/09/14; Issue No.: 00)	81 to 110 mg/g
		Manganese	SOP No.APAD-171 (Issue Dt. 18/09/14; Issue No.: 00)	2.0 to 2.8 mg/g
		Molybdenum	SOP No.APAD-172 (Issue Dt. 18/09/14; Issue No.: 00)	20.5 to 28.0 mcg/g
		Zinc	SOP No.APAD-173 (Issue Dt. 18/09/14; Issue No.: 00)	12.1 to 16.8 mg/g
		Copper	SOP No.APAD-174 (Issue Dt. 18/09/14; Issue No.: 00)	1.6 to 2.3 mg/g
		Potassium	SOP No.APAD-175 (Issue Dt. 18/09/14; Issue No.: 00)	32.5 to 45.0 mg/g
		Chromium	SOP No.APAD-176 (Issue Dt. 18/09/14; Issue No.: 00)	20.0 to 33.0 mcg/g
		Nickel	SOP No.APAD-177	4.1 to 6.7 mcg/g

Laboratory Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-8197 (in lieu of T-1484, 1485)

Page 8 of 13

Validity 19.11.2018 to 18.11.2020

Last Amended on 14.12.2018

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			(Issue Dt. 18/09/14; Issue No.: 00)	
		Selenium	SOP No.APAD-178 (Issue Dt. 18/09/14; Issue No.: 00)	24.3 to 40.0 mcg/g
		Tin	SOP No.APAD-179 (Issue Dt. 18/09/14; Issue No.: 00)	8.1 to 13.5 mcg/g
		Vanadium	SOP No.APAD-180 (Issue Dt. 18/09/14; Issue No.: 00)	8.1 to 13.5 mcg/g
		Boron	SOP No.APAD-181 (Issue Dt. 18/09/14; Issue No.: 00)	122.0 to 270.0 mcg/g
		Ascorbic Acid	SOP No.APAD-182 (Issue Dt. 18/09/14; Issue No.: 00)	36.0 to 60.0 mg/g
		Ginseng Extract powder (for Re)	SOP No.APAD-183 (Issue Dt. 18/09/14; Issue No.: 00)	0.344 to 0.570 mg/g
		Folic acid	SOP No.APAD-184 (Issue Dt. 18/09/14; Issue No.: 00)	0.135 to 0.220 mg/g
		Retinyl Acetate (Vit-A)	SOP No.APAD-185 (Issue Dt. 18/09/14; Issue No.: 00)	2250 to 3750 IU/g
		Cholecalciferol (Vit-D3)	SOP No.APAD-186 (Issue Dt. 18/09/14; Issue No.: 00)	180 to 300 IU/g
		Vitamin E acetate (α -Tocopheryl Acetate)	SOP No.APAD-187 (Issue Dt. 18/09/14; Issue No.: 00)	5.85 to 9.75 mg/g
		Vitamin B1	SOP No.APAD-188	0.90 to 1.50 mg/g

Sandeep Singh Tomar
Convenor

Pankaj Johri
Program Manager

Laboratory Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-8197 (in lieu of T-1484, 1485)

Page 9 of 13

Validity 19.11.2018 to 18.11.2020

Last Amended on 14.12.2018

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		(Thiamine mononitrate)	(Issue Dt. 18/09/14; Issue No.: 00)	
		Vitamin B2 (Riboflavin)	SOP No.APAD-189 (Issue Dt. 18/09/14; Issue No.: 00)	1.35 to 2.25 mg/g
		Vitamin B3 (Niotinamide)	SOP No.APAD-190 (Issue Dt. 18/09/14; Issue No.: 00)	18.0 to 30.0 mg/g
		Vitamin B6 (Pyridoxine Hydrochloride)	SOP No.APAD-191 (Issue Dt. 18/09/14; Issue No.: 00)	0.90 to 1.50 mg/g
		Phosphorus	SOP No.APAD-192 (Issue Dt. 18/09/14; Issue No.: 00)	101.0 to 140.0 mg/g
		IRON	SOP No.APAD-193 (Issue Dt. 18/09/14; Issue No.: 00)	24.3 to 34.0 mg/g
		LOD	SOP No.APAD-194 (Issue Dt. 18/09/14; Issue No.: 00)	2.0 to 5.0 % w/w
		Chloride	SOP No.APAD-194 (Issue Dt. 18/09/14; Issue No.: 00)	Qualitative
		Iodine (as Potassium Iodide)	SOP No.APAD-195 (Issue Dt. 18/09/14; Issue No.: 00)	Qualitative
		Silicon (as Colloidal Silicon Dioxide)	SOP No.APAD-196 (Issue Dt. 18/09/14; Issue No.: 00)	Qualitative
		Mercury	SOP No.APAD-197 (Issue Dt. 18/09/14; Issue No.: 00)	0 to 1.0 µg/g
		Cadmium	SOP No.APAD-198	0to 1.5 µg/g

Laboratory **Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan**

Accreditation Standard **ISO/IEC 17025: 2005**

Certificate Number **TC-8197 (in lieu of T-1484, 1485)**

Page 10 of 13

Validity **19.11.2018 to 18.11.2020**

Last Amended on **14.12.2018**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			(Issue Dt. 18/09/14; Issue No.: 00)	
		Lead	SOP No.APAD-199 (Issue Dt. 18/09/14; Issue No.: 00)	0 to 2.0 µg/g
		Arsenic	SOP No.APAD-200 (Issue Dt. 18/09/14; Issue No.: 00)	0 to 1.1 µg/g
6.	Multi Vitamins and Minerals Capsules	Iron	SOP No. APAD-162 (Issue Dt. 18/09/14; Issue No.: 00)	9.5 to 10.5 mg/g
		Ascorbic acid	SOP No. APAD-201 (Issue Dt. 18/09/14; Issue No.: 00)	45 to 66 mg/g
		Calcium	SOP No. APAD-202 (Issue Dt. 18/09/14; Issue No.: 00)	67.5 to 82.5 mg/g
		Phosphorus	SOP No. APAD-203 (Issue Dt. 18/09/14; Issue No.: 00)	52.2 to 63.8 mg/g
		Potassium	SOP No. APAD-204 (Issue Dt. 18/09/14; Issue No.: 00)	1.8 to 2.2 mg/g
		Chromium	SOP No. APAD-205 (Issue Dt. 18/09/14; Issue No.: 00)	22.5 to 27.5 mcg/g
		Vanadium	SOP No. APAD-206 (Issue Dt. 18/09/14; Issue No.: 00)	9.0 to 11.0 mcg/g
		Nickel	SOP No. APAD-207 (Issue Dt. 18/09/14; Issue No.: 00)	4.5 to 5.5 mcg/g
		Molybdenum	SOP No. APAD-208	22.5 to 27.5 mcg/g

Sandeep Singh Tomar
Convenor

Pankaj Johri
Program Manager

Laboratory Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-8197 (in lieu of T-1484, 1485)

Page 11 of 13

Validity 19.11.2018 to 18.11.2020

Last Amended on 14.12.2018

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			(Issue Dt. 18/09/14; Issue No.: 00)	
		Boron	SOP No. APAD-209 (Issue Dt. 18/09/14; Issue No.: 00)	135 to 165 mcg/g
		Selenium	SOP No. APAD-210 (Issue Dt. 18/09/14; Issue No.: 00)	27.0 to 33.0 mcg/g
		Tin	SOP No. APAD-211 (Issue Dt. 18/09/14; Issue No.: 00)	9.0 to 11.0 mcg/g
		Manganese	SOP No. APAD-212 (Issue Dt. 18/09/14; Issue No.: 00)	2.25 to 2.75 mg/g
		Zinc	SOP No. APAD-213 (Issue Dt. 18/09/14; Issue No.: 00)	13.5 to 16.5 mg/g
		Copper	SOP No. APAD-214 (Issue Dt. 18/09/14; Issue No.: 00)	1.8 to 2.2 mg/g
		Magnesium Oxide	SOP No. APAD-215 (Issue Dt. 18/09/14; Issue No.: 00)	22.5 to 27.5 mg/g
		Vitamin A (Retinyl Palmitate)	SOP No. APAD-216 (Issue Dt. 18/09/14; Issue No.: 00)	0.675 to 0.945 mg/g
		Vitamin B1 (Thiamine Mononitrate)	SOP No. APAD-217 (Issue Dt. 18/09/14; Issue No.: 00)	0.90 to 1.16 mg/g
		Vitamin B2 (Riboflavin)	SOP No. APAD-218 (Issue Dt. 18/09/14; Issue No.: 00)	1.35 to 1.815 mg/g
		Vitamin B3	SOP No. APAD-219	18.0 to 22.0 mg/g

Sandeep Singh Tomar
Convenor

Pankaj Johri
Program Manager

Laboratory **Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan**

Accreditation Standard **ISO/IEC 17025: 2005**

Certificate Number **TC-8197 (in lieu of T-1484, 1485)**

Page 12 of 13

Validity **19.11.2018 to 18.11.2020**

Last Amended on **14.12.2018**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		(Nicotinamide)	(Issue Dt. 18/09/14; Issue No.: 00)	
		Vitamin B6 (Pyridoxine Hydrochloride)	SOP No. APAD-220 (Issue Dt. 18/09/14; Issue No.: 00)	0.90 to 1.16 mg/g
		Folic acid	SOP No. APAD-221 (Issue Dt. 18/09/14; Issue No.: 00)	0.135 to 0.20 mg/g
		L-Lysine	SOP No. APAD-222 (Issue Dt. 18/09/14; Issue No.: 00)	22.5 to 27.5 mg/g
		Glutamic acid	SOP No. APAD-223 (Issue Dt. 18/09/14; Issue No.: 00)	108.0 to 132.0 mg/g
II.	FOOD & AGRICULTURAL PRODUCTS(Spices/ Condiments/ Herbs)			
1.	Large Cardamom	Moisture	IS 1797:2009	0.1 to 20% w/w
		Total Ash	IS 1797:2009	0.5 to 15% w/w
		Acid insoluble ash	IS 1797:2009	0.1 to 5% w/w
		Volatile Oil	IS 13446:2009, IS 1797:2009	0.1 to 5% ml/100g
2.	Coriander	Moisture	IS 2443:2008, IS 1797:2009	0.1 to 20% w/w
		Total Ash	IS 2443:2008, IS 1797:2009	0.5 to 15% w/w
		Acid insoluble ash	IS 2443:2008, IS 1797:2009	0.1 to 5% w/w
		Volatile Oil	IS 2443:2008, IS 1797:2009	0.1 to 5% ml/100g
3.	Red Chilli	Moisture	IS 2443:2008, IS 1797:2009	0.1 to 20% w/w
		Total Ash	IS 2443:2008, IS 1797:2009	0.5 to 15% w/w
		Acid insoluble ash	IS 2443:2008,	0.1 to 5% w/w

Laboratory Amol Pharmaceuticals Pvt. Ltd. (Analytical Division), E1-362,
Sitapura Industrial Area, Jaipur, Rajasthan

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-8197 (in lieu of T-1484, 1485)

Page 13 of 13

Validity 19.11.2018 to 18.11.2020

Last Amended on 14.12.2018

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			IS 1797:2009	
		Crude Fiber	IS 2443:2008, IS 1797:2009	1 to 40% w/w
		Nonvolatile ether extract	IS 2003:2010, IS 1797:2009	0.1 to 30% w/w
III.	WATER			
1.	Potable and Domestic	pH	IS 3025 (Part-11) - 2002	3 to 12
		Total dissolve solids	IS 3025 (Part-16) - 2006	10 to 1000 mg/l
		Chloride	IS 3025 (Part-32) - 2003	1 to 500 mg/l
		Sulphate	IS 3025 (Part-24) - 2003	1 to 500 mg/l
		alkalinity	IS 3025 (Part-23) - 2003	1 to 500 mg/l