

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 1 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

CHEMICAL TESTING

<u>LOCATION -1:</u>				
I.	ORES & MINERALS			
1.	IRON ORE	Silica (SiO ₂)	IS 1493(Part 1)-1981, RA 2016 ISO 2598-1:1992, RC 2014	0.5 % to 10.0% 2.0 % to 32.0 %
		Total Iron (Fe)	IS 1493(Part 1)-1981, RA 2016 ISO 2597-1:2006 , RC 2015 ISO 2597-2:2015 SOP:TPM/MSK/1/B1 (Issue No. 02 dated 01.04.2011)	30.0 % to 72.0 %
		Ferrous Iron (FeO)	ISO 9035:1989 , RC 2017	1.0 % to 25.0%
		Alumina (Al ₂ O ₃)	IS 1493(Part 1)-1981, RA 2016	0.5 % to 7.0 %
			ISO 11535:2006, RC 2014	0.5 % to 6.6 %
			ISO 6830:1986 , RC 2015	0.5 % to 5.0 %
		Titanium Dioxide(TiO ₂)	IS 1493-1959, RA 2016 ISO 11535:2006 , RC 2014	2.0 % to 20.0 % 0.10% to 2.0%
		Manganese (Mn)	IS 1493-1959, RA 2016	0.1 % to 2.0 %
			ISO 11535:2006 ,RC 2014	
		Calcium Oxide(CaO)	ISO 11535:2006, RC 2014	0.05 % to 9.0 %

Laboratory

**Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23,
Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-
Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal**
**Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2
R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas,
West Bengal**
**Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanchak, 1st Floor,
Haldia, Dist Purba Medinipur, West Bengal**

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 2 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Magnesium Oxide (MgO)	ISO 11535:2006, RC 2014	0.1% to 3.0 %
		Sodium Oxide (Na ₂ O)	SOP: TPM/MSK/1/J1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.05% to 3.0 %
		Potassium Oxide (K ₂ O)	SOP:TPM/MSK/1/K1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.05% to 3.0 %
		Phosphorus (P)	IS 1493:1959, RA 2016 ISO 11535:2006, RC 2014	0.01 % to 0.5 % 0.01% to 1.5%
		Sulphur (S)	ISO 4689-3:2017	0.002 % to 0.25 %
		Arsenic (As)	SOP:TPM/MSK/1/N1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.0001% to 0.01%
		Nickel (Ni)	SOP:TPM/MSK/1/O1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.001% to 0.1 %
		Copper (Cu)	SOP:TPM/MSK/1/P1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.001% to 0.02%
		Lead (Pb)	SOP:TPM/MSK/1/Q1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.001% to 0.01%
		Zinc (Zn)	SOP:TPM/MSK/1/R1 (ICP-OES) (Issue No. 02 dated	0.001% to 0.03%

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 3 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.04.2011)	
		Vanadium (V)	SOP:TPM/MSK/1/S1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.001 % to 0.1 %
		Moisture	IS 11690:1986, RA 2014	0.5 % to 15.0 %
			IS 1493(Part 1)-1981, RA 2016	0.5 % to 16.0 %
			ISO 3087:2011	0.5 % to 16.0 %
		Loss on ignition (LOI)	ISO 11536:2015	0.5 % to 10.0 %
		Flow Moisture Point (FMP) & Transportable Moisture Limit (TML)	IMSBC Code, Appendix 2, 2018 EDITION (Flow Table Method) SOP: TPM/MSK/1/U (Issue No. 02 dated 01.04.2011)	4.0 % to 15.0 %
		TML (Transportable Moisture Limit)	IMSBC Code, Appendix 2, 2018 (Modified Proctor Fagerberg Method)	4.0 % to 15.0 %
			ISO/TC 102 SC3N1166 / ISO/TC 102 SC3N1184	
2.	Manganese Ore	Silica (SiO ₂)	IS 1473 : 2004, RA 2016	1.0 % to 15.0 %
			ISO 5890:1981, RC 2016	
		Barium Oxide (BaO)	SOP: TPM/MSK/2/B1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.10 % to 3.0 %
		Manganese (Mn)	IS 1473 : 2004, RC 2016 ISO 4298 :1984, RC 2018	10.0 % to 60.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 4 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			(By Potentiometric method)	
		Manganese dioxide (MnO ₂)	IS 1473 : 2004, RA 2016	50.0 % to 95.0 %
		Iron (Fe)	IS 1473 : 2004, RA 2016	1.0 % to 22.5 %
			ISO 7990 : 1985 (Method A), RC 2016	1.0 % to 25.0 %
		Alumina (Al ₂ O ₃)	IS 1473 : 2004, RA 2016	0.5 % to 10.0 %
			SOP: TPM/MSK/2/F2 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.5 % to 7.0 %
		Titanium Dioxide (TiO ₂)	SOP: TPM/MSK/2/G1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.10 % to 2.0 %
		Calcium Oxide (CaO)	SOP: TPM/MSK/2/H1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.01 % to 18.0 %
		Magnesium Oxide(MgO)	SOP: TPM/MSK/2/I1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.01 % to 10.0 %
		Sulphur (S)	SOP: TPM/MSK/2/J1 (Combustion Infra red absorption Method) (Issue No. 02 dated 01.04.2011)	0.10 % to 0.2 %
		Phosphorus (P)	IS 1473 : 2004, RA 2016	0.01 % to 0.60 %

Ruchi Guntuku
Convenor

Sunita Rawat
Program Manager

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanchak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 5 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			SOP: TPM/MSK/2/K1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.01 % to 1.0 %
		Arsenic (As)	SOP: TPM/MSK/2/L1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.01% to 0.5%
		Nickel (Ni)	SOP: TPM/MSK/2/M1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.01% to 0.008%
		Copper (Cu)	SOP: TPM/MSK/2/N1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.01% to 0.05 %
		Lead (Pb)	SOP: TPM/MSK/2/O1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.001% to 0.01%
		Zinc (Zn)	SOP: TPM/MSK/2/P1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.001% to 0.01%
		Sodium Oxide (Na ₂ O)	SOP: TPM/MSK/2/Q1 (ICP-OES) (Issue No. 02 dated	0.05 % to 1.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 6 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.04.2011)	
		Potassium Oxide (K ₂ O)	SOP:TPM/MSK/2/R1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.1% to 5.0 %
		Moisture	IS : 1449 :2016 & IS 1473 : 2004, RA 2016 ISO 4299 : 1989, RC 2016	4.0 % to 13.0 %
		Flow Moisture Point (FMP) & Transportable Moisture Limit (TML)	SOP: TPM/MSK/1/U (Issue No. 02 dated 01.04.2011) Flow Table Method as per IMSBC Code Appendix 2 , 2018	6.0 % to 15.0 %
3.	Chromite Ore (Chromium Ore)/ Chrome Concentrate	Silica (SiO ₂)	IS 4737 : 1982, RA 2016	0.5 % to 25.0 %
			SOP:TPM/MSK/3/A/1 (Issue No. 01 dated 01.08.2012)	
		Chromic Oxide (Cr ₂ O ₃)	ISO 5997-1984 (Method B), RC 2016	7.0 % to 62.0 %
			IS 4737 : 1982, RA 2016	
			SOP:TPM/MSK/3/B/1 (Issue No. 01 dated 01.08.2012)	
		Total Iron (Fe)	ISO 6331:1983 , RC 2016	5.0 % to 15.0 %
IS 4737 : 1982, RA 2016				
			SOP:TPM/MSK/3/C/1 (Issue No. 01 dated	

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 7 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.08.2012)	
			ISO 6130:1985, RC 2016	
		Alumina (Al ₂ O ₃)	IS 4737 : 1982, RA 2016 SOP:TPM/MSK/3/D/1 (Issue No. 01 dated 01.08.2012)	3.0 % to 20.0 %
		Calcium Oxide (CaO)	IS 4737 : 1982, RA 2016 SOP: TPM/MSK/3/E/1 (Issue No. 01 dated 01.08.2012)	0.20 % to 3.0 %
		Magnesium Oxide (MgO)	IS 4737 : 1982, RA 2016 SOP : TPM/MSK/3/F/1 (Issue No. 01 dated 01.08.2012)	10 % to 30 %
		Phosphorus (P)	SOP : TPM/MSK/3/G (Issue No. 02 dated 01.04.2011)	0.003% to 0.015%
		Moisture	IS : 8562:1977, RA 2017 & IS 4737 : 1982, RA 2016	4.0 % to 17.0 %
		Flow Moisture Point (FMP) Transportable Moisture Limit (TML)	Flow Table Method as per IMSBC Code, Appendix 2, 2018 SOP: TPM/MSK/1/U (Issue No.02 dated 01.04.2011)	6.0 % to 15.0 %
4.	Aluminium Ore/ Bauxite	Loss on Ignition	IS 2000 : (Part1):1985, RA 2017	15.0 % to 30.0 %
		Silica (SiO ₂)	IS 2000 : (Part 2):1985, RA 2017	0.5 % to 10.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 8 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Alumina (Al ₂ O ₃)	IS 2000 : (Part 3):1985, RA 2017	30.0 % to 90.0 %
		Ferric Oxide (Fe ₂ O ₃)	IS 2000 : (Part 4):1985, RA 2017	5.0 % to 20.0 %
		Titania (TiO ₂)	IS 2000 : (Part 5):1985, RA 2017	0.5 % to 12.0 %
			SOP: TPM/MSK/4/E2 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.50 % to 12.0 %
		Calcium Oxide (CaO)	SOP:TPM/MSK/4/F1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.01% to 3.0 %
		Magnesium Oxide (MgO)	SOP:TPM/MSK/4/G1 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.01% to 3.0 %
		Tri Hydrate Alumina (THA)	SOP:TPM/MSK/4/I (Thermo Gravimetric Analysis) (Issue No.01 dated 01.04.2011)	2.0 % to 34.0 %
		Mono Hydrate Alumina (MHA)	SOP:TPM/MSK/4/I (Thermo Gravimetric Analysis) (Issue No.01 dated 01.04.2011)	2.0 % to 15.0%
		Reactive Silica (Reactive	SOP:TPM/MSK/4/J	0.20 % to 5.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 9 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		SiO ₂)	(Issue No. 02 dated 01.04.2011)	
		Phosphorus (P)	IS 2000 (Part 7) :2001, RA 2017	0.10 % to 1.0 %
			SOP:TPM/MSK/4/H2 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05 % to 1.0 %
5.	Limestone	Loss on Ignition (LOI)	IS 1760 (Part 1):1991, RA 2017	40.0 % to 50.0 %
		Silica (SiO ₂)	IS 1760 (Part 2):1991, RA 2017	0.1 % to 10.0 %
		Ferric Oxide (Fe ₂ O ₃)	IS 1760 (Part 3):1992, RA 2017	0.2 % to 2.0 %
			SOP: TPM/MSK/5/C2 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05 % to 3.0 %
		Alumina (Al ₂ O ₃)	IS 1760 (Part 3):1992, RA 2017	0.2 % to 2.0 %
			SOP: TPM/MSK/5/D1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05% to 4.0 %
		Titania (TiO ₂)	SOP :TPM/MSK/5/E1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.005 % to 2.0 %
		Calcium Oxide	IS 1760 (Part 3):1992,	30.0 % to 56.0 %

Laboratory

**Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23,
Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-
Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal**
**Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2
R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas,
West Bengal**
**Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor,
Haldia, Dist Purba Medinipur, West Bengal**

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 10 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		(CaO)	RA 2017	
		Magnesium Oxide (MgO)	IS 1760 (Part 3):1992, RA 2017	0.2 % to 10.0 %
		Sodium Oxide (Na ₂ O)	SOP:TPM/MSK/5/H1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.005 % to 1.0 %
		Potassium Oxide (K ₂ O)	SOP:TPM/MSK/5/I1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.005 % to 1.0 %
		Free Silica	IS 1760 (Part 6) : 2001, RA 2017	0.25 % to 5.0 %
6.	Dolomite	Loss on Ignition (LOI)	IS 1760 (Part 1):1991, RA 2017	40.0 % to 50.0 %
		Silica (SiO ₂)	IS 1760 (Part 2):1991, RA 2017	0.1 % to 10.0 %
		Ferric Oxide (Fe ₂ O ₃)	IS 1760 (Part 3):1992, RA 2017	0.2 % to 2.0 %
			SOP: TPM/MSK/5/C2 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05 % to 3.0 %
		Alumina (Al ₂ O ₃)	IS 1760 (Part 3):1992, RA 2017	0.2 % to 2.0 %
			SOP: TPM/MSK/5/D1 (ICP-OES) (Issue No.02 dated	0.05% to 4.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 11 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.04.2011)	
		Titanium dioxide (TiO ₂)	SOP :TPM/MSK/5/E1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.005 % to 2.0 %
		Calcium Oxide (CaO)	IS 1760 (Part 3):1992, RA 2017	20.0 % to 35.0 %
		Magnesium Oxide (MgO)	IS 1760 (Part 3):1992, RA 2017	10.0 % to 25.0 %
		Sodium Oxide (Na ₂ O)	SOP:TPM/MSK/5/H1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.005 % to 1.0 %
		Potassium Oxide (K ₂ O)	SOP:TPM/MSK/5/I1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.005 % to 1.0 %
		Free Silica	IS 1760 (Part 6) : 2001, RA 2017	0.25 % to 5.0 %
7.	Hydrated Lime	Ca(OH) ₂	IS 1540 (Part 2): 1990, RA 2015 & IS 1514:1990, RA 2015	50.0 % to 90.0 %
8.	Rock Phosphate	Total P ₂ O ₅	IS 11224 : 1985, RA 2015	20.0 % to 40.0 %
		Silica (SiO ₂)	IS 11224 : 1985, RA 2015, (A-4)	3.0 % to 10.0 %
		Alumina (Al ₂ O ₃)	SOP:TPM/MSK/26/C1 (ICP-OES) (Issue No.02 dated	0.05 % to 2.0 %

Laboratory

**Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23,
Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-
Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal**

**Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2
R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas,
West Bengal**

**Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor,
Haldia, Dist Purba Medinipur, West Bengal**

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 12 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.04.2011)	
			IS 11224 : 1985, RA 2015, (A-7)	0.05 % to 2.0 %
		Ferric Oxide (Fe ₂ O ₃)	SOP:TPM/MSK/26/D1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.10 % to 2.0 %
			IS 11224 : 1985, RA 2015, (A-7.2)	0.1 % to 2.0 %
		Moisture	IS 11224 : 1985, RA 2015, (A-8)	0.5 % to 3.0 %
		Loss On Ignition (LOI)	IS 11224 : 1985, RA 2015, (A-11.1)	4.0 % to 8.0 %
		Carbon Dioxide (CO ₂)	SOP :TPM/MSK/26/H (Issue No.02 dated 01.04.2011)	0.5 % to 3.0 %
		Organic Matter	IS 11224 : 1985, RA 2015, (A-11.0)	0.5 % to 3.0 %
		Chloride	IS 11224 : 1985, RA 2015, (A-10)	0.02 % to 2.0 %
		Calcium Oxide (CaO)	IS 9386:1979 , RA 2014	40.0 % to 55.0 %
		Magnesium Oxide (MgO)	IS 11224 : 1985, RA 2015	0.1 % to 4.0 %
			SOP :TPM/MSK/26/L1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05 % to 4.0 %
9.	Gypsum	Free Water	ASTM C471M - 17ae1 (Year 2017)	0.1 % to 1.0 %
			IS 1288: 1982, RA 2016	0.10 % to 1.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 13 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Combined Water	ASTM C471M - 17ae1 (Year 2017) IS 1288: 1982, RA 2016	10.0 % to 22.0 %
		Silica (SiO ₂) and Acid Insoluble	ASTM C471M - 17ae1 (Year 2017) IS 1288: 1982, RA 2016	0.5 % to 10.0 %
		Mixed Oxide (Ferric Oxide +Alumina)	ASTM C471M - 17ae1 (Year 2017) IS 1288: 1982, RA 2016	0.05 % to 2.0 %
		Calcium Oxide (CaO)	ASTM C471M - 17ae1 (Year 2017) IS 1288: 1982, RA 2016 (Method 10.1)	25.0 % to 35.0 %
		Magnesium Oxide (MgO)	ASTM C471M - 17ae1 (Year 2017) IS 1288: 1982, RA 2016 (Method 11.1)	0.50 % to 3.0 %
		Sulfur trioxide (SO ₃)	ASTM C471M - 17ae1 (Year 2017) IS 1288: 1982, RA 2016	25.0 % to 46.0 %
		Calcium Sulfate dihydrate (CaSO ₄ .2H ₂ O)/Purity	ASTM C471M - 17ae1 (Year 2017) IS 1288: 1982, RA 2016	48.0 % to 99.0 %
		Ferric Oxide (Fe ₂ O ₃)	SOP:TPM/MSK/31A/I (ICP-OES) (Issue No.02 dated	0.05 % to 2.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 14 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.04.2011)	
		Alumina (Al ₂ O ₃)	SOP:TPM/MSK/31A/1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05 % to 2.0 %
10.	Pyroxenite / Oliflux/ Olivine sand	Calcium Oxide (CaO)	SOP: TPM/MSK/43/A (Issue No.01 dated 01.04.2011)	0.2 % to 2.0 %
		Magnesium Oxide (MgO)	SOP: TPM/MSK/43/B (Issue No.01 dated 01.04.2011)	25.0 % to 50.0 %
		Silica (SiO ₂)	SOP: TPM/MSK/43/C (Issue No.01 dated 01.04.2011)	25.0 % to 45.0 %
		Ferric Oxide (Fe ₂ O ₃)	SOP: TPM/MSK/43/D (Issue No.01 dated 01.04.2011)	5.0 % to 15.0 %
		Alumina (Al ₂ O ₃)	SOP: TPM/MSK/43/E (Issue No.01 dated 01.04.2011)	0.10 % to 10.0 %
		Loss On Ignition (LOI)	SOP: TPM/MSK/43/F (Issue No.01 dated 01.04.2011)	8.0 % to 14.0 %
		Chromic Oxide (Cr ₂ O ₃)	SOP: TPM/MSK/43/G (Issue No.01 dated 01.04.2011)	0.2 % to 2.0 %
		Sodium Oxide (Na ₂ O)	SOP: TPM/MSK/43/H (ICP-OES)	0.005 % to 0.1%

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 15 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection	
			(Issue No.01 dated 01.04.2011)		
		Potassium oxide (K ₂ O)	SOP: TPM/MSK/43/I (ICP-OES) (Issue No.01 dated 01.04.2011)	0.005 % to 0.1%	
11.	Lead Ores/ Concentrates	Lead (Pb)	SOP: TPM/MSK/46/A (Issue No.01 dated 01.01.2013)	5.0 % to 50.0 %	
			ISO 13545:2000, RC 2014	50.0 % to 80.0 %	
			SOP: TPM/MSK/46/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.05 % to 5.0 %	
			Silica (SiO ₂)	SOP: TPM/MSK/46/B (Issue No.01 dated 01.01.2013)	1.0 % to 60.0 %
		Copper (Cu)	SOP: TPM/MSK/46/C (Issue No.01 dated 01.01.2013)	0.05% to 10 %	
			SOP: TPM/MSK/46/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.05 % to 5.0%	
		Zinc (Zn)	SOP: TPM/MSK/46/D (Issue No.01 dated 01.01.2013)	0.05 % to 10.0 %	
SOP: TPM/MSK/46/G (ICP-OES)	0.05 % to 5 %				

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 16 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			(Issue No.01 dated 01.01.2013)	
		Iron (Fe)	SOP: TPM/MSK/46/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.50 % to 8.0 %
			SOP: TPM/MSK/46/E (Issue No.01 dated 01.01.2013)	0.5 % to 10.0 %
		Arsenic (As)	SOP: TPM/MSK/46/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.20 % to 5.0 %
		Sulphur(S)	SOP: TPM/MSK/46/F (Issue No.01 dated 01.01.2013)	1.0 % to 30.0 %
		Silver (Ag)	SOP: TPM/MSK/46/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.001% to 5.0 %
			ISO 10378:2016 (Fire Assay)	0.025 % to 0.15 %
		Gold (Au)	ISO 10378:2016 (Fire Assay)	0.0001% to 0.025 %
		Phosphorus (P)	SOP: TPM/MSK/46/G (ICP-OES) (Issue No. 01 dated	0.05 % to 1.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 17 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.01.2013)	
		Mercury (Hg)	SOP: TPM/MSK/46/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.001% to 1.0 %
12.	Copper Ore/ Concentrates	Copper (Cu)	SOP:TPM/MSK/47/A (Issue No.01 dated 01.01.2013)	1.0 % to 15 %
			ISO 10258:2018	15.0 % to 50.0 %
			SOP: TPM/MSK/47/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.05 % to 5.0 %
		Silica (SiO ₂)	SOP: TPM/MSK/47/B (Issue No.01 dated 01.01.2013)	0.2 % to 60.0 %
		Lead (Pb)	SOP: TPM/MSK/47/C (Issue No.01 dated 01.01.2013)	0.10 % to 10.0 %
			SOP: TPM/MSK/47/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.10 % to 5.0 %
		Zinc (Zn)	SOP: TPM/MSK/47/D (Issue No.01 dated 01.01.2013)	0.50 % to 10.0 %
SOP: TPM/MSK/47/G (ICP-OES)	0.20 % to 5.0 %			

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 18 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			(Issue No.01 dated 01.01.2013)	
		Iron (Fe)	SOP: TPM/MSK/47/E (Issue No.01 dated 01.01.2013)	0.50 % to 10.0 %
			SOP: TPM/MSK/47/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.10 % to 5.0 %
		Arsenic (As)	SOP: TPM/MSK/47/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.10 % to 5.0 %
		Sulphur(S)	SOP: TPM/MSK/47/F (Issue No.01 dated 01.01.2013)	0.50 % to 40.0 %
		Silver (Ag)	SOP: TPM/MSK/47/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.005 % to 5.0 %
			ISO 10378:2016 (Fire Assay)	0.0025 % to 0.15%
		Gold (Au)	ISO 10378:2016 (Fire Assay)	0.00005 % to 0.03 %
		Phosphorus (P)	SOP: TPM/MSK/47/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.01% to 1.0 %
13.	Zinc Ore/	Zinc (Zn)	SOP: TPM/MSK/48/A	5.0 % to 60.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 19 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Concentrate		(Issue No.01 dated 01.01.2013)	
			ISO 13658:2000, RC 2014	10.0 % to 60.0 %
			SOP: TPM/MSK/48/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.05 % to 5.0 %
		Silica (SiO ₂)	SOP: TPM/MSK/48/B (Issue No.01 dated 01.01.2013)	0.50 % to 60.0 %
		Lead (Pb)	SOP: TPM/MSK/48/C (Issue No.01 dated 01.01.2013)	0.10 % to 10.0 %
			SOP: TPM/MSK/48/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.05 % to 5.0 %
		Iron (Fe)	SOP: TPM/MSK/48/D (Issue No.01 dated 01.01.2013)	0.50 % to 10.0 %
			SOP: TPM/MSK/48/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.50 % to 5.0 %
		Copper (Cu)	SOP: TPM/MSK/48/E (Issue No.01 dated 01.01.2013)	0.10 % to 10.0 %
			SOP: TPM/MSK/48/G (ICP-OES)	0.10 % to 5.0 %

Ruchi Guntuku
Convenor

Sunita Rawat
Program Manager

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 20 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			(Issue No.01 dated 01.01.2013)	
		Arsenic (As)	SOP: TPM/MSK/48/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.005 % to 5.0 %
		Silver (Ag)	SOP: TPM/MSK/48/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.005 % to 5.0 %
			ISO 10378:2016 (Fire Assay)	0.001 % to 0.08 %
		Gold (Au)	ISO 10378:2016 (Fire Assay)	0.0001% to 0.0012 %
		Sulphur(S)	SOP:TPM/MSK/48/F (Issue No.01 dated 01.01.2013)	0.50 % to 40.0 %
		Phosphorus (P)	SOP: TPM/MSK/48/G (ICP-OES) (Issue No.01 dated 01.01.2013)	0.10 % to 1.0 %
14.	Nickel Ores/ Concentrates	Nickel (Ni)	SOP: TPM/MSK/49/A (Issue No.01 dated 01.01.2013)/ JIS M 8126-1994	0.20 % to 7.0 %
			SOP: TPM/MSK/49/H (ICP-OES) (Issue No.01 dated 01.01.2013)	0.10 % to 7.0 %

Ruchi Guntuku
Convenor

Sunita Rawat
Program Manager

Laboratory

**Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23,
Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-
Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal**
**Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2
R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas,
West Bengal**
**Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor,
Haldia, Dist Purba Medinipur, West Bengal**

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 21 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Silica (SiO ₂)	SOP: TPM/MSK/49/B (Issue No.01 dated 01.01.2013)	10.0 % to 60.0 %
		Iron (Fe)	SOP: TPM/MSK/49/C (Issue No.01 dated 01.01.2013)	10.0 % to 60.0 %
		Calcium Oxide (CaO)	SOP: TPM/MSK/49/D (Issue No.01 dated 01.01.2013)	0.1 % to 10.0 %
		Magnesium Oxide (MgO)	SOP: TPM/MSK/49/E (Issue No.01 dated 01.01.2013)	1.0 % to 35.0 %
		Alumina (Al ₂ O ₃)	SOP: TPM/MSK/49/F (Issue No.01 dated 01.01.2013)	1.0 % to 25.0 %
		Cobalt (Co)	SOP: TPM/MSK/49/H (ICP-OES) (Issue No.01 dated 01.01.2013)	0.005% to 1.0 %
		Sulphur (S)	SOP: TPM/MSK/49/G (Issue No.01 dated 01.01.2013)	0.50 % to 10.0 %
		Phosphorus (P)	SOP: TPM/MSK/49/H (ICP-OES) (Issue No.01 dated 01.01.2013)	0.005 % to 1.0 %
15.	Quartz	Silica (SiO ₂)	IS :1917 (Part 3):1992, RA 2005	90 % to 99.80 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 22 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Alumina (Al ₂ O ₃)	SOP:TPM/MSK/25/B1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05% to 4 %
		Ferric Oxide (Fe ₂ O ₃)	SOP:TPM/MSK/25/C1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05% to 5.0 %
		Sodium Oxide (Na ₂ O)	SOP:TPM/MSK/25/D1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.001% to 0.05 %
		Potassium Oxide (K ₂ O)	SOP:TPM/MSK/25/D1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.001 % to 0.05 %
		Titanium Dioxide (TiO ₂)	SOP: TPM/MSK/25/E1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.01% to 1.0 %
II.	SOLID FUELS			
1.	Coal &Coke	Total Moisture in Coal	IS 1350 (Part 1): 1984, RA 2013 ASTM D3302 / D3302M -17 ISO 589:2008 , RC 2018	1.0 % to 32 %
		Total Moisture in Coke	ISO 579:2013 IS 1350 (Part 1): 1984,	1.0 % to 32 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 23 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			RA 2013	
		Moisture in Coal	IS 1350 (Part 1): 1984, RA 2013 ASTM D3173 / D3173-17a ISO 11722:2013 ASTM D7582 – 15	0.1 % to 25 %
		Equilibrated Moisture (at 40°C and 60 % Relative Humidity) in Coal	IS 1350 (Part 1): 1984, RA 2013	0.5% to 18%
		Moisture in Coke	IS 1350 (Part 1): 1984, RA 2013 ASTM D3173 / D3173M – 17a ISO 687:2010, RC 2016 ASTM D 7582 – 15	0.1 % 10 %
		Volatile Matter in Coal	IS 1350 (Part 1): 1984, RA 2013 ASTM D3175 – 17 ISO 562:2010, RC 2016 ASTM D7582 – 15	0.5 % to 50 %
		Volatile Matter in Coke	IS 1350 (Part 1): 1984, RA 2013 ASTM D3175 – 17 ISO 562:2010, RC 2016 ASTM D7582 – 15	0.5 % to 10.0% 0.5 % to 10.0%
		Ash in Coal	IS 1350 (Part 1): 1984, RA 2013 ASTM D3174-12 ISO 1171:2010, RC 2016	0.5 % to 60.0 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 24 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Ash in Coke	ASTM D 7582 – 15 IS 1350 (Part 1): 1984, RA 2013 ASTM D3174-12 ISO 1171:2010, RC 2016 ASTM D 7582 – 15	0.30 % to 45.0%
		Fixed Carbon in Coal	IS 1350 (Part 1): 1984, RA 2013 ASTM D 3172-13 ASTM D 7582 – 15 ISO 17246 : 2010, RC 2016	By calculation
		Fixed Carbon in Coke	IS 1350 (Part 1): 1984, RA 2013 ASTM D 3172-13 ASTM D 7582 – 15 ISO 17246 : 2010, RC 2016	By calculation
		Gross Calorific Value in Coal (different basis)	IS 1350 (Part 2): 2017 ASTM D5865-13 ISO 1928:2009, RC 2016	1500 kcal/kg to 8333 kcal/kg
		Gross Calorific Value in Coke (different basis)	IS 1350 (Part 2): 2017 ASTM D5865-13 ISO 1928:2009, RC 2016	3333 kcal/kg to 8333 kcal/kg
		Total Sulphur in Coal & Coke	IS:1350 (Part 3): 1969, RA 2015 ASTM D4239 – 17 ISO 334:2013 ISO 19579:2006, RC 2018	0.20 % to 5 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 25 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Forms of Sulphur:		
		Pyritic Sulphur	IS:1350 (Part 3): 1969, RA 2015	0.01 % to 6 %
		Organic Sulphur		
		Sulphate Sulphur		
		Chlorine	IS:1350 (Part 5): 2017	0.015 % to 1 %
		Phosphorus	IS:1350 (Part 5): 2017	0.01 % to 1 %
			SOP:TPM/MSK/6/M/6 (ICP-OES) (Issue No. 02 dated 01.04.2011)	0.01 % to 1 %
			ISO 622:2016	0.01 % to 1 %
		Crucible Swelling Number (CSN)	IS 1353 : 1993, RA 2015	0 to 9
			ASTM D720/D720M-15e1	
		Hardgrove Grindability Index (HGI)	ISO 5074:2015	35 to 98
			IS 4433 - 1979, RA 2010	
			ASTM D409 / D409M – 16	
		Ash Analysis		
		Silica (SiO ₂)	IS 1355 : 1984, RA 2007	20 % to 68 %
			ASTM D 6349-13	
		Ferric Oxide (Fe ₂ O ₃)	IS 1355 : 1984, RA 2007	0.50 % to 25 %
			ASTM D 6349-13	
		Alumina (Al ₂ O ₃)	IS 1355 : 1984, RA 2007	15.0 % to 35 %
			ASTM D 6349-13	
		Titania (TiO ₂)	IS 1355 : 1984, RA 2007	0.20 % to 3 %
			ASTM D 6349-13	
		Calcium Oxide (CaO)	IS 1355 : 1984, RA 2007	1.0 % to 15 %
			ASTM D 6349-13	

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 26 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Magnesium Oxide (MgO)	IS 1355 : 1984, RA 2007 ASTM D 6349-13	1 % to 7.0 %
		Manganous Oxide (MnO)	IS 1355 : 1984, RA 2007 ASTM D 6349-13	0.1 % to 0.5 % 0.01% to 0.1 %
		Phosphorus Pentoxide (P ₂ O ₅)	IS 1355 : 1984, RA 2007 ASTM D 6349-13	0.30 % to 1.5 %
		Sulphur Trioxide (SO ₃)	IS 1355 : 1984, RA 2007 ASTM D 6349-13	0.5 % to 15 % 0.50 % to 15 %
		Sodium Oxide (Na ₂ O)	IS 1355 : 1984, RA 2007 ASTM D 6349-13	0.10 % to 5 %
		Potassium Oxide (K ₂ O)	IS 1355 : 1984, RA 2007 ASTM D 6349-13	0.10 % to 5 %
		Ultimate Analysis		
		Carbon (C)	ASTM D5373 – 16	54.9 % to 84.70 %
		Hydrogen (H)		3.25% to 5.1 %
		Nitrogen (N)		0.50 % to 2.0 %
		Carbon (C)	ISO 29541:2010, RC 2016	54.9 % to 84.70 %
		Hydrogen (H)		3.25% to 5.1 %
		Nitrogen (N)		0.50 % to 2.0 %
		Sulphur (S)	IS:1350 (Part 3): 1969, RA 2015 ASTM D4239 – 17 ISO 19579:2006 , RC 2018	0.20 % to 5 %
		Oxygen (O)	ISO 1170:2013 ASTM D3176-15	By calculation

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 27 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Reactivity of coke		
		Coke Reactivity Index (CRI)	IS 4023:1991, RA 2013 ASTM D5341 / D5341M - 17a ISO 18894:2018	18 to 31
		Coke Strength after Reaction(CSR)	IS 4023:1991, RA 2013 ASTM D5341 / D5341M - 17a ISO 18894:2018	55 to 72
		Coal & Coke Ash (Fusibility Test)		
		IT (Initial Deformation Temperature)	ASTM D1857 / D1857M - 17a (Oxidizing & Reducing) (Year-2017)	800°C to 1500°C
		ST (Spherical Temperature)		
		HT(Hemispherical Temperature)		
		FT(Fluidity Temperature)		
2.	Petroleum Coke	Moisture (As received)/ Gross Moisture	IS 1448 (Part 132): 2018 ASTM D4931 – 06 (Reapproved2017)	1% to 20%
		Moisture	IS 1448 (Part 132): 2018	0.4% to 2%
		Volatile Matter	IS 1448 (Part 134) 1989, RA 2013 ASTM D6374 – 12 (Reapproved2017)e1	0.5% to 15%
		Ash	IS:1448 (Part 126) 1988, RA 2016	0.20 % to 2%

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 28 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			ASTM D4422-13	
		Fixed Carbon	IS 1350 (Part 1): 1984, RA 2013	By calculation
			ASTM D 3172-13	
		Sulphur	IS 1448 (Part 33) 1991, RA 2013	2 % to 10%
		Gross Calorific Value	IS 1350 (Part 2): 2017	7000 kcal/kg to 9000 kcal/kg
			ASTM D5865-13	
3.	Graphite	Moisture	IS 11321:1985, RA 2014	0.10 % to 2 %
		Volatile Matter	IS 11321:1985, RA 2014	0.20% to 10 %
		Ash	IS 11321:1985, RA 2014	0.20 % to 25 %
		Fixed Carbon	IS 11321:1985, RA 2014	By calculation
		Sulphur	IS 11321:1985, RA 2014	0.10 % to 1.0 %
		Petroleum Ether soluble Matter	IS 495:1967, RA 2013	0.05 % to 1 %
		Loss on Heating	IS 495:1967, RA 2013	0.20 % to 2 %
		Water soluble matter	IS 495:1967, RA 2013	0.05% to 1 %
		Non Graphitic Carbon	IS 495:1967, RA 2013	0.10% to 5 %
III.	METALS AND ALLOYS			
1.	Ferro Chrome	Silicon (Si) in HCFC	IS 13452 (Part 1):1992, RA 2018	1.0 % to 6.0 %
		Silicon (Si) in LCFC	IS 13452 (Part 2):1992, RA 2018	0.2 % to 2.0 %
		Chromium (Cr) in HCFC	IS 13452 (Part 5) : 2003, RA 2018	50 % to 70 %
			ISO 4140 : 1979, RC 2016	
		Chromium (Cr) in LCFC	IS 13452 (Part 6):1997, RA 2018	60 % to 70 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 29 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Phosphorus (P) in Ferro Chromium	IS 13452 (Part 7) :2003: RA 2014	0.01 % to 0.06 %
			SOP: TPM/MSK/8/C /2 (Issue No.02 dated 01.04.2011)	0.01 % to 0.10 %
			SOP:TPM/MSK/8/C/1 (ICP-OES) (Issue No.01 dated 01.01.2013)	0.01% to 0.06 %
		Phosphorus (P) in LCFC	IS 13452 (Part 7) :2003: RA 2014	0.01% to 0.06 %
			SOP: TPM/MSK/8/C (Issue No.02 dated 01.04.2011)	0.01% to 0.06 %
			SOP:TPM/MSK/8/C/1 (ICP-OES) (Issue No.01 dated 01.01.2013)	0.01% to 0.06 %
		Carbon (C) in HCFC/LCFC	ISO 15350:2000, RC 2018	0.10 % to 4.30 %
			ASTM E1915-13	0.08 % to 10 %
		Sulphur (S) in HCFC/LCFC	ISO 15350:2000 RC 2018	0.011 % to 0.33 %
			ASTM E1915-13	0.010 % to 0.50%
		Mn in Ferrochrome	SOP: TPM/MSK/8/E1 (ICP-OES) (Issue No.02 dated	0.08 % to 1.5 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 30 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.04.2011)	
		Ti in Ferrochrome	SOP:TPM/MSK/8/F1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.08 % to 1 %
		Ni in Ferrochrome	SOP:TPM/MSK/8/G1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.08 % to 1 %
2.	Ferro- Manganese	Silicon (Si)	IS 1559 : 1961, RA 2018	0.2 % to 4 %
		Manganese (Mn)	IS 1559 : 1961, RA 2018	55 % to 95 %
			ISO 4159:1978, RC 2015	
		Phosphorus (P)	IS 1559 : 1961, RA 2018	0.1 % to 0.5 %
			SOP:TPM/MSK/9/C1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05% to 0.5 %
		Sulphur (S)	ISO 15350:2000 RC 2018	0.01% to 0.15 %
ASTM E1915-13	0.01 % to 0.50%			
Carbon (C)	ASTM E1915-13	0.50 % to 10 %		
3.	Ferro- Silicon	Silicon (Si)	IS 1559 (Part 1) :1988, RA 2014	15 % to 85 %
			ISO 4158 : 1978 , RC 2015	8 % to 95 %
		Aluminium (Al)	IS 1559 (Part 5) :2003, RA 2014	0.25 % to 8 %
			SOP:TPM/MSK/10/E1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.1 % to 2 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 31 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Phosphorus (P)	IS 1559 (Part IV) :1982, RA 2012	0.05% to 0.15 %
			SOP:TPM/MSK/10/B1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.005% to 0.15 %
		Sulphur (S)	ISO 15350:2000, RC2018 ASTM E1915-13	0.005% to 0.3 % 0.023 % to 0.8 %
		Carbon (C)	ISO 15350:2000, RC2018 ASTM E1915-13	0.1 % to 1 % 0.8 % to 10.0 %
		Calcium (Ca)	IS 1559 (Part VI):1982, RA 2012 SOP:TPM/MSK/10/D1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.2 % to 3 % 0.2 % to 3 %
4.	Silico Manganese	Silicon (Si)	IS 1559 : 1961, RA 2012	10 % to 30 %
			ISO 4158:1978, RC 2015	
		Manganese (Mn)	IS 1559 : 1961, RA 2012	50 % to 70 %
			ISO 4159:1978, RC 2015	55 % to 70 %
		Phosphorus (P)	IS 1559 : 1961, RA 2012	0.05% to 5 %
			SOP:TPM/MSK/11/C1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05% to 3 %
Sulphur (S)	ISO 15350:2000 , RC 2018	0.01 % to 0.25 %		
	ASTM E1915-13	0.023 % to 0.8 %		

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 32 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Carbon (C)	ISO 15350:2000, RC 2018 ASTM E1915-13	0.02 % to 4 % 0.8 % to 10.0 %
		Boron (B)	SOP:TPM/MSK/11/E (ICP-OES) (Issue No.02 dated 01.04.2011)	0.0015% to 0.02%
5.	Ferro Titanium	Titanium (Ti)	IS 1559 : 1961, RA 2018 SOP:TPM/MSK/12/A1 (Issue No.02 dated 01.04.2011)	15 % to 70 %
		Silicon (Si)	IS 1559 : 1961, RA 2018	2 % to 25 %
6.	Ferro Vanadium	Vanadium (V)	IS 1559 : 1961, RA 2018 ISO 4140 : 1979, RC 2016	40 % to 60 %
		Silicon (Si)	IS 1559 : 1961, RA 2018	0.5 % to 5 %
7.	Ferro Molybdenum	Molybdenum (Mo)	IS 1559 : 1961, RA 2018 ISO 4173 : 1980 SOP TPM/MSK/14/A1 (Issue. 02 Dated. 01.04.2011)	50 % to 70 %
		Silicon (Si)	IS 1559 : 1961, RA 2012	0.1 % to 5.0 %
		Sulphur (S)	ISO 15350:2000 , RC 2018	0.005 % to 0.05 %
		Carbon (C)	ISO 15350:2000 , RC 2018	0.008 % to 0.05 %
8.	Pig iron / Cast iron	Carbon (C)	ISO 15350:2000 , RC 2018	2.0 % to 4.30 %
		Sulphur (S)	ISO 15350:2000 , RC 2018	0.005% to 0.30%
		Chromium (Cr)	IS 12308(Part 8):1997, RA 2018	0.1% to 28%

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 33 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			SOP:TPM/MSK/16/B1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.10 % to 0.5 %
		Manganese (Mn)	IS 12308(Part 10):1991, RA 2012	0.50 % to 7 %
			SOP:TPM/MSK/16/C/1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.10 % to 2 %
		Silicon (Si)	IS 12308 (Part 6):1991, RA 2012	0.2 % to 6%
		Phosphorus (P)	IS 12308 (Part 5):1991, RA 2012	0.01 % to 0.5 %
			SOP:TPM/MSK/16/E1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.01% to 0.5 %
		Nickel (Ni)	IS 12308 (Part 7):1991, RA 2012	0.5 % to 36 %
			SOP:TPM/MSK/16/F1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.10 % to 5 %
9.	Steel	Carbon (C)	ISO 15350:2000 , RC 2018 ISO 9556-1989, RC 2016	0.010 % to 4.30 %
		Sulphur (S)	ISO 15350:2000 , RC 2018	0.006 % to 0.33 %

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 34 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			ISO 4935-1989, RC 2016	0.010 % - 0.10 %
		Manganese (Mn)	IS 228 (Part 2):1987, RA 2012	0.4 % to 1.5 %
			SOP:TPM/MSK/17/C1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.1 % to 2.5%
		Silicon (Si)	IS 228 (Part 8):1989, RA 2014	0.05 % to 1.0 %
		Phosphorus (P)	IS 228 (Part 3):1987, RA 2012	0.01 % to 0.25 %
			SOP: TPM/MSK/17/E1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.006 % to 0.25 %
		Nickel (Ni)	IS 228 (Part 5):1987, RA 2014	1 % to 10.0 %
			SOP: TPM/MSK/17/F1 (ICP-OES) (Issue No.02 dated 01.04.2011) (Issue No.02 dated 01.04.2011)	0.2 % to 10.0 %
		Chromium (Cr)	IS 228 (Part 6):1987, RA 2014	0.5 % to 20.0 %
			SOP:TPM/MSK/17/G1 (ICP-OES) (Issue No.02 dated	0.5 % to 20.0 %

Ruchi Guntuku
Convenor

Sunita Rawat
Program Manager

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 35 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			01.04.2011)	
		Copper (Cu)	SOP: TPM/MSK/17/H1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.05 % to 0.5 %
10.	Copper base alloy (brass)	Copper (Cu)	IS 3685 : 1966, RA 2018	55.0 % to 72.0 %
		Lead (Pb)	SOP: TPM/MSK/32/A1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.50 % to 3.0 %
			IS 3685 : 1966, RA 2018	1 % to 3 %
		Zinc (Zn)	IS 3685 : 1966, RA 2018	20 % to 45 %
		Tin (Sn)	SOP: TPM/MSK/32/C1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.10 % to 0.4 %
11.	Bronze	Copper (Cu)	IS 4027 (Part 1):1987, RA 2018	75 % to 96 %
		Lead (Pb)	IS 4027 (Part 1):1987, RA 2018	3 % to 5.5 %
		Zinc (Zn)	IS 4027 (Part 6):1987, RA 2018	4 % to 10 %
		Tin (Sn)	SOP: TPM/MSK/33/C1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.50 % to 5.5 %
12.	High Grade Primary Aluminium	Silicon (Si)	SOP: TPM/MSK/36	0.01 % to 1%
		Iron (Fe)	(ICP-OES)	0.0001% to 2 %
		Zinc (Zn)	(Issue No.02 dated	0.0005 % to 0.35%

Laboratory

**Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23,
Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-
Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal**
**Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2
R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas,
West Bengal**
**Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor,
Haldia, Dist Purba Medinipur, West Bengal**

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 36 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Gallium (Ga)	01.04.2011)	0.003 % to 0.4 %
		Vanadium (V)		0.001% to 0.3 %
		Copper (Cu)		0.0005 % to 0.5%
		Chromium (Cr)		0.0002 % to 0.05%
		Manganese (Mn)		0.0004 % to 0.05%
		Magnesium (Mg)		0.0002 % to 0.05%
		Titanium (Ti)		0.0004 % to 0.05%
13.	Tin	Aluminium (Al)	SOP:TPM/MSK/37 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.0002 % to 0.01%
		Arsenic (As)		0.0005% to 0.3%
		Bismuth (Bi)		0.0002 % to 0.3%
		Cadmium (Cd)		0.0002 % to 0.03%
		Copper (Cu)		0.0002 % to 0.5%
		Iron (Fe)		0.0002 % to 2%
		Lead (Pb)		0.0003 % to 0.5%
		Antimony (Sb)		0.0005% to 0.5%
		Zinc (Zn)	0.0002 % to 0.31%	
14	Special High Grade Zinc	Lead (Pb)	SOP :TPM/MSK/38 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.0001% to 0.5%
		Cadmium (Cd)		0.0005 % to 0.03%
		Iron (Fe)		0.0002% to 2%
		Tin (Sn)		0.0010% to 0.05%
		Copper (Cu)		0.0005 % to 0.5%
		Aluminium (Al)		0.0002% to 0.01%
15.	Standard Lead	Silver (Ag)	SOP :TPM/MSK/39 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.0002% to 0.05%
		Arsenic (As)		0.002 % to 0.3%
		Bismuth (Bi)		0.0002 % to 0.3%
		Cadmium (Cd)		0.0004 % to 0.03%
		Copper (Cu)		0.0001% to 0.5%
		Nickel (Ni)		0.0001% to 0.01%
		Antimony (Sb)		0.0005 % to 0.05%

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.- Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 37 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Tin (Sn)		0.0005% to 0.05%
		Zinc (Zn)		0.0001 % to 0.3%
16.	Primary Nickel	Cobalt (Co)	SOP:TPM/MSK/40 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.0005 % to 1.5%
		Copper (Cu)		0.0005 % to 0.5%
		Iron (Fe)		0.0005 % to 2%
		Sulphur (S)		0.001 % to 0.10%
		Phosphorus (P)		0.0001 % to 0.05%
		Manganese (Mn)		0.0002 % to 0.05%
		Silicon (Si)		0.0002 % to 0.05%
		Arsenic (As)		0.0005% to 0.35%
		Lead (Pb)		0.0002 % to 0.5%
		Antimony (Sb)		0.0005% to 0.5%
		Bismuth (Bi)		0.0001 % to 0.3%
		Tin (Sn)		0.0005 % to 0.05%
		Zinc (Zn)		0.0003 % to 0.35%
		17.		Copper
Arsenic (As)	0.0005% to 0.3%			
Bismuth (Bi)	0.0002 % to 0.3%			
Cadmium (Cd)	0.0002 % to 0.03%			
Cobalt (Co)	0.0004 % to 1.5%			
Chromium (Cr)	0.0004 % to 0.05%			
Iron (Fe)	0.0003 % to 2%			
Manganese (Mn)	0.0002 % to 0.05%			
Nickel (Ni)	0.0003 % to 0.01%			
Phosphorus (P)	0.0003 % to 0.05%			
Lead (Pb)	0.0003 % to 0.5%			
Sulphur (S)	0.001 % to 0.10%			
Antimony (Sb)	0.0005% to 0.5%			
Selenium (Se)	0.0005% to 0.002%			

Laboratory

**Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23,
Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-
Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal**
**Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2
R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas,
West Bengal**
**Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor,
Haldia, Dist Purba Medinipur, West Bengal**

Accreditation Standard ISO/IEC 17025: 2017**Certificate Number****TC-7642****Page 38 of 40****Validity****23.08.2019 to 10.08.2020****Last Amended on**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Silicon (Si)		0.001% to 0.05%
		Tin (Sn)		0.0005 % to 0.05%
		Tellurium (Te)		0.0002 % to 0.002%
		Zinc (Zn)		0.0004 % to 0.03%
18.	Cobalt	Beryllium (Be)	SOP:TPM/MSK/42 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.0003 % to 0.5 %
		Magnesium (Mg)		0.0003 % to 0.5 %
		Aluminium (Al)		0.0002 % to 0.05%
		Titanium (Ti)		0.0002 % to 0.05%
		Vanadium (V)		0.0002 % to 0.3 %
		Chromium (Cr)		0.0002 % to 0.05%
		Manganese(Mn)		0.0003 % to 0.05%
		Iron (Fe)		0.0002 % to 2%
		Nickel (Ni)		0.0002 % to 0.1%
		Copper (Cu)		0.0003 % to 0.5%
		Zinc (Zn)		0.0002 % to 0.03%
		Gallium (Ga)		0.0003 % to 0.05 %
		Germanium (Ge)		0.0002 % to 0.05%
		Arsenic (As)		0.0005% to 0.05%
		Selenium (Se)		0.0005% to 0.002%
		Molybdenum(Mo)		0.0002 % to 0.05 %
		Silver(Ag)		0.0002 % to 0.05%
		Cadmium (Cd)		0.0003 % to 0.03%
		Tin (Sn)		0.0005 % to 0.05%
		Antimony (Sb)		0.0005% to 0.05%
		Barium (Ba)	0.0003 % to 0.05%	
		Platinum (Pt)	0.0002 % to 0.005%	
		Gold (Au)	0.0001 % to 0.005%	
		Lead (Pb)	0.00003% to 0.5%	

Laboratory

Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjeepara, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjanachak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard ISO/IEC 17025: 2017

Certificate Number

TC-7642

Page 39 of 40

Validity

23.08.2019 to 10.08.2020

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
IV. FERTILIZERS				
1.	Urea	Moisture	IS 6092 (Part 6) :1985, RA 2017 (4.3 Method 3)	0.1 % to 2 %
		Total Nitrogen	IS 6092 (Part 2/ Sec 5): 2004, RA 2017	40 % to 46.65 %
		Biuret	IS 6092(Part 6):1985, RA 2017 (Method 5.1.2) SOP:TPM/MSK/27/C1 (ICP-OES) (Issue No.02 dated 01.04.2011)	0.1 % to 1.5%
2.	Di-Ammonium Phosphate	Moisture	IS 6092 (Part 6): 1985, RA 2017 (4.2 Method 2)	0.1 % to 2 %
		Total phosphate (as P ₂ O ₅)	IS 6092 (Part 3): 1985, RA 2016 (Method 6.3)	40 % to 50 %
		Water Soluble phosphate (as P ₂ O ₅)	IS 6092 (Part 3): 1985, RA 2016 (Method 7.3.2)	40 % to 50 %
		Neutral Ammonium Citrate Soluble Phosphate (as P ₂ O ₅)	IS 6092 (Part 3): 1985, RA 2016	40 % to 50 %
		Total Nitrogen	IS 6092 (Part 2) : Sec 5 : 2004 , RA 2017	15 % to 22 %
		Ammoniacal Nitrogen	IS 6092 (Part 2) :1985, RA 2016	15 % to 20 %

Laboratory **Mitra S.K. Private Limited, Holding No. E-5-138/157, Ward no.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal**
Location 1: Holding No. E-5-138/157, Ward No.23, Gangarampur Road, Phase-2 R.H.S. to Behala, Banerjee para, P.O.-Raipur, P.S.- Mahesatala, South 24 Parganas, West Bengal
Location 2: Holding No. 22/107, Plot No.: 784, Ward No.:8, Khanjan chak, 1st Floor, Haldia, Dist Purba Medinipur, West Bengal

Accreditation Standard **ISO/IEC 17025: 2017**

Certificate Number **TC-7642**

Page 40 of 40

Validity **23.08.2019 to 10.08.2020**

Last Amended on

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
Location : 2				
I.	ORES & MINERALS			
1.	Iron Ore	Moisture	IS 11690:1986, RA 2014	0.5 % to 15 %
			IS 1493 (Part 1)-1981, RA 2016	0.5 % to 15 %