

Laboratory Senior Quality Assurance Establishment (ARMTS), Chemical Laboratory, Varangaon, Tahasil-Bhusaval, Dist.-Jalgaon, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-7505

Page 1 of 1

Validity 29.06.2018 to 28.06.2020

Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

CHEMICAL TESTING

I.	INDUSTRIAL & FINE CHEMICALS			
1.	Lead Styphnate	Lead Styphnate content	JSS 1375-06: 2006 (Rev. 1)	3.45 % to 100 %
		Sensitiveness to percussion	JSS 1375-06: 2006 (Rev. 1)	0.08 J/cm ² to 2.09 J/cm ²
2.	Tetrazene	Estimation of nitrogen content of Tetrazene	JSS 1376-08: 2007 (Rev. 2)	283.00 ml/g to 425.57 ml/g
		Sensitiveness to percussion	JSS 1376-08: 2007 (Rev. 2)	0.12 J/cm ² to 3.16 J/cm ²

Battal Singh
Convenor

N. Venkateswaran
Program Manager