

Laboratory Pesticide Referral Laboratory, Division of Agricultural Chemicals,
Indian Agricultural Research Institute, New Delhi

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-7921

Page 1 of 1

Validity 26.09.2018 to 25.09.2020

Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

CHEMICAL TESTING

I.	RESIDUES IN WATER			
1.	Drinking Water	Pesticide		
		Lindane α-endosulfan op-DDT pp-DDT pp-DDE	SOP. PRL/SOP/5.4/019, 2015 Issue No. 5 dated 28.12.2017	0.1 µg/l to 10.0 µg/l 0.1 µg/l to 10.0 µg/l 0.1 µg/l to 10.0 µg/l 0.1 µg/l to 10.0 µg/l 0.1 µg/l to 10.0 µg/l
II.	RESIDUES IN FOOD PRODUCTS			
1.	Fresh Vegetables	Pesticide		
		Cypermethrin Deltamethrin	SOP. PRL/SOP/5.4/022, 2015 Issue No. 5 dated 28.12.2017	0.2 µg/g to 2.0 µg/g 0.2 µg/g to 2.0 µg/g
2.	Cereals	Cypermethrin Deltamethrin	SOP. PRL/SOP/5.4/018, 2015 Issue No. 5 dated 28.12.2017	0.2 µg/g to 2.0 µg/g 0.2 µg/g to 2.0 µg/g
III.	POLLUTION & ENVIRONMENT			
1.	Soil	Pesticide		
		Lindane op-DDT pp-DDT Malathion Methyl Parathion	SOP. PRL/SOP/5.4/021, 2015 Issue No. 5 dated 28.12.2017	0.2 µg/g to 2.0 µg/g 0.2 µg/g to 2.0 µg/g 0.2 µg/g to 2.0 µg/g 0.2 µg/g to 2.0 µg/g 0.2 µg/g to 2.0 µg/g