

Laboratory Food Testing Laboratory, Krishi Vigyan Kendra, Durgapur, (Badnera)
Dist. Amravati, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6730

Page 1 of 1

Validity 12.01.2018 to 11.01.2020

Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

CHEMICAL TESTING

I.	FOOD AND AGRICULTURE PRODUCTS			
1.	Cereals, Pulses & By-products (Wheat, Rice, Pigeon pea, Chickpea)	Ash	IS 1009 IS 1155	0.05 % to 50%
		Moisture	IS 4333 IS 1155	0.05 % to 100 %
		Fat	AOAC (Chapter No.32.2.09)	0.01 % to 50 %
		Gluten	IS 1155	1 % to 50 %
		Calcium	AOAC (chapter no.32.1.10)	0.5% to 10%
2.	Oil, Fats and Related Products (Soyaoil)	Acid value	IS 548	0.1 to 95
		Saponification Value	IS 548 (Part 1)	0.05 % to 300
3.	Spices & condiments (Chilli Powder, Coriander powder, Turmeric powder & Masala)	Total Ash	IS 1797	0.5 % to 50%
		Salt (NaCl)	IS 1797	0.5 % to 50%
		Curcumin	IS 10925	0.1% to 50%
4.	Bakery & Confectionary Products (Cookies, Toast)	Ash	IS 12711	0.05 % to 50%
		Moisture	IS 12711	0.05 % to 50%