

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on - **Page** **1 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
--------	----------------------------	-------------------------	---	--

I. DRUGS & PHARMACEUTICALS

1.	Azikon Tablet (Gliclazide Tablets)	Assay	RLT/1619 Issue No. 00 Issue Date 07/07/14	1 % to 120 %
			CTP/570 Issue No. 00 Issue Date 04/12/13	1 % to 120 %
			RLT/1253 Issue No. 00 Issue Date 08/11/12	1 % to 120 %
			RLT/1800 Issue No. 00 Issue Date 05/05/15	1 % to 120 %
			CTP/571 Issue No. 01 Issue Date 25/05/15	1 % to 120 %
			RLT/1430 Issue No. 00 Issue Date 01/04/14	1 % to 120 %
			RLT/1308 Issue No. 00 Issue Date 01/ 01/14	1 % to 120 %
			CTP/Issue No. 0197 Issue No. 01 Issue Date 11/ 02/15	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **2 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Azukon Tablet (Gliclazide Tablets)	Dissolution	RLT/1619 Issue No. 00 Issue Date 07/07/14	1 % to 120 %
			CTP/570 Issue No. 00 Issue Date 04/12/13	1 % to 120 %
			RLT/1253 Issue No. 00 Issue Date 08/11/12	1 % to 120 %
			RLT/18 Issue No. 00 Issue No. 00 Issue Date 05/05/15	1 % to 120 %
			CTP/571 Issue No. 01 Issue Date 25/05/15	1 % to 120 %
			RLT/1430 Issue No. 00 Issue Date 01/04/14	1 % to 120 %
			RLT/1308 Issue No. 00 Issue Date 01/ 01/14	1 % to 120 %
			CTP/Issue No. 0197 Issue No. 01 Issue Date 11/ 02/15	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **3 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Azukon Tablet (Gliclazide Tablets)	Related Compounds	CTP/571 Issue No. 01 Issue Date 25/05/15	0.05 % to 2.0 %
			RLT/1430 Issue No. 00 Issue Date 01/04/14	0.05 % to 2.0 %
2.	Amazeo Tablet (Amisulpride Tablets)	Assay	CTP/Issue No. 0 Issue No. 019 Issue No. 01 Issue Date 02/05/14	1 % to 120 %
			CTP/331 Issue No. 00 Issue Date 17/09/12	1 % to 120 %
			CTP/Issue No. 0181 Issue No. 00 Issue Date 31/10/14	1 % to 120 %
		Dissolution	CTP/0019 Issue No. 01 Issue No. Issue Date 02/05/14	1 % to 120 %
			CTP/331 Issue No. 00 Issue Date 17/09/12	1 % to 120 %
			CTP/Issue No. 0181 Issue No. 00 Issue Date 31/10/14	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 4 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Amazeo Tablet (Amisulpride Tablets)	Related Compounds	CTP/ Issue No. 019 Issue No. 01 Issue Date 02/05/14	0.05 % to 2.0 %
			CTP/331 Issue No. 00 Issue Date 17/09/12	0.05 % to 2.0 %
			CTP/ 0181 Issue No. 00 Issue Date 31/10/14	0.05 % to 2.0 %
3.	Arip Mt Tablet (Aripiprazole Tablet)	Assay	CTP/638, F-4 000943, F-4 Issue No. 00 Issue No. 0236, F-4 Issue No. 00 Issue No. 0235 Issue No. 02 Issue Date 21/11/13	1 % to 120 %
			RLT/2370 Issue No. 00 Issue Date 14/05/14	1 % to 120 %
			RLT/2344 Issue No. 00 Issue Date 14/05/14	1 % to 120 %
			RLT/1549 Issue No. 01 Issue Date 01/04/14	1 % to 120 %
			RLT/1550 Issue No. 00 Issue Date 02/05/14	1 % to 120 %

Laboratory	Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	21.07.2015
Certificate Number	T-1149	Valid Until	20.07.2017
Last Amended on	-	Page	5 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Arip Mt Tablet (Aripiprazole Tablet)	Assay	RLT/868, F-4 000944 Issue No. 00 Issue Date 16/01/15	1 % to 120 %
			RLT/1433 Issue No. 00 Issue Date 04/03/14	1 % to 120 %
			RLT/1435 Issue No. 00 Issue Date 04/03/14	1 % to 120 %
			RLT/867 Issue No. 00 Issue Date 16/01/15	1 % to 120 %
		Dissolution	CTP/638, F-4 000943, F-4 000236, F-4 000235 Issue No. 02 Issue Date 21/11/13	1 % to 120 %
			RLT/2370 Issue No. 00 Issue Date 14/05/14	1 % to 120 %
			RLT/2344 Issue No. 00 Issue Date 14/05/14	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent
Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh,
Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 6 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Arip Mt Tablet (Aripiprazole Tablet)	Dissolution	RLT/1549 Issue No 01 Issue Date 01/04/14	1 % to 120 %
			RLT/1550 Issue No 00 Issue Date 02/05/14	1 % to 120 %
			RLT/868, F-4 Issue No 000944 Issue No 00 Issue Date 16/ 01/15	1 % to 120 %
			RLT/1433 Issue No 00 Issue Date 04/03/14	1 % to 120 %
			RLT/1435 Issue No 00 Issue Date 04/03/14	1 % to 120 %
			RLT/867 Issue No 00 Issue Date 16/01/15	1 % to 120 %
			Related Compounds	RLT/2344, F-4 000943, F-4 000236 Issue No 00 Issue Date 14/04/14

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 7 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Arip Mt Tablet (Aripiprazole Tablet)	Related Compounds	RLT/1549 Issue No 01 Issue Date 01/04/14	0.05 % to 2.0 %
			CTP/638, F-4 000944 Issue No 02 Issue Date 21/11/13	0.05 % to 2.0 %
4.	Amlocor Tablet (Amlodipine Tablets)	Assay	RLT/2254, RLT/392 Issue No 00 Issue Date 04/12/13	1 % to 120 %
			RLT/376, RLT/546 Issue No 01 Issue Date 14/05/14	1 % to 120 %
		Dissolution	RLT/2254, RLT/392 Issue No 00 Issue Date 04/12/13	1 % to 120 %
			RLT/376, RLT/546 Issue No 01 Issue Date 14/05/14	1 % to 120 %
5.	Prax Tablet (Aspirin Tablets)	Assay	CTP/610 Issue No 01 Issue Date 17/09/12	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **8 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Prax Tablet (Aspirin Tablets)	Dissolution	CTP/610 Issue No 01 Issue Date 17/09/12	1 % to 120 %
			CTP/436 Issue No 01 Issue Date 11/03/15	% to 120%
6.	Betacard Tablet (Atenolol Tablets)	Assay	RLT/2114 Issue No 00 Issue Date 02/03/13	1 % to 120 %
			RLT/2115 Issue No 00 Issue Date 02/03/13	1 % to 120 %
			RLT/1193 Issue No 02 Issue Date 19/09/14	1 % to 120 %
			RLT/1590 Issue No 00 Issue Date 07/07/14	1 % to 120 %
			RLT/1593 Issue No 00 Issue Date 07/07/14	1 % to 120 %
			RLT/1591, RLT/1592 Issue No 00 Issue Date 07/07/14	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 9 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection	
	Betacard Tablet (Atenolol Tablets)	Assay	CTP/ 0098 Issue No. 06 Issue Date 06/08/14	1 % to 120 %	
			RLT/1598 Issue No 00 Issue Date 07/07/14	1 % to 120 %	
			RLT/1597 Issue No 00 Issue Date 07/07/14	1 % to 120 %	
		Related Compounds	RLT/2114 Issue No 00 Issue Date 02/03/13	0.05 % to 2.0 %	
			RLT/2115 Issue No 00 Issue Date 02/03/13	0.05 % to 2.0 %	
			RLT/1193 Issue No 02 Issue Date 19/09/14	0.05 % to 2.0 %	
			RLT/1590 Issue No 00 Issue Date 07/07/14	0.05 % to 2.0 %	
			RLT/1593, RLT/1591 Issue No 00 Issue Date 07/07/14	0.05 % to 2.0 %	

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **10 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Betacard Tablet (Atenolol Tablets)	Related Compounds	RLT/1592 Issue No. 00 Issue Date 07/07/14	0.05 % to 2.0 %
			CTP/Issue No 0098 Issue No. 06 Issue Date 06/08/14	0.05 % to 2.0 %
			RLT/1598 Issue No. 00 Issue Date 07/07/14	0.05 % to 2.0 %
			RLT/1597 Issue No. 00 Issue Date 07/07/14	0.05 % to 2.0 %
7.	Carbatol Tablet (Carbamazepine Tablets)	Assay	CTP/Issue No 0099 Issue No. 01 Issue Date 01/08/14	1 % to 120 %
			RLT/1069	1 % to 120 %
			RLT/1068	1 % to 120 %
			RLT/1047	1 % to 120 %
		Dissolution	CTP/ 0099	1 % to 120 %
			RLT/1069	1 % to 120 %
			RLT/1068	1 % to 120 %
			RLT/1047	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 11 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Carbatol Tablet (Carbamazepine Tablets)	Related Compounds	CTP/ 0099 Issue No 01 Issue Date 01/08/14	0.05 % to 2.0 %
			RLT/1069 Issue No 01 Issue Date 10/10/12	0.05 % to 2.0 %
			RLT/1068 Issue No 01 Issue Date 21/04/15	0.05 % to 2.0 %
			RLT/1047 Issue No 02 Issue Date 04/07/13	0.05 % to 2.0 %
8.	Calcigard Retard Tablet (Nifedipine Tablets)	Assay	RLT/1447 Issue No 01 Issue Date 01/04/13	1 % to 120 %
			RLT/1876 Issue No 00 Issue Date 08/06/15	1 % to 120 %
			RLT/143 Issue No. 04 Issue Date 11/12/14	1 % to 120 %
			RLT/088 Issue No 03 Issue Date 11/12/14	1 % to 120 %

Laboratory	Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	21.07.2015
Certificate Number	T-1149	Valid Until	20.07.2017
Last Amended on	-	Page	12 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Calcigard Retard Tablet (Nifedipine Tablets)	Assay	RLT/1669 Issue No 00 Issue Date 13/04/15	1 % to 120 %
			RLT/519 Issue No 02 Issue Date 11/12/14	1 % to 120 %
			CTP/Issue No 0075 Issue No 03 Issue Date 22/05/15	1 % to 120 %
		Dissolution	RLT/1447 Issue No 01 Issue Date 01/04/13	1 % to 120 %
			RLT/1876 Issue No 00 Issue Date 08/06/15	1 % to 120 %
			RLT/143 Issue No 04 Issue Date 11/12/14	1 % to 120 %
			RLT/088 Issue No 03 Issue Date 11/12/14	1 % to 120 %
			RLT/1669 Issue No 00 Issue Date 13/04/15	1 % to 120 %

**Anand Deep Gupta
Convenor**

**N. Venkateswaran
Program Manager**

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 13 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Calcigard Retard Tablet (Nifedipine Tablets)	Dissolution	RLT/519 Issue No 02 Issue Date 11/12/14	1 % to 120 %
			CTP/Issue No 0075 Issue No 03 Issue Date 22/05/15	1 % to 120 %
			RLT/519 Issue No 02 Issue Date 11/12/14	0.05 % to 2.0 %
9.	Dibeta Sr Tablet (Metformine Sr Tablets)	Assay	CTP/551, RLT/580 Issue No 02 Issue Date 01/05/15	1 % to 120 %
			RLT/1681 Issue No 00 Issue Date 07/02/15	1 % to 120 %
			RLT/1682 Issue No 00 Issue Date 07/02/15	1 % to 120 %
			Dissolution	CTP/551, RLT/580 Issue No 02 Issue Date Issue Date 01/05/15
			RLT/1681 Issue No 00 Issue Date 07/02/15	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on - **Page** **14 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Dibeta Sr Tablet (Metformine Sr Tablets)	Dissolution	RLT/1682 Issue No 00 Issue Date 07/02/15	1 % to 120 %
		Related Compounds	CTP/551 Issue No 02 Issue Date 01/05/15	0.05 % to 2.0 %
10.	Dilzem Tablet (Diltiazam Hydrochloride Tablets)	Assay	RLT/1459, RLT/1460, CTP/Issue No 0050 Issue No 01 Issue Date 09/12/14	1 % to 120 %
			RLT/1680 Issue No 00 Issue Date 07/02/15	1 % to 120 %
			CTP/344 Issue No 01 Issue Date 01/04/14	1 % to 120 %
			RLT/914 Issue No 01 Issue Date 10/10/14	1 % to 120 %
			RLT/1122 Issue No 01 Issue Date 09/10/14	1 % to 120 %
			RLT/1123 Issue No 01 Issue Date 10/10/14	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory	Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	21.07.2015
Certificate Number	T-1149	Valid Until	20.07.2017
Last Amended on	-	Page	15 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Dilzem Tablet (Diltiazam Hydrochloride Tablets)	Dissolution	RLT/1459, RLT/1460, CTP/ 0050 Issue No 01 Issue Date 09/12/14	1 % to 120 %
			RLT/1680 Issue No 00 Issue Date 07/02/15	1 % to 120 %
			RLT/914 Issue No 01 Issue Date 10/10/14	1 % to 120 %
			RLT/1122 Issue No 01 Issue Date 09/10/14	1 % to 120 %
			RLT/1123 Issue No 01 Issue Date 10/10/14	1 % to 120 %
		CTP/344 Issue No 01 Issue Date 01/04/14	1 % to 120 %	
		Content Uniformity	RLT/914 Issue No 01 Issue Date 10/10/14	1 % to 120 %
			RLT/1122 Issue No 01 Issue Date 09/10/14	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **16 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Dilzem Tablet (Diltiazam Hydrochloride Tablets)	Content Uniformity	RLT/1123 Issue No 01 Issue Date 10/10/14	1 % to 120 %
11.	Eslify Tablet (Eslicarbazepine Acetate Powder)	Assay	CTP/544 Issue No 00 Issue Date 08/10/13	1 % to 120 %
		Related Compounds	CTP/544 Issue No 00 Issue Date 08/10/13	0.05 % to 2.0 %
12.	Escitalopram Oxalate Tablet	Assay	RLT/1202 Issue No 04 Issue Date 01/04/14	1 % to 120 %
		Dissolution	RLT/1202 Issue No 04 Issue Date 01/04/14	1 % to 120 %
13.	Feliz Plus 5 Tablet (Escitalopram Oxalate Tablet)	Assay	CTP/545 Issue No 02 Issue Date 18/11/14	1 % to 120 %
			RLT/1381 Issue No 01 Issue Date 20/01/14	1 % to 120 %
			RLT/1380 Issue No 00 Issue No 01/02/14	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 17 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Feliz Plus 5 Tablet (Escitalopram Oxalate Tablet)	Assay	RLT/1961 Issue No 01 Issue Date 20/01/14	1 % to 120 %
		Dissolution	CTP/545 Issue No 02 Issue Date 18/11/14	1 % to 120 %
			RLT/1381 Issue No 01 Issue Date 20/01/14	1 % to 120 %
			RLT/1380 Issue No 00 Issue No 01/02/14	1 % to 120 %
			RLT/1961 Issue No 01 Issue Date 20/01/14	% to 120%
14.	Indapamide Tablets	Assay	CTP/0010, RLT/1131 Issue No 03 Issue Date 01/08/14	1 % to 120 %
			CTP/548 Issue No 04 Issue Date 30/06/15	1 % to 120 %
			RLT/1136 Issue No 03 Issue Date 11/01/13	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **18 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Indapamide Tablets	Assay	RLT/1726 Issue No 00 Issue Date 08/12/14	1 % to 120 %
			RLT/123 Issue No 01 Issue Date 08/10/12	1 % to 120 %
			CTP/345 Issue No 02 Issue Date 11/09/14	1 % to 120 %
		Dissolution	CTP/0010, RLT/1131 Issue No 03 Issue Date 01/08/14	1 % to 120 %
			CTP/548 Issue No 04 Issue Date 30/06/15	1 % to 120 %
			RLT/1136 Issue No 03 Issue Date 11/01/13	1 % to 120 %
			RLT/1726 Issue No 00 Issue Date 08/12/14	1 % to 120 %
			RLT/123 Issue No 01 Issue Date 08/10/12	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 19 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Indapamide Tablets	Dissolution	CTP/345 Issue No 02 Issue Date 11/09/14	% to 120%
15.	Lamitor Tablet (Lamotrigine Tablets)	Assay	RLT/2346 Issue No 06 Issue Date 02/08/13	1 % to 120 %
			RLT/2287 Issue No 00 Issue Date 28/ 02/14	1 % to 120 %
			RLT/2286 Issue No 00 Issue Date 28/ 02/14	1 % to 120 %
			RLT/1821 Issue No 02 Issue Date 23/ 01/15	1 % to 120 %
			RLT/1819 Issue No 02 Issue Date 23/ 01/15	1 % to 120 %
			RLT/1820 Issue No 02 Issue Date 23/ 01/15	1 % to 120 %
			CTP/424 Issue No 00 Issue Date 02/02/13	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 20 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Lamitor Tablet (Lamotrigine Tablets)	Assay	RLT/1678 Issue No 00 Issue Date 13/04/15	1 % to 120 %
			RLT/1677 Issue No 00 Issue Date 13/04/15	1 % to 120 %
			RLT/1192 Issue No. 01 Issue Date 08/10/12	1 % to 120 %
			CTP/Issue No 0062, RLT/246 Issue No 04 Issue Date 11/04/14	1 % to 120 %
			RLT/1792 Issue No 01 Issue Date 03/06/14	1 % to 120 %
			CTP/589, CTP/322, RLT/745, RLT/746 Issue No 02 Issue Date 06/10/14	1 % to 120 %
			RLT/744, RLT/1790 Issue No 01 Issue Date 03/06/14	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 21 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Lamitor Tablet (Lamotrigine Tablets)	Assay	RLT/1791 Issue No 01 Issue Date 03/06/14	1 % to 120 %
			RLT/1792 Issue No 01 Issue Date 03/06/14	1 % to 120 %
		Dissolution	RLT/2346 Issue No 06 Issue Date 02/08/13	1 % to 120 %
			RLT/2287 Issue No 00 Issue Date 28/02/14	1 % to 120 %
			RLT/2286 Issue No 00 Issue Date 28/02/14	1 % to 120 %
			RLT/1821 Issue No 02 Issue Date 23/01/15	1 % to 120 %
			RLT/1819 Issue No 02 Issue Date 23/ 01/15	1 % to 120 %
			RLT/1820 Issue No 02 Issue Date 23/01/15	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **22 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Lamitor Tablet (Lamotrigine Tablets)	Dissolution	CTP/424 Issue No 00 Issue Date 02/02/13	1 % to 120 %
			RLT/1678 Issue No 00 Issue Date 13/04/15	1 % to 120 %
			RLT/1677 Issue No 00 Issue Date 13/04/15	1 % to 120 %
			RLT/1192 Issue No 01 Issue Date 08/10/12	1 % to 120 %
			CTP/Issue No 0062, RLT/246 Issue No 04 Issue Date 11/04/14	1 % to 120 %
			CTP/589, CTP/322, RLT/745, RLT/746 Issue No 02 Issue Date 06/10/14	1 % to 120 %
			RLT/744, RLT/1790 Issue No 01 Issue Date 03/06/14	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** Issue Date **21.07.2015**

Certificate Number **T-1149** Valid Until **20.07.2017**

Last Amended on **-** Page **23 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Lamitor Tablet (Lamotrigine Tablets)	Dissolution	RLT/1791 Issue No 01 Issue Date 03/06/14	1 % to 120 %
			RLT/1792 Issue No 01 Issue Date 03/06/14	1 % to 120 %
		Content Uniformity	RLT/2346 Issue No 06 Issue Date 02/08/13	1 % to 120 %
			RLT/1819 Issue No 02 Issue Date 23/01/15	1 % to 120 %
			RLT/1820, RLT/246 Issue No 02 Issue Date 23/01/15	1 % to 120 %
16.	Lacosam Tablet (Lacosamide Tablet)	Assay	CTP/457 Issue No 00 Issue Date 01/04/13	1 % to 120 %
		Dissolution	CTP/457 Issue No 00 Issue Date 01/04/13	1 % to 120 %
		Related Compounds	CTP/457 Issue No 00 Issue Date 01/04/13	0.05 % to 2.0 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent
Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh,
Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing Issue Date 21.07.2015

Certificate Number T-1149 Valid Until 20.07.2017

Last Amended on - Page 24 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
17.	Nebicard Tablet (Nebivolol Hcl Tablets)	Assay	CTP/267, CTP/213 Issue No 01 Issue Date 18/07/15	1 % to 120 %
			CTP/249 RLT/2348	1 % to 120 %
			RLT/2369	1 % to 120 %
			RLT/1268	1 % to 120 %
			RLT/1267	1 % to 120 %
			RLT/1501	1 % to 120 %
			RLT/1498 Issue No 00 Issue Date 08/10/12	1 % to 120 %
			RLT/1342 Issue No 00 Issue No 02/12/13	1 % to 120 %
			RLT/1 Issue No 02 Issue No 01 Issue Date 08/10/13	1 % to 120 %
RLT/103 Issue No 02 Issue Date 04/03/14	1 % to 120 %			

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 25 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Nebicard Tablet (Nebivolol Hcl Tablets)	Dissolution	CTP/267, CTP/213, Issue No 01 Issue Date 18/07/15	1 % to 120 %
			RLT/249, CTP/2348 Issue No 00 Issue Date 14/05/14	1 % to 120 %
			RLT/2369 Issue No 01 Issue Date 09/06/15	1 % to 120 %
			RLT/1268 Issue No 01 Issue Date 02/07/13	1 % to 120 %
			RLT/1267 Issue No 01 Issue Date 02/07/13	1 % to 120 %
			RLT/15 Issue No 01 Issue No 01 Issue Date 05/01/13	1 % to 120 %
			RLT/1342 Issue No 00 Issue No 02/12/13	1 % to 120 %
			RLT/102 Issue No 01 Issue Date 08/10/13	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 26 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Nebicard Tablet (Nebivolol Hcl Tablets)	Dissolution	RLT/1498 Issue No 00 Issue Date 08/10/12	1 % to 120 %
			RLT/103 Issue No 02 Issue Date 04/03/14	% to 120%
18.	Nexpro Junior (Esomepr Azole)	Assay	CTP/421 Issue No 02 Issue Date 01/08/14	1 % to 120 %
		Dissolution	CTP/421 Issue No. 02 Issue date 01/08/14	1 % to 120 %
		Related Compounds	CTP/421 Issue No 02 Issue Date 01/08/14	0.05 % to 2.0 %
19.	Nebicard V (Nebivolol Hcl And Valsartan)	Assay (Nebivolol)	RLT/284, RLT/5 Issue No 02 Issue No 01 Issue Date 01/04/14	1 % to 120 %
		Dissolution (Nebivolol)	RLT/284, RLT/502 Issue No 01 Issue Date 01/04/14	1 % to 120 %
		Related Compounds	RLT/284, RLT/5 Issue No 02 Issue No 01 Issue Date 01/04/14	0.05 % to 2.0 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 27 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
20.	Oleptal Tablet (Oxcarb Azepine Tablet)	Assay	RLT/485 Issue No 01 Issue Date 17/07/15	1 % to 120 %
			RLT/162 Issue No 01 Issue Date 17/07/15	1 % to 120 %
			RLT/356 Issue No 01 Issue Date 17/07/15	1 % to 120 %
			RLT/486 Issue No 01 Issue Date 17/07/15	1 % to 120 %
			RLT/161 Issue No 01 Issue Date 17/07/15	1 % to 120 %
		Dissolution	CTP/268 Issue No 01 Issue Date 16/03/15	1 % to 120 %
			CTP/269, CTP/0029 Issue No 01 Issue Date 27/06/14	1 % to 120 %
			RLT/485 Issue No 01 Issue Date 17/07/15	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 28 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection	
	Oleptal Tablet (Oxcarb Azepine Tablet)	Dissolution	RLT/162 Issue No 01 Issue Date 17/07/15	1 % to 120 %	
			RLT/356 Issue No 01 Issue Date 17/07/15	1 % to 120 %	
			RLT/486 Issue No 01 Issue Date 17/07/15	1 % to 120 %	
			RLT/161 Issue No 01 Issue Date 17/07/15	1 % to 120 %	
			CTP/268 Issue No 01 Issue Date 16/03/15	1 % to 120 %	
			CTP/269, CTP/ 0029 Issue No 01 Issue Date 27/06/14	1 % to 120 %	
			Related Compounds	RLT/485 Issue No 03 Issue Date 17/07/15	0.05 % to 2.0 %
				RLT/162 Issue No 01 Issue Date 17/07/15	0.05 % to 2.0 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 29 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection	
	Oleptal Tablet (Oxcarb Azepine Tablet)	Related Compounds	RLT/356 Issue No 01 Issue Date 17/07/15	0.05 % to 2.0 %	
			RLT/486 Issue No 01 Issue Date 17/07/15	0.05 % to 2.0 %	
			RLT/161 Issue No 01 Issue Date 17/07/15	0.05 % to 2.0 %	
			CTP/268 Issue No 01 Issue Date 16/03/15	0.05 % to 2.0 %	
21.	Piopod Gm Tablet (Pioglitazone, Glimepiride & Metformin)	Assay (Metformin)	CTP/581 Issue No 01 Issue Date 17/09/14	1 % to 120 %	
			Dissolution (Metformin)	CTP/581 Issue No 01 Issue Date 17/09/14	1 % to 120 %
				Related Compounds	CTP/581 Issue No 01 Issue Date 17/09/14
22.	Q Mind Sr Tablet (Quetiapine Fumarate)	Assay	CTP/606 Issue No 00 Issue Date 01/01/14	1 % to 120 %	
			CTP/645 Issue No 00 Issue Date 07/07/14	1 % to 120 %	

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory	Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	21.07.2015
Certificate Number	T-1149	Valid Until	20.07.2017
Last Amended on	-	Page	30 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Q Mind Sr Tablet (Quetiapine Fumarate)	Dissolution	CTP/606 Issue No 00 Issue Date 01/01/14	1 % to 120 %
			CTP/645 Issue No 00 Issue Date 07/07/14	1 % to 120 %
		Related Compounds	CTP/606 Issue No 00 Issue Date 01/01/14	0.05 % to 2.0 %
			CTP/645 Issue No 00 Issue Date 07/07/14	0.05 % to 2.0 %
23.	Rozucor Tablet (Rosuvastatin Calcium Tablet)	Assay	CTP/515 Issue No 02 Issue Date 12/06/15	1 % to 120 %
			RLT/1362 Issue No 03 Issue Date 21/04/15	1 % to 120 %
			RLT/1361 Issue No 04 Issue No 02/05/15	1 % to 120 %
		Dissolution	CTP/515 Issue No 02 Issue Date 12/06/15	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory	Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	21.07.2015
Certificate Number	T-1149	Valid Until	20.07.2017
Last Amended on	-	Page	31 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Rozucor Tablet (Rosuvastatin Calcium Tablet)	Dissolution	RLT/1362 Issue No 03 Issue Date 21/04/15	1 % to 120 %
			RLT/1361 Issue No 04 Issue Date 02/05/15	1 % to 120 %
		Related Compounds	CTP/515 Issue No 02 Issue Date 12/06/15	0.05 % to 2.0 %
			RLT/1362 Issue No 03 Issue Date 21/04/15	0.05 % to 2.0 %
			RLT/1361 Issue No 04 Issue Date 02/05/15	0.05 % to 2.0 %
24.	Respido Tablet (Risperidone Tablet)	Assay	RLT/2288 Issue No 00 Issue Date 28/02/14	1 % to 120 %
			CTP/Issue No 0042 Issue No 02 Issue Date 31/08/12	1 % to 120 %
			RLT/1675, RLT/1231 Issue No 00 Issue Date 07/ 02/15	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 32 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Respido Tablet (Risperidone Tablet)	Assay	RLT/2108 Issue No 00 Issue Date 02/03/13	1 % to 120 %
			CTP/237 Issue No 01 Issue Date 01/10/14	1 % to 120 %
			CTP/347 Issue No 03 Issue Date 06/07/13	1 % to 120 %
		Dissolution	RLT/2288 Issue No 00 Issue Date 28/02/14	1 % to 120 %
			CTP/0042 Issue No 02 Issue Date 31/08/12	1 % to 120 %
			RLT/1675, RLT/1231 Issue No 00 Issue Date 07/02/15	1 % to 120 %
			RLT/2108 Issue No 00 Issue Date 02/03/13	1 % to 120 %
			CTP/237 Issue No 01 Issue Date 01/10/14	1 % to 120 %

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **33 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Respido Tablet (Risperidone Tablet)	Dissolution	CTP/347 Issue No 03 Issue Date 06/07/13	1 % to 120 %
		Content Uniformity	RLT/2288 Issue No 00 Issue Date 28/ 02/14	1 % to 120 %
			CTP/ 0042 Issue No 02 Issue Date 31/08/12	1 % to 120 %
			RLT/1675, RLT/1231 Issue No 00 Issue Date 07/02/15	1 % to 120 %
			RLT/2108 Issue No 00 Issue Date 02/03/13	1 % to 120 %
			CTP/237 Issue No 01 Issue Date 01/10/14	1 % to 120 %
			CTP/347 Issue No 03 Issue Date 06/07/13	1 % to 120 %
25.	Syscan Capsule (Fluconazole Capsule)	Assay	RLT/1412 Issue No 00 Issue Date 27/02/14	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 34 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Syscan Capsule (Fluconazole Capsule)	Assay	RLT/2018 Issue No 00 Issue Date 08/11/12	1 % to 120 %
			CTP/547 Issue No 03 Issue Date 13/07/15	1 % to 120 %
			RLT/1400 Issue No 02 Issue Date 26/12/14	1 % to 120 %
			RLT/14 Issue No 01 Issue No 02 Issue Date 26/12/14	1 % to 120 %
			RLT/2218 Issue No 01 Issue Date 26/12/14	1 % to 120 %
			RLT/1409 Issue No 01 Issue Date 16/03/15	1 % to 120 %
			RLT/1407 Issue No 01 Issue Date 16/03/15	1 % to 120 %
			RLT/1410 Issue No 01 Issue Date 16/03/15	1 % to 120 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 35 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Syscan Capsule (Fluconazole Capsule)	Assay	RLT/1480 Issue No 00 Issue Date 01/04/15	1 % to 120 %
			RLT/1853 Issue No 00 Issue Date 06/05/15	1 % to 120 %
		Dissolution	RLT/1412 Issue No 00 Issue Date 27/ 02/14	1 % to 120 %
			RLT/2018 Issue No 00 Issue Date 08/11/12	1 % to 120 %
			CTP/547 Issue No 03 Issue Date 13/07/15	1 % to 120 %
			RLT/1400 Issue No 02 Issue Date 26/12/14	1 % to 120 %
		RLT/1401 Issue No 02 Issue Date 26/12/14	1 % to 120 %	
		RLT/2218 Issue No 01 Issue Date 26/12/14	1 % to 120 %	

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory **Quality Control Department (Chemical Laboratory), Torrent
Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh,
Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on - **Page** **36 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Syscan Capsule (Fluconazole Capsule)	Dissolution	RLT/1409 Issue No 01 Issue Date 16/03/15	1 % to 120 %
			RLT/1407 Issue No 01 Issue Date 16/03/15	1 % to 120 %
			RLT/1410 Issue No 01 Issue Date 16/03/15	1 % to 120 %
			RLT/1480 Issue No 00 Issue Date 01/04/14	1 % to 120 %
			RLT/1853 Issue No 00 Issue Date 06/05/15	1 % to 120 %
		Related Compounds	CTP/547 Issue No 03 Issue Date 13/07/15	0.05 % to 2.0 %
			RLT/1400 Issue No 02 Issue Date 26/12/14	0.05 % to 2.0 %
			RLT/1401 Issue No. 02 Issue Date 26/12/14	0.05 % to 2.0 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 37 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Syscan Capsule (Fluconazole Capsule)	Related Compounds	RLT/2218 Issue No. 01 Issue Date 26/12/14	0.05 % to 2.0 %
26.	Serenata Tablet (Sertraline Tablet)	Assay	RLT/1398 Issue No. 01 Issue Date 02/06/14	70 % to 130 %
			RLT/1739 Issue No. 05 Issue Date 20/ 01/15	70 % to 130 %
			CTP/627 Issue No. 02 Issue Date 03/06/14	70 % to 130 %
			RLT/433 Issue No. 07 Issue Date 20/ 01/15	70 % to 130 %
		Dissolution	RLT/1398 Issue No. 01 Issue Date 02/06/14	1 % to 120 %
			RLT/1739 Issue No. 05 Issue Date 20/ 01/15	1 % to 120 %
			CTP/627 Issue No. 02 Issue Date 03/06/14	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 38 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection	
	Serenata Tablet (Sertraline Tablet)	Dissolution	RLT/433 Issue No. 07 Issue Date 20/ 01/15	1 % to 120 %	
			Related Compounds	RLT/1739 Issue No. 05 Issue Date 20/ 01/15	0.05 % to 2.0 %
				CTP/627 Issue No. 02 Issue Date 03/06/14	0.05 % to 2.0 %
				RLT/433 Issue No. 07 Issue Date 20/ 01/15	0.05 % to 2.0 %
27.	Torlos Tablet (Losartan Potassium Tablet)	Assay	RLT/282 Issue No. 00 Issue Date 27/ 02/14	70 % to 130 %	
				RLT/283 Issue No. 00 Issue Date 15/12/12	70 % to 130 %
				RLT/1830 Issue No. 00 Issue Date 13/04/15	70 % to 130 %
				RLT/529, RLT/527 Issue No. 00 Issue Date 08/07/14	70 % to 130 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 39 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Torlos Tablet (Losartan Potassium Tablet)	Assay	RLT/528 Issue No. 00 Issue Date 08/07/14	70 % to 130 %
			RLT/271 Issue No. 04 Issue Date 13/05/13	70 % to 130 %
			RLT/530 Issue No. 00 Issue Date 08/07/14	70 % to 130 %
			RLT/272 Issue No. 04 Issue Date 13/05/13	70 % to 130 %
			Dissolution	RLT/283, RLT/284 Issue No. 05 Issue Date 15/12/12
		RLT/1830 Issue No. 00 Issue Date 13/04/15		1 % to 120 %
		RLT/529, RLT/527 Issue No. 00 Issue Date 08/07/14		1 % to 120 %
		RLT/528 Issue No. 00 Issue Date 08/07/14		1 % to 120 %

Laboratory	Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	21.07.2015
Certificate Number	T-1149	Valid Until	20.07.2017
Last Amended on	-	Page	40 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Torlos Tablet (Losartan Potassium Tablet)	Dissolution	RLT/271 Issue No. 04 Issue Date 13/05/13	1 % to 120 %
			RLT/530 Issue No. 00 Issue Date 08/07/14	1 % to 120 %
			RLT/272 Issue No. 04 Issue Date 13/05/13	1 % to 120 %
		Residual Solvent	RLT/283, RLT/284 Issue No. 05 Issue Date 15/12/12	2 ppm to 5000 ppm
28.	Torvate Tablet (Sodium Valproate Tablet)	Assay	RLT/2110 Issue No. 02 Issue Date 29/09/14	70 % to 130 %
			RLT/2111 Issue No. 02 Issue Date 29/09/14	70 % to 130 %
			RLT/2112 Issue No. 02 Issue Date 29/09/14	70 % to 130 %
			RLT/243 Issue No. 02 Issue Date 29/09/14	70 % to 130 %

Laboratory **Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh**

Accreditation Standard **ISO/IEC 17025: 2005**

Discipline **Chemical Testing** **Issue Date** **21.07.2015**

Certificate Number **T-1149** **Valid Until** **20.07.2017**

Last Amended on **-** **Page** **41 of 45**

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Torvate Tablet (Sodium Valproate Tablet)	Assay	RLT/244 Issue No. 03 Issue Date 29/09/14	70 % to 130 %
			CTP/383 Issue No. 05 Issue Date 29/09/14	70 % to 130 %
		Dissolution	RLT/2110 Issue No. 02 Issue Date 29/09/14	1 % to 120 %
			RLT/2111 Issue No. 02 Issue Date 29/09/14	1 % to 120 %
			RLT/2112 Issue No. 02 Issue Date 29/09/14	1 % to 120 %
			RLT/243 Issue No. 02 Issue Date 29/09/14	1 % to 120 %
			RLT/244 Issue No. 03 Issue Date 29/09/14	1 % to 120 %
			CTP/383 Issue No. 05 Issue Date 29/09/14	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 42 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
28.	Torvate Tablet (Sodium Valproate Tablet)	Related Compounds	RLT/2110 Issue No. 02 Issue Date 29/09/14	0.05 % to 2.0 %
			RLT/2111 Issue No. 02 Issue Date 29/09/14	0.05 % to 2.0 %
			RLT/2112 Issue No. 02 Issue Date 29/09/14	0.05 % to 2.0 %
			RLT/243 Issue No. 02 Issue Date 29/09/14	0.05 % to 2.0 %
		RLT/244 Issue No. 03 Issue Date 29/09/14	0.05 % to 2.0 %	
		CTP/383 Issue No. 05 Issue Date 29/09/14	0.05 % to 2.0 %	
		Residual Solvent	RLT/2110 Issue No. 02 Issue Date 29/09/14	2 ppm to 5000 ppm
			RLT/2111 Issue No. 02 Issue Date 29/09/14	2 ppm to 5000 ppm

Laboratory	Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	21.07.2015
Certificate Number	T-1149	Valid Until	20.07.2017
Last Amended on	-	Page	43 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Torvate Tablet (Sodium Valproate Tablet)	Residual Solvent	RLT/2112 Issue No. 02 Issue Date 29/09/14	2 ppm to 5000 ppm
			RLT/243 Issue No. 02 Issue Date 29/09/14	2 ppm to 5000 ppm
			RLT/244 Issue No. 03 Issue Date 29/09/14	2 ppm to 5000 ppm
			CTP/383 Issue No. 05 Issue Date 29/09/14	2 ppm to 5000 ppm
29.	Torleva Tablet (Levetira Cetam Tablet)	Assay	CTP/662 Issue No. 00 Issue Date 02/06/14	70 % to 130 %
			CTP/371 Issue No. 02 Issue Date 07/12/12	70 % to 130 %
			RLT/2091 Issue No. 01 Issue Date 07/12/12	70 % to 130 %
			CTP/246 Issue No. 03 Issue Date 08/11/12	70 % to 130 %

Anand Deep Gupta
Convenor

N. Venkateswaran
Program Manager

Laboratory	Quality Control Department (Chemical Laboratory), Torrent Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh, Distt.-Solan, Baddi, Himachal Pradesh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	21.07.2015
Certificate Number	T-1149	Valid Until	20.07.2017
Last Amended on	-	Page	44 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Torleva Tablet (Levetira Cetam Tablet)	Dissolution	CTP/662 Issue No. 00 Issue Date 02/06/14	1 % to 120 %
			CTP/246 Issue No. 03 Issue Date 08/11/12	1 % to 120 %
30.	Telday Tablet (Telmisartan Tablet)	Assay	RLT/2305 Issue No. 00 Issue Date 28/02/14	70 % to 130 %
			CTP/552 Issue No. 01 Issue Date 13/03/15	70 % to 130 %
			RLT/2189, CTP/437 Issue No. 00 Issue Date 03/08/13	70 % to 130 %
		Dissolution	RLT/2305 Issue No. 00 Issue Date 28/02/14	1 % to 120 %
			CTP/552 Issue No. 01 Issue Date 13/03/15	1 % to 120 %
			RLT/2189 Issue No. 00 Issue Date 03/08/13	1 % to 120 %
			CTP/437	1 % to 120 %

Laboratory Quality Control Department (Chemical Laboratory), Torrent
Pharmaceuticals Limited, Village-Bhud, Makhnu Majra, Tehsil-Nalagarh,
Distt.-Solan, Baddi, Himachal Pradesh

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 21.07.2015

Certificate Number T-1149 **Valid Until** 20.07.2017

Last Amended on - **Page** 45 of 45

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Telday Tablet (Telmisartan Tablet)	Related Compounds	RLT/2305 Issue No. 00 Issue Date 28/02/14	0.05 % to 2.0 %
			CTP/552 Issue No. 01 Issue Date 13/03/15	0.05 % to 2.0 %
			RLT/2189, CTP/437 Issue No. 00 Issue Date 03/08/13	0.05 % to 2.0 %

-X-X-X-X-X-X-X-X-X-X-X-