

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>1 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>I. TEXTILE &amp; TEXTILE AUXILIARIES</b>				
<b>1.</b>	<b>Textiles and Textiles Accessories</b>	Color Fastness to Artificial Light (Xenon Arc)	BS EN ISO 105-B02: 2014 EN ISO 105-B02: 2014 ISO 105-B02: 2014	Qualitative (Grade 1 to 5)
		Color Fastness to Light	AATCC 16.3:2014 Xenon-Arc	Qualitative (Grade 1 to 5)
		Color Fastness to Washing with soap or soap soda	BS EN ISO 105-C10: 2007 EN ISO 105 C10: 2007 ISO 105-C10: 2006	Qualitative (Grade 1 to 5)
		Color Fastness to Laundering : Accelerated	AATCC 61: 2013	Qualitative (Grade 1 to 5)
		Color Fastness to domestic and commercial laundering using non Phosphate reference actual def. incorporating a low Temperature wash	BS ISO 105-C08: 2010 EN ISO 105 C08: 2010 ISO 105 C08: 2010	Qualitative (Grade 1 to 5)
		Color Fastness to domestic and commercial laundering oxidative bleach response using a non-phosphate reference def. in corpora ting a low temperature bleach activator	BS ISO 105-C09: 2003	Qualitative (Grade 1 to 5)
		Color fastness to domestic and commercial laundering	BS EN ISO 105-C06: 2010 EN ISO 105-CO6: 2010 ISO 105-CO6: 2010	Qualitative (Grade 1 to 5)

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>2 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Color Fastness to Dry cleaning	BS EN ISO 105-D01: 2010 EN ISO 105-D01: 2010 ISO 105-D01: 2010 AATCC 132: 2013	Qualitative (Grade 1 to 5)
		Color Fastness to Water	BS EN ISO 105-E01: 2013 EN ISO 105-E01: 2013 ISO 105-E01: 2013 AATCC 107 : 2013	Qualitative (Grade 1 to 5)
		Color Fastness to Sea water	BS EN ISO 105-E02: 2013 EN ISO 105-E02: 2013 ISO 105-E02: 2013 AATCC 106: 2013	Qualitative (Grade 1 to 5)
		Color Fastness to Chlorinated water (Swimming –Pool Water)	BS EN ISO 105-E03: 2010 EN ISO 105-E03: 2010 ISO 105-E03: 2010	Qualitative (Grade 1 to 5)
		Color Fastness to Perspiration	BS EN ISO 105-E04: 2013 EN ISO 105-E04: 2013 ISO 105-E04: 2013 AATCC 15: 2013 (E2014)	Qualitative (Grade 1 to 5)
		Color Fastness to Water spotting	BS EN ISO 105-E07: 2010 EN ISO 105 E07: 2010 ISO 105 E07: 2010 AATCC 104: 2014	Qualitative (Grade 1 to 5)
		Color Fastness to Bleaching : Hypo Chlorite	ISO 105 N01: 1993 BS EN 20105-N01: 1995 EN 20105-N01: 1995	Qualitative (Grade 1 to 5)

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>3 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Color Fastness to Powdered Non- Chlorine Bleach in home laundering	AATCC 172: 2010	Qualitative (Grade 1 to 5)
		Color Fastness to Organic solvents	BS EN ISO 105-X05: 1997 EN ISO 105-X05: 1997 ISO 105 X05: 1994	Qualitative (Grade 1 to 5)
		Color Fastness to Crocking	BS EN ISO 105:X12: 2002 ISO 105:X12: 2001 AATCC 8: 2013	Qualitative (Grade 1 to 5)
		Color Fastness to Perspiration & Light	AATCC 125-2013(E2014)	Qualitative (Grade 1 to 5)
		Color Fastness to Saliva	DIN 53160-1: 2010 DIN 53160-2: 2010 LMBG 82.10-1	Qualitative (Grade 1 to 5)
		Dye transfer in storage; fabric to fabric	AATCC 163: 2013	Qualitative (Grade 1 to 5)
		Color Fastness to Sodium hypochlorite bleach in home laundering	AATCC 188: 2010	Qualitative (Grade 1 to 5)
		Dimensional stability to domestic washed and drying	BS EN 26330: 1994 EN 26330: 1993 ISO 6330: 1984 BS EN ISO 6330: 2012 EN ISO 6330: 2012 ISO 6330: 2000 ISO 5077: 2007	0.1 % to 15 %

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>4 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Determination of dimensional change in washing and drying	BS EN ISO 5077: 2008 EN 25077: 2008	0.1 % to 15 %
		Preparation , marking and measuring of fabric specimens and garment in test for determination of dimensional change	BS EN ISO 3759: 2011 EN ISO 3759: 2011 ISO 3759: 2011	0.1 % to 15 %
		Dimensional change of fabric after home laundering	AATCC 135: 2014	0.1 % to 15 %
		Dimensional change of garment after home laundering	AATCC 150:2012	0.1 % to 15 %
		Determination of dimensional change of fabric induced by free steam	BS 4323:1979 ISO 3005:1978	0.1 % to 10 % 0.1 % to 10 %
		Smoothness appearance of fabric after repeated home laundering	AATCC 124:2014	Qualitative (Replicas 1 to 5)
		Appearance of apparel and other textile end product after repeated home laundering.	AATCC 143:2014	Qualitative (Replicas 1 to 5)
		Evaluation Smoothness of seam in fabric after repeated home laundering	AATCC 88B: 2014	Qualitative (Replicas 1 to 5)
	Retention of creases in fabric after repeated home laundering	AATCC 88C: 2014	Qualitative (Replicas 1 to 5)	

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>5 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Determination of spirality after laundering Percentage of wales spirality change in knitted garment	ISO 16322-1: 2005	0.1% to 50 %
		Determination of spirality after laundering Woven and knitted fabric	ISO 16322-2 : 2005	0.1% to 50 %
		Determination of spirality after laundering Woven and knitted garment	ISO 16322-3 : 2005	0.1% to 50 %
		Determination of Skewness change in fabric and garment twist resulting from automatic home laundering	AATCC 179:2012	0.1 % to 50 %
		Determination of fabric analysis	BS 4407 : 1998 (M-7) EU (No) 1007: 2011 (M-7)	0.1% to 100 %
		Determination of Fiber Analysis	AATCC 20 : 2013	Qualitative
		Determination of Fiber Analysis	AATCC 20 A : 2014 (M -4)	0.1 % to 100 %
		Determination of fiber analysis	ASTM D629 - 2008 (M-5)	0.1 % to 100 %
		Determination of Binary Fiber Mixture	ISO 1833-11: 2010	0.1 % to 100 %

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>6 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Migration of Certain Elements Pb, Cd, Sb, Ba, Cr, Se	EN 71 Part –3: 2013 Amd 1: 2014 ASTME1613 - 2012	0.1 mg/kg to 1000 mg/kg
		Hg	PDCR 13695-1: 2000 PDCR 13695-2: 2004 ASTM F963: 2011	0.02 mg/kg to 1000 mg/kg
		Determination of pH Value	AATCC 81: 2012 ISO 3071: 2005 BS3266: 1981 BSEN 1413: 1998	1 to 14
		Determination of free and hydrolyzed Formaldehyde – Textile (UV Spectrophotometer)	JIS L 1041: 2011 BS EN ISO 14184-I: 2011 M&S Test Std. C18C : 2003	5 mg/kg to 500 mg/kg
		Determination of released Formaldehyde - Textile (UV Spectrophotometer)	AATCC 112: 2014 BS EN ISO 14184-II: 2011 M&S Test Std. C18B : 2002 35 LMBG 82.02.1: 1985	5 mg/kg to 500 mg/kg
		Determination of 4-aminoazobenzene (Synthetic and Natural Fiber)	64 LFGB 82.02.9 : 2006 SOP-ANL-12 (Issue no. 02 , Revision 02 dated 10 <sup>th</sup> June 2013 ) SOP-ANL-13 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 ) GB/T 23344 : 2009	5 mg/kg to 100 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>7 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Determination of Azo dye on Textile: 1. 4-aminodiphenyl/ xenylamine/ Biphenyl-4-ylamine 2. Benzidine 3. 4-chlor-o-toluidine 4. 2-naphthylamine 5. o-aminoazotoluene/4-o-tolylazo -o-toluidine/ 4-amino-2', 3-di methylazobenzene 6. 2-amino-4-nitrotoluol/5-nitro-o-toluidine 7. p-chloranilin/4-chloroaniline 8. 2,4-diaminoanisol/4-methoxy-m-phenylenediamine 9. 4,4'diaminodiphenylmethane/4, 4-methylenedianiline 10. 3,3'dichlorobenzidine/3,3'dichlorobiphenyl-4,4'-ylenediamine 11. 3,3'-dimethoxybenzidine/o-dianisidine 12. 3,3'-dimethylbenzidine/4,4'-bi-o-Toluidine 13. 3,3'-dimethyl-4,4'-diaminodipenylmethane/4,4'-methylenedi -o-toluidine 14. p-cresidin/6-methoxy-m-toluidine 15. 4,4'-methylen-bis-(2-chloro-aniline)/2,2'-dichloro-4,4'methylene-dianiline 16. 4,4'-oxydianiline 17. 4,4'-thiodianiline 18. o-toluidine/2-aminotoluene 19. 2,4-toluylendiamine/4-methyl-	BS EN 14362-I: 2012 35 LMBG 82.02-2: 1998 35 LMBG B82.02-4: 1998  SOP-ANL-6 (Issue no. 02, Revision 03 dated 5/12/2014) EN 14362-1: 2012 EN 14362-3: 2012 GB/T 17592: 2011 BS EN 14362-I: 2012 35 LMBG 82.02-2: 1998 35 LMBG B82.02-4: 1998	5 mg/kg to 100 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>8 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	m-phenylenediamine 20. 2,4,5-trimethylaniline 21. 4-aminoazobenzene 22. o-anisidine/ 2-methoxyaniline 23. 2,4-Xylidine 24. 2,6-Xylidine	BS EN 14362-I: 2012 35 LMBG 82.02-2: 1998 35 LMBG B82.02-4: 1998  SOP-ANL-6 (Issue no. 02, Revision 03 dated 5/12/2014) EN 14362-1: 2012 EN 14362-3: 2012 GB/T 17592: 2011 BS EN 14362-I: 2012 35 LMBG 82.02-2: 1998 35 LMBG B82.02-4: 1998	5 mg/kg to 100 mg/kg
		Organotin Compounds 1. Monobutyltin trichloride (MBTCI3) 1118-46-3 2. Dibutyltin dichloride (DBTCI2) 683-18-1 3. Tributyltin chloride (TBTCI) 1461-22-9 4. Tetrabutyltin (TeBT) 1461-25-2 5. n-Octyltin-trichloride (MOT) 3091-25-6 6. Di-n-octyltin-dichloride (DOT) 3542-36-7 7. Triphenyltin chloride (TPTCI) 639-58-7 8. Tricyclohexyl tin chloride (TCyTCI) 3091-32-5 9. Tri-n-propyltin chloride (TrPTCI) (Internal standard 2279-76-7) 10. Trioctyltin (TOT)(2587-76-0)	SOP-ANL-9 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 ) based on : EN 71 Part 3: 2013, Amd.1: 2014 ISO 17353: 2004 DIN 38407: 2013	0.05 mg/kg to 10 mg/kg



<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>9 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	11. Methyl tin Trichloride (993-16-8)	SOP-ANL-9 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 )	0.05 mg/kg to 10 mg/kg
		12. Diheptyltin dichloride (74340-12-8)	based on :	
		13. Dipropyltin dichloride (867-36-7)	EN 71 Part 3: 2013, Amd.1: 2014	
		14. Diphenyltin dichloride (1135-99-5)	ISO 17353: 2004 DIN 38407: 2013	
		<b>Migration of Certain Elements:</b>	SOP-ANL-9 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 )	
		Lead (pb), Aluminium (Al), Manganese, Strontium, Zinc	based on EN 71 Part 3: 2013, Amd.1: 2014	0.05 mg/kg to 1000 mg/kg
		Cadmium (cd), Antimony, Cobalt, Mercury, Selenium, Tin, Copper	Method for chromium III and Chromium VI in textile	0.01 mg/kg to 1000 mg/kg
		Arsenic, Barium, Boron, Chromium (combined)		0.02 mg/kg to 1000 mg/kg
		Nickel		0.04 mg/kg to 1000 mg/kg
		<b>Migration of Certain Elements:</b>	ISO 8124 (Part-3):2010 Amd.1:2014	
	Lead (pb)	SOP-ANL-9 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 )	0.05 mg/kg to 1000 mg/kg	
	Cadmium (cd), Antimony Mercury (Hg), Selenium		0.01 mg/kg to 1000 mg/kg	
	Arsenic, Barium, Chromium		0.02 mg/kg to 1000 mg/kg	

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>10 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>	
	<b>Textiles and Textiles Accessories</b>	Determination of : PCP , TeCP, TCP, OPP	LMBG 82.02-08: 2001	0.05 mg/kg to 100 mg/kg	
		Disperse Dye (Allergic Dye) Carcinogenic dyes (Dyed, printed, coated Textiles and leather- Determination disperse dye stuffs. 1. Disperse Blue 3 2. Disperse Blue 26 3. Disperse Blue 102 4. Disperse Blue 124 5. Disperse Orange 1 6. Disperse Orange (37 / 76) 7. Disperse Red 11 8. Disperse Yellow 1 9. Disperse Yellow 39 10. Disperse Blue 1 11. Disperse Yellow 23 12. Disperse Blue 7 13. Disperse Blue 35 14. Disperse Blue 106 15. Disperse Brown 1 16. Disperse Orange 3 17. Disperse Red 1 18. Disperse Red 17 19. Disperse Yellow 9 20. Disperse Yellow 49 21. Disperse Yellow 3 22. Disperse Orange 149 23. Disperse Yellow 3 24. Disperse Orange 149 25. Disperse Blue 1 26. Disperse Yellow 23	DIN 54231: 2005 BS EN ISO 16373-3 : 2014	2 mg/kg to 10000 mg/kg	
				DIN 54231: 2005 BS EN ISO 16373-3 : 2014	2 mg/kg to 10000 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>11 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	27. Acid Red 26	DIN 54231: 2005	2 mg/kg to
		28. Basic Violet 14	BS EN ISO 16373-3 : 2014	10000 mg/kg
		29. Direct Blue 6		
		30. Disperse Orange 11		
		31. Disperse Yellow 3		
		32. Disperse Orange 149		
		33. Basic Red 9		
		34. Direct Black 38		
		35. Direct Red 28		
		36. SOLVENT YELLOW-1		
		37. SOLVENT YELLOW-2		
	38. SOLVENT YELLOW-3			
	39. BASIC VIOLET-1			
	40. BASIC VIOLET-3			
	41. ACID VIOLET-49			
		Determination of nickel content	EN 1810: 1998 BSEN 1810: 1998 (by flame atomic absorption spectrophotometry)	0.04 ug/cm <sup>2</sup> /week to 1 ug/cm <sup>2</sup> /week
		Nickel release from products intended to come into direct and prolonged contact	BSEN 1811: 2011	0.04 ug/cm <sup>2</sup> /week to 1 ug/cm <sup>2</sup> /week
		Detection of PVC (Poly Vinyl chloride)	SOP-ANL-14 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 )	Qualitative
		Nickel release the simulation of detection of nickel release wear and corrosion for the coated	BSEN 12472:2005, Amd1: 2009	0.04 ug/cm <sup>2</sup> /week to 1 ug/cm <sup>2</sup> /week

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>12 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Screening test for nickel release	PDCR 12471: 2002 M&S Test Std. C56 : 2001	0.04 ug/cm <sup>2</sup> /week to 1 ug/cm <sup>2</sup> /week
		Phthalates in Toys and Childcare Articles	(CPSC-CH-C1001-09.3 April 1, 2010) (CPSIA Title 1 Section 108, CPSC-CH-C1001-09.3 April 1, 2010)	50 mg/kg to 300000 mg/kg
		1.Dibutyl phthalate (DBP)	BSEN 14372 :2004 : Clause 6.3.2 BSEN 15777 : 2009 BSEN ISO 14389 : 2014	50 mg/kg to 300000 mg/kg
		2.Benzyl Butyl phthalate (BBP)		
		3.Bis 2 ethyl hexyl phthalate(DEHP)		
		4.Di n-octyl phthalate (DNOP)		
		5.Diiso nonyl phthalate (DINP)		
		6.Diiso decyl phthalate (DIDP)		
		7.Diiso butyl phthalate (DIBP)		
		8.Dicyclohexyl phthalate(DCHP)		
		9.Dimethyl phthalate(DMP)		
		10. Diethyl phthalate(DEP)		
		11.Di iso heptyl pthalate(DIHP)		
		12.Bis 2methoxyethyl pthalate(DMEP)		
		13.Di n hexyl pthalate(DnHP)		
		14.Di un decyl pthalate(DUP)		
		15.Diheptyl Phthalate		
		16.Diisopentylphthalate(DIPP)		
		17.Di n pentylphthalate(DNPP)		
	18.n-pentyl-isopentyl phthalate(nPIPP)			
	Total Lead content in Substrate for metal children's products including children's metal jewelry	ASTM E1645 - 2001 ASTM E1613 - 2012 CPSC-CH-E1001-08.3 November 15, 2012 Health Canada Method C-02.4: 2011	10 mg/kg to 30000 mg/kg	

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>13 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Total Lead content in Substrate for Non metal children's products including children's metal jewelry	ASTM E1645 - 2001 ASTM E1613 - 2012 CPSC-CH-E1002-08.3 November 15, 2012 Health Canada Method C-02.3 : 2011	10 mg/kg to 30000 mg/kg
		Total Lead content in Paint and other Similar Surface coatings including children's metal jewelry	ASTM E1645 - 2001 ASTM E1613 - 2012 CPSC-CH-E1003-09.1 February 25, 2011 Health Canada Method C-02.2: 2011	10 mg/kg to 30000 mg/kg
		Cadmium Extractability from children's metal Jewelry	CPSC-CH-E1004-11 February 03, 2011	10 mg/kg to 30000 mg/kg
		Determination of Chlorinated Organic Carriers 1. 2-Chlorotoluene 2. 3-Chlorotoluene 3. 4-Chlorotoluene 4. 2,3-Dichlorotoluene 5. 2,4-Dichlorotoluene 6. 2,5-Dichlorotoluene 7. 2,6-Dichlorotoluene 8. 3,4-Dichlorotoluene 9. 2,3,6-Trichlorotoluene 10. 2,4,5-Trichlorotoluene 11. Pentachlorotoluene 12. 1,2-Dichlorobenzene 13. 1,3-Dichlorobenzene 14. 1,4-Dichlorobenzene 15. 1,2,3-Trichlorobenzene	DIN 54232: 2010	0.1 mg/kg to 500 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>14 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	16.1,2,4-Trichlorobenzene 17.1,3,5-Trichlorobenzene 18.1,2,3,4-Tetrachlorobenzene 19.1,2,3,5-Tetrachlorobenzene 20.1,2,4,5-Tetrachlorobenzene 21.Pentachlorobenzene 22.Hexachlorobenzene	DIN 54232: 2010	0.1 mg/kg to 500 mg/kg
		Determination of Dimethyl Fumarate in Textiles	(SOP-ANL-18 Issue no. 01, Issue date : 04/06/2012) based on CEN ISO/TS 16186: 2012 EEC Directive 2009/251/EC: 2009	0.1 mg/kg to 200 mg/kg
		CF to Shampooing	BS 1006:1990 (UK-TB)	Qualitative (Grade 1 to 5)
		CF to Chlorinated Pool water	AATCC 162:2011 : Option 1 (Accelerated Laundering)	Qualitative (Grade 1 to 5)
		CF to Rubbing	GB/T 3920: 2008	Qualitative (Grade 1 to 5)
		CF to Perspiration	GB/T 3922: 1995	Qualitative (Grade 1 to 5)
		CF to Water	GB/T 5713: 1997	Qualitative (Grade 1 to 5)
		CF to Saliva	GB/T 18886 : 2002	Qualitative (Grade 1 to 5)

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>15 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Peculiar Smell (Odour)	SOP-ANL-23 (Issue no. 01 , Revision 00 dated 10 <sup>th</sup> July 2014 ) GB/T 18401 – 2010, Cl.6.7	Qualitative
		Free and hydrolyzed Formaldehyde (water extraction method)	GB/T 2912.1 : 2009	5 mg/kg to 500 mg/kg
		PH Value of the aqueous extract	GB/T 7573 : 2009	1 to 14
		Determination of Lead in Surface coating	16 CFR 1303: 2008	1 mg/kg to 10000 mg/kg
		Determination of Lead	ASTM E 1613 - 2012	1 mg/kg to 10000 mg/kg
		Determination of total lead content of Dried Paint samples by hot plate	ASTM E 1645:2001	1 mg/kg to 10000 mg/kg
		Determination of cadmium wet decomposition methods for Plastics	EN 1122: 2001	1 mg/kg to 10000 mg/kg
		Alkyl Phenyl Ethoxylates Analysis AP (OP And NP) APEO (NPEO and OPEO)	SOP-ANL-26 (Issue no. 01 , Revision 00 dated 14 <sup>th</sup> June 2013 ) based on CEN / TC 248 N 1057: 2012	1 mg/kg to 5000 mg/kg





<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>17 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories containing Rubber, Plastic</b>	(CAS No. 106-5.47-8) 4.3,3'-Dichlorobenzidine (CAS No. 91-94-1) 5.3,3'-Dimethoxybenzidine (CAS No. 119-90-4) 6.3,3'-Dimethylbenzidine (CAS No. 119-93-7) 7.O-Toludine (CAS No. 95-53-4) 8.2-Methoxyaniline (o-Anisidine) CAS No. 90-04-0) 9.Aaniline (CAS No. 62-53-3)	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	5 mg/kg to 500 mg/kg
		Organic Chemical Compounds - Colourants : 1.Disperse Blue 1 (CAS No. 2475-45-8) 2. Disperse Blue 3 (CAS No. 2475-46-9) 3.Disperse Blue 106 (CAS No. 12223-01-7) 4. Disperse Blue 124 (CAS No. 61951-51-7) 5. Disperse Yellow 3 (CAS No. 2832-40-8) 6. Disperse Orange 3 (CAS No. 730-40-5) 7. Disperse Orange 37/76 (CAS No. 12223-33-5 / 13301-61-6) 8. Disperse Red 1 (CAS No. 2872-52-8) 9. Solvent Yellow 1 (CAS No. 60-09-3) 10. Solvent Yellow 2 (CAS No. 60-11-7)	BSEN 71-9: 2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	10 mg/kg to 1000 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>18 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories containing Rubber, Plastic</b>	11. Solvent Yellow 3 (CAS No. 97-56-3)	BSEN 71-9: 2005, Amd1: 2007	10 mg/kg to
		12. Basic Red 9 (CAS No. 569-61-9)	EN 71-10: 2005	1000 mg/kg
		13. Basic Violet 1 (CAS No. 8004-87-3)	EN 71-11: 2005	
		14. Basic Violet 3 (CAS No. 548-62-9)		
		15. Acid Red 26 (CAS No. 3761-53-3)		
		16. Acid Violet 49 (CAS No. 1694-09-3)		
		Organic chemical Compounds - Flame retardance as per table 2A	BSEN 71-9:2005, Amd1: 2007	1 mg/kg to
		1.Tri-o-Cresyl Phosphate (CAS No. 78-30-8)	EN 71-10: 2005	1000 mg/kg
		1. Tris(2-Chloroethyl) Phosphate (CAS No. 115-96-8)	EN 71-11: 2005	
		Determination of Dimethyl Formamide (DMFa)	SOP-ANL-27 (Issue no. 01, Issue date : 20/11/2014)	1 mg/kg to 1000 mg/kg
	Determination of PFOA	SOP-ANL-28 (Issue no. 01, Issue date : 20/11/2014)	0.1 mg/kg to 100 mg/kg	
	PFOS		0.25 µg/m <sup>2</sup> to 50 µg/m <sup>2</sup>	
	Determination of SCCP / MCCP (Chlorinated paraffins)	SOP-ANL-29 ( Issue no. 01, Issue date : 20/11/2014)	1 mg/kg to 5000 mg/kg	

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>19 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories containing Rubber, Plastic</b>	Determination of Volatile Organic carrier 1.Xylene (all isomers) 2.Toluene (CAS No. 108-88-3) 3.Benzene (CAS No. 9072-35-9) 4.Styrene (CAS No. 100-42-5) 5.Cyclohexanone (CAS No. 108-94-1) 6.Isophorone (CAS no. 78-59-1)	SOP-ANL-24 ( Issue no. 01, Issue date : 26/08/2014)	1 mg/ltr to 1000 mg/ltr.
<b>II. LEATHERS</b>				
<b>1.</b>	<b>Leathers &amp; Leather Accessories</b>	Color fastness of small sample to Dry Cleaning solution.	ISO 11643 : 2009 BS EN ISO 11643 : 2009	Qualitative (Grey Scale Grade 1 to 5)
		Color fastness to crocking	AATCC-8 : 2013	Qualitative (Grey Scale Grade 1 to 5)
		Standard test method for color fastness for crocking of leather	ASTM D 5053 - 2003	Qualitative (Grey Scale Grade 1 to 5)
		Veslic Rub Fastness	BSEN ISO 11640 : 2012 ISO 17700: 2004 (Method A) BSEN ISO 17700: 2005 (Method A)	Qualitative (Grey Scale Grade 1 to 5)

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>20 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Leathers &amp; Leather Accessories</b>	Color fastness to perspiration	ISO 11641: 2012 BSEN ISO 11641: 2012	Qualitative (Grey Scale Grade 1 to 5)
		Color fastness to water	ISO 11642 : 2012 BSEN ISO 11642: 2012	Qualitative (Grey Scale Grade 1 to 5)
		Color fastness to Machine Washing	ISO 15702: 1998 BSEN ISO 15702: 2000	Qualitative (Grey Scale Grade 1 to 5)
		<b>Determination of Heavy metals</b> Pb, Cd, Sb, Ba , Cr, Se	EN 71 Part 3: 2013, Amd.1: 2014 ASTME1613 - 2012 BS EN ISO 17072-1: 2011 EN 71 Part 3: 2013, Amd.1: 2014	0.1 mg/kg to 1000 mg/kg
		Hg	PDCR 13695-1: 2000 PDCR 13695-2: 2004 BS EN ISO 17072-2: 2011 ASTM F963 – 2011	0.02 mg/kg to 1000 mg/kg
		<b>Migration of Certain Elements</b>	ISO 8124 (Part-3):2010 Amd.1:2014	
		Lead (pb)	SOP-ANL-9 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 )	0.05 mg/kg to 1000 mg/kg
		Cadmium (cd), Antimony Mercury (Hg), Selenium		0.01 mg/kg to 1000 mg/kg
		Arsenic, Barium, Chromium		0.02 mg/kg to 1000 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>21 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Leathers &amp; Leather Accessories</b>	Determination of pH Value	BSEN ISO 4045: 2008 ASTM D2810 - 2013	1 to 14
		Determination of released Formaldehyde	ISO 17226-1: 2008 ISO 17226-2: 2008 ISO 17226-3: 2011	5 mg/kg to 500 mg/kg
		Determination of Azo dye in Leather 1. 4-aminodiphenyl/xenylamine/Biphenyl-4-ylamine 2. Benzidine 3. 4-chlor-o-toluidine 4. 2-naphthylamine 5. o-aminoazotoluene/4-o-tolylazo-o-toluidine/4-amino-2',3'-di methylazobenzene 6. 2-amino-4-nitrotoluol/5-nitro-o-toluidine 7. p-chloranilin/4-chloroaniline 8. 2,4-diaminoanisole/4-methoxy-m-phenylenediamine 9. 4,4'-diaminodiphenylmethane/4,4'-methylenedianiline 10. 3,3'-dichlorobenzidine/3,3'-dichlorobiphenyl-4,4'-ylenediamine 11. 3,3'-dimethoxybenzidine/o-dianisidine 12. 3,3'-dimethylbenzidine/4,4'-bi-o-Toluidine 13. 3,3'-dimethyl-4,4'-diaminodiphenylmethane/4,4'-methylenedi -o-toluidine	35 LMBG 82.02-3: 1998 ISO 17234-1: 2010 BSEN ISO 17234-1: 2010 BSEN ISO 17234-2: 2011 BSEN 14362-3: 2012	5 mg/kg to 100 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>22 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>	
	<b>Leathers &amp; Leather Accessories</b>	14. p-cresidin/6-methoxy-m-toluidine	35 LMBG 82.02-3: 1998 ISO 17234-1: 2010	5 mg/k to 100 mg/kg	
		15. 4,4'-methylen-bis-(2-chloro-aniline)/2,2'-dichloro-4,4'methyl-ene-dianiline	BSEN ISO 17234-1: 2010 BSEN ISO 17234-2: 2011 BSEN 14362-3: 2012		
		16. 4,4'-oxydianiline			
		17. 4,4'-thiodianiline			
		18. o-toluidine/2-aminotoluene			
		19. 2,4-toluylendiamine/4-methyl-m-phenylenediamine			
		20. 2,4,5-trimethylaniline			
		21. 4-aminoazobenzene			
		22. o-anisidine/ 2-methoxyaniline			
		23. 2,4-Xylidine			
		24. 2,6-Xylidine			
		Determination of PCP / TeCP	DIN 53313: 1996		0.05 mg/kg to 100 mg/kg
		Determination of PCP	ISO 17070 : 2015		0.05 mg/kg to 100 mg/kg
		Determination of PCP / TeCP / TCP / OPP	LMBG 82.02-08: 2001		0.05 mg/kg to 100 mg/kg
		Determination of Chrome VI (Leather)	DIN 53314: 1996 ISO 17075 : 2007 CEN/TS 14495 : 2003		2 mg/kg to 100 mg/kg
		Alkyl Phenyl Ethoxylates Analysis AP (OP And NP) APEO (NPEO and OPEO)	SOP-ANL-26 (Issue no. 01 , Revision 00 dated 14 <sup>th</sup> June 2013 ) based on CEN / TC 248 N 1057: 2012		1 mg/kg to 5000 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>23 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Leathers &amp; Leather Accessories</b>	Total Lead content in Substrate for metal children's products including children's metal jewelry	ASTM E1645 - 2001 ASTM E1613 - 2012 CPSC-CH-E1001-08.3 November 15, 2012 Health Canada Method C-02.4: 2011	10 mg/kg to 30000 mg/kg
		Total Lead content in Substrate for Non metal children's products including children's metal jewelry	ASTM E1645 - 2001 ASTM E1613 - 2012 CPSC-CH-E1002-08.3 November 15, 2012 Health Canada Method C-02.3 : 2011	10 mg/kg to 30000 mg/kg
		Cadmium Extractability from children's metal jewelry	CPSC-CH-E1004-11 February 03, 2011	10 mg/kg to 30000 mg/kg
		Organic Chemical Compounds – Primary Aromatic amines : 1. Benzidine (CAS No. 92-87-5) 2.2-Naphthylamine (CAS No. 91-59-8) 3.4-Chloroaniline (CAS No. 106-47-8) 4.3,3'-Dichlorobenzidine (CAS No. 91-94-1) 5.3,3'-Dimethoxybenzidine (CAS No. 119-90-4) 6.3,3'-Dimethylbenzidine (CAS No. 119-93-7) 7. O-Toluidine (CAS No. 95-53-4) 8.2-Methoxyaniline (o-Anisidine) CAS No. 90-04-0 9. Aniline (CAS No. 62-53-3)	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	5 mg/kg to 500 mg/kg (each analytes)

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>24 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Leathers &amp; Leather Accessories</b>	Determination of Dimethyl Formamide (DMFa)	SOP-ANL-27 ( Issue no. 01, Issue date : 20/11/2014)	1 mg/kg to 1000 mg/kg
		Organic Chemical Compounds - Colourants :	BSEN 71-9: 2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	10 mg/kg to 1000 mg/kg (each analytes)
		1.Disperse Blue 1 (CAS No. 2475-45-8)		
		2.Dispesre Blue 3 (CAS No. 2475-46-9)		
		3. Dispesre Blue 106 (CAS No. 12223-01-7)		
		4. Dispesre Blue 124 (CAS No. 61951-51-7)		
		5. Dispesre Yellow 3 (CAS No. 2832-40-8)		
		6. Dispesre Orange 3 (CAS No. 730-40-5)		
		7. Dispesre Oranage 37/76 (CAS No. 12223-33-5 / 13301-61-6)		
		8. Dispese Red 1 (CAS No. 2872-52-8)		
		9. Solvent Yellow 1 (CAS No. 60-09-3)		
		10. Solvent Yellow 2 (CAS No. 60-11-7)		
		11. Solvent Yellow 3 (CAS No. 97-56-3)		
		12. Basic Red 9 (CAS No. 569-61-9)		
		13. Basic Violet 1 (CAS No. 8004-87-3)		
		14. Basic Violet 3 (CAS No. 548-62-9)		



<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>25 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Leathers &amp; Leather Accessories</b>	15. Acid Red 26 (CAS No. 3761-53-3) 16. Acid Violet 49 (CAS No. 1694-09-3)	BSEN 71-9: 2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	10 mg/kg to 1000 mg/kg (each analytes)
		Determination of SCCP / MCCP (Chlorinated paraffins)	SOP-ANL-29 (Issue no. 01, Issue date : 20/11/2014)	1 mg/kg to 5000 mg/kg
<b>III. TOYS</b>				
<b>1.</b>	<b>Toys &amp; Toys Accessories</b>	Organotin Compounds 1. Monobutyltin trichloride (MBTCI3) 1118-46-3 2. Dibutyltin dichloride (DBTCI2) 683-18-1 3. Tributyltin chloride (TBTCI) 1461-22-9 4. Tetrabutyltin (TeBT) 1461-25-2 5. n-Octyltin-trichloride (MOT) 3091-25-6 6. Di-n-octyltin-dichloride (DOT) 3542-36-7 7. Triphenyltin chloride (TPTCI) 639-58-7 8. Tricyclohexyl tin chloride (TCyTCI) 3091-32-5 9. Tri-n-propyltin chloride (TrPTCI) (Internal standard 2279-76-7 10. Trioctyltin (TOT) (2587-76-0) 11. Methyl tin Trichloride (993-16-8)	SOP-ANL-9 (Issue no. 02, Revision 02 dated 14 <sup>th</sup> June 2013 ) based on EN 71 Part -3: 2013 Amd 1: 2014  ISO 17353: 2004 DIN 38407: 2013	0.05 mg/kg to 10 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>26 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys &amp; Toys Accessories</b>	12. Diheptyltin dichloride (74340-12-8)	SOP-ANL-9 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 ) based on	0.05 mg/kg to 10 mg/kg
		13. Dipropyltin dichloride (867-36-7)	EN 71 Part -3: 2013 Amd 1: 2014	
		14. Diphenyltin dichloride (1135-99-5)	ISO 17353: 2004 DIN 38407: 2013	
		<b>Migration of Certain Elements:</b> Lead (pb), Aluminium (Al), Manganese, Strontium, Zinc	EN 71 Part 3: 2013, Amd.1: 2014	0.05 mg/kg to 1000 mg/kg
		Cadmium (cd), Antimony, Cobalt, Copper, Mercury Selenium, Tin	SOP-ANL-9 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 ) based on EN 71 Part 3: 2013, Amd.1: 2014	0.01 mg/kg to 1000 mg/kg
		Arsenic , Barium, Boron, Chromium (combined)		0.02mg/kg to 1000 mg/kg
		Nickel		0.04mg/kg to 1000 mg/kg
		<b>Migration of Certain Elements:</b> Lead (pb)	ISO 8124 (Part-3):2010 Amd.1:2014 SOP-ANL-9 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 )	0.05 mg/kg to 1000 mg/kg
		Cadmium (cd), Antimony Mercury (Hg), Selenium		0.01 mg/kg to 1000 mg/kg
		Arsenic, Barium, Chromium		0.02 mg/kg to 1000 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>27 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys &amp; Toys Accessories</b>	Banned Azo Colourants 1. 4-aminodiphenyl/xenylamine/Biphenyl-4-ylamine 2. Benzidine 3. 4-chloro-o-toluidine 4. 2-naphthylamine 5. o-aminoazotoluene/4-o-tolylazo-o-toluidine/4-amino-2',3'-di methylazobenzene 6. 2-amino-4-nitrotoluol/5-nitro-o-toluidine 7. p-chloranilin/4-chloroaniline 8. 2,4-diaminoanisole/4-methoxy-m-phenylenediamine 9. 4,4'-diaminodiphenylmethane/4,4'-methylenedianiline 10. 3,3'-dichlorobenzidine/3,3'-dichlorobiphenyl-4,4'-ylenediamine 11. 3,3'-dimethoxybenzidine/o-dianisidine 12. 3,3'-dimethylbenzidine/4,4'-bi-o-Toluidine 13. 3,3'-dimethyl-4,4'-diaminodiphenylmethane/4,4'-methylenedi -o-toluidine 14. p-cresidine/6-methoxy-m-toluidine 15. 4,4'-methylene-bis-(2-chloro-aniline)/2,2'-dichloro-4,4'-methylene-dianiline 16. 4,4'-oxydianiline 17. 4,4'-thiodianiline 18. o-toluidine/2-aminotoluene	SOP-ANL-6 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 ) based on GB/T 17592 : 2011 EN 14362-1: 2012	5 mg/kg to 100 mg/kg

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>28 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys &amp; Toys Accessories</b>	19. 2,4-toluyldiamine/4-methyl-m-phenylenediamine	SOP-ANL-6 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 ) based on GB/T 17592 : 2011 EN 14362-1: 2012	5 mg/kg to 100 mg/kg
		20. 2,4,5-trimethylaniline		
		21. o-anisidine/2-methoxyaniline		
		22. 4-aminoazobenzene		
		23. 2,4 xylydine		
		24. 2,6 xylydine		
		4-Aminoazobenzene	SOP-ANL-12 , SOP-ANL-13 (Issue no. 02 , Revision 02 dated 14 <sup>th</sup> June 2013 ) based on GB/T 23344 : 2009	5 mg/kg to 100 mg/kg
	<b>Organic Chemical Compounds - Primary Aromatic amines:</b>	1. Benzidine (CAS No. 92-87-5)	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	5 mg/kg to 500 mg/kg (each analytes)
		2. 2-Naphthylamine (CAS No. 91-59-8)		
		3. 4-Chloroaniline (CAS No. 106-47-8)		
		4. 3,3'-Dichlorobenzidine (CAS No. 91-94-1)		
		5. 3,3'-Dimethoxybenzidine (CAS No. 119-90-4)		
		6. 3,3'-Dimethylbenzidine (CAS No. 119-93-7)		
		7. O-Toludine (CAS No. 95-53-4)		
		8. 2-Methoxyaniline (o-Anisidine) (CAS No. 90-04-0)		
		9. Aniline (CAS No. 62-53-3)		

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>29 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys &amp; Toys Accessories</b>	Organic Chemical Compounds Colourants: 1. Disperse Blue 1 (CAS No. 2475-45-8) 2. Disperse Blue 3 (CAS No. 2475-46-9) 3. Disperse Blue 106 (CAS No. 12223-01-7) 4. Disperse Blue 124 (CAS No. 61951-51-7) 5. Disperse Yellow 3 (CAS No. 2832-40-8) 6. Disperse Orange 3 (CAS No. 730-40-5) 7. Disperse Orange 3/76 (CAS No. 12223-33-5 / 13301-61-6) 8. Disperse Red 1 (CAS No. 2872-52-8) 9. Solvent Yellow 1 (CAS No. 60-09-3) 10. Solvent Yellow 2 (CAS No. 60-11-7) 11. Solvent Yellow 3 (CAS No. 97-56-3) 12. Basic Red 9 (CAS No. 569-61-9) 13. Basic Violet 1 (CAS No. 8004-87-3) 14. Basic Violet 3 (CAS No. 548-62-9) 15. Acid Red 26 (CAS No. 3761-53-3) 16. Acid Violet 49 (CAS No. 1694-09-3)	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	10 mg/kg to 1000 mg/kg (each analytes)

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>30 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys &amp; Toys Accessories</b>	Organic Chemical Compounds - Plasticizers Migration for polymeric materials: 1.Triphenyl Phosphate ( CAS No. 115-86-6) 2.Tri-o-cresyl phosphate (CAS No. 78-30-8) 3.Tri-m-cresyl phosphate (CAS No. 563-04-2) 4.Tri-p-cresyl phosphate (CAS No. 78-32-0) 5.Benzyl butyl phthalates (CAS No. 85-68-7)	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	0.03 mg/l to 100 mg/l (each analytes)
		Organic chemical Compounds - Flame retardance: 1.Tri-o-Cresyl Phosphate (CAS No. 78-30-8) 2.Tris(2-Chloroethyl) Phosphate (CAS No. 115-96-8)	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	1 mg/kg to 1000 mg/kg (each analytes)
		Organic Chemical Compounds – Migration of Monomers: 1.Acrylamide (CAS No. 79-06-1) 2. Bisphenol A (CAS No. 80-05-7) 3. Formaldehyde (CAS No. 50-00-0) 4. Phenol (CAS No. 108-95-2) 5. Styrene (CAS No. 100-42-5)	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	0.02 mg/l to 1000 mg/l 0.1 mg/l to 1000 mg/l 2.5 mg/l to 1000 mg/l 15 mg/l to 1000 mg/l 0.75 mg/l to 1000 mg/l

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>31 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys &amp; Toys Accessories</b>	Organic Chemical Compounds – Solvent Migration:	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	
		1. Trichloroethylene (CAS No. 79-01-6)		0.5 mg/l to 1000 mg/l
		2. Dichloromethane (CAS No. 75-09-2)		0.06 mg/l to 1000mg/l
		3. Methoxyethyl acetate (CAS No. 110-49-6)		0.5 mg/l to 1000 mg/l
		4. 2-Ethoxyethanol (CAS No. 110-80-5)		0.5 mg/l to 1000 mg/l
		5. 2-Ethoxy ethyl acetate (CAS No. 111-15-9)		0.5 mg/l to 1000 mg/l
		6. Bis (2-methoxyethyl) ether (CAS No. 111-96-6)		0.5 mg/l to 1000 mg/l
		7. 2-Methoxy propyl acetate (CAS No. 70657-70-4)		0.5 mg/l to 1000 mg/l
		8. Methanol (CAS No. 67-56-1)		5 mg/l to 1000 mg/l
		9. Nitrobenzene (CAS No. 98-95-3)		0.5 mg/l to 1000 mg/l
		10. Cyclohexanone (CAS No. 108-94-1)		46 mg/l to 1000 mg/l
		11. 3,5,5-Trimethyl-2-cyclohexane-1-one (CAS No. 78-59-1)		3 mg/l to 1000 mg/l

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity, Phase-1, Gurgaon, Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1526</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>09.11.2015</b>	<b>Page</b>	<b>32 of 32</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys &amp; Toys Accessories</b>	12. Toluene (CAS No. 108-88-3)	BSEN 71-9:2005, Amd1: 2007 EN 71-10: 2005 EN 71-11: 2005	2 mg/l to 1000 mg/l
		13. Ethylbenzene (CAS No. 100-41-4)		1 mg/l to 1000 mg/l
		14. Xylene (all isomers ) CAS No. Various)		2 mg/l to 1000 mg/l

~~-X-X-X-X-X-X-X-X-X-X-X-X-~~