

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>1 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>I. TEXTILE MATERIALS</b>				
<b>1.</b>	<b>Textile-Fabric/Garment</b>	Tensile Strength Strip test	BS EN ISO 13934-1: 2013 EN ISO 13934-1: 2013 ISO 13934-1: 2013 ASTM D5035 – 2011 AS 2001.2.3.1: 2001	15 N to 1800 N
		Tensile Strength -Grab test	BS EN ISO 13934-2:2014 EN ISO 13934-2:2014 ISO 13934-2:2014 ASTM D5034 – 2009	15 N to 1800 N
		Tear strength By Elmendorf Apparatus	BS EN ISO 13937-1:2000 EN ISO 13937-1:2000 ISO 13937-1:2000 ASTM D1424 – 09 (2013) BS EN ISO 4674-2:1998	320 gf to 5120 gf
		Tear Strength -Single Rip (Single tear)	BS EN ISO 13937-2: 2000 ISO 13937-2: 2000 BS EN ISO 4674-1: 2003 ASTM D2261 – 2013	15 N to 1800 N
		Seam Strength	BS EN ISO 13935-1: 2014 BS EN ISO 13935-2: 2014 ASTM D 1683 – 2011a AS 2001.2.20: 2004	15 N to 1800 N
		Resistance to Seam Slippage	BS EN ISO 13936-1: 2004 BS EN ISO 13936-2: 2004 ASTM D 434 – 1995 BS 3320:1988	15 N to 1800 N

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>2 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textile-Fabric/Garment</b>	Determination of elasticity of fabrics	BS 4952: 1992 straight specimens (2.1 to 2.4) BS EN 14704-1: 2005 (Method – A) ASTM D6614-07 – 2011 ASTM D2594 – 2004 (Reapproved 2012)	1 cm to 55 cm
		Bursting strength (Pneumatic)	BS EN ISO 13938-2: 1999 EN ISO 13938-2: 1999 ISO 13938-2: 1999 BS 4768: 1972	200 kpa to 1000 kpa
		by Diaphragm bursting tester (hydraulic)	ASTM D3786 – 2013 BS EN ISO 13938-1: 1999	25 kpa to 1000 kpa
		Pilling resistance Pill Box	BS 5811-1986 BS EN ISO 12945-1: 2001 EN ISO 12945-1: 2000 ISO 12945-1: 2000	Qualitative (Grade 1 to 5)
		by Martindale tester	BS EN ISO 12945-2: 2000 EN ISO 12945-2: 2000 ISO 12945-2: 2000 ASTM D4970 – 2010	Qualitative (Grade 1 to 5)
		by Random Tumble pilling tester	ASTM D3512 – 2010 e-2	Qualitative (Grade 1 to 5)
		Abrasion resistance	BS EN ISO 12947-2: 1998 EN ISO 12947-3: 1998  ISO 12947-4: 1998	1 Cycles to 99999 Cycles  Upto 50%

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>3 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textile-Fabric/Garment</b>	( Abrasion continued ) Accelerator method A	AATCC 93: 2011	Upto 50%
		Mass per unit area (Weight)	ISO 3801: 1977 BS 2471: 2005 BS EN 12127: 1998 EN 12127: 1998 ASTM D3776 – 09a (2013) AS 2001.2.13: 1987	5 g/m <sup>2</sup> to 1000 g/m <sup>2</sup>
		Yarn Number (Based on short length the specimens)	SOP-PHY-8: 2014	2 Ne to 120 Ne
		Warp & Filling / Count		
		Woven fabric	ASTM D3775 – 2012 EN 1049-2: 1994 BS EN 1049-2: 1994	(2 threads per cm to 80 threads per cm) (5 threads per inch to 200 threads per inch)
		Knitted fabric	ASTM D3887 – 2008 BS 5441 (1988)	(2 Wales & coarse / inch to 250 Wales & coarse / inch) (5 per cm to 100 per cm)
		Crease recovery	BS EN 22313: 1992 AATCC 66: 2008	Upto 180°
		Determination of width and length – fabrics	BS EN 1773: 1997	1 cm to 300 cm
		Fabric Width	ASTM D 3774 – 1996 (Reapproved 2012) AS 2001.2.12: 1987	1 cm to 200 cm

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>4 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textile-Fabric/Garment</b>	Bow and Skew	ASTM D 3882 – 2008 (Reapproved 2012) BS 2819: 1990	1 % to 50 %
		Flammability	16 CFR 1610: 2012 (Part A)	1 s to 100 s
		Water Repellency	AATCC 22: 2014	50 Rating to 100 Rating
			ISO 4920: 2012 BS EN 24920: 2012	1 Rating to 5 Rating
		Water Absorbency	AATCC 79: 2010	Upto 60 sec
<b>2.</b>	<b>Textiles and Textiles Accessories</b>	Determination of Sharp Points under a force of 4.45 N (1 Pound)	16 CFR 1500.48 : 2011 ASTM F 963 – 2011 (Section 4.9) EN71-1: 2011, Amd3 : 2014 (Section 8.12)	Qualitative
		Determination of Sharp Edges under a force up to 8.90 N (2 Pound)	16 CFR 1500.49 : 2011 ASTM F 963 – 2011 (Section 4.7) EN71-1: 2011, Amd3 : 2014 (Section 8.11)	Qualitative
		Determination of Small parts – Chocking Hazards test (Small parts cylinder of 31.7 mm inner diameter)	16 CFR 1501: 2009 ASTM F 963 – 2011 (Section 4.6) EN71-1: 2011, Amd3 : 2014 (Section 8.2)	Qualitative

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>5 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Textiles and Textiles Accessories</b>	Determination of Small parts Torque test upto 9 kg-cm (upto 7.8 inch pounds)	ASTM F963 – 2011 (Section 8.8) EN71-1: 2011, Amd3: 2014 (Section 8.3) 16 CFR 1500.51-53 (e)	Qualitative
		Determination of Small parts Tension test upto 294k N (Upto 30 kg or 66 pounds)	ASTM F963 – 2011 (Section 8.9) EN71-1: 2011 Amd3: 2014 (Section 8.4) 16 CFR 1500.51-53 (f)	Qualitative
		Determination of Flammability of Rugs and Carpets (Larger)	16 CFR 1630: 2010	Qualitative
		Determination of Flammability of Rugs and Carpets (Smaller)	16 CFR 1631: 2010	Qualitative
		Fabric Propensity to surface fuzzing and pilling Modified Martindale method	GB/T 4802.2: 2008	Qualitative (Grade 1 to 5)
		Fabric Propensity to surface fuzzing and pilling Pilling Box Method	GB/T 4802.3: 2008	Qualitative (Grade 1 to 5)
		Impact resistance of Plastic sew through Buttons	ASTM D5171 – 09a	Qualitative

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>6 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>II. PLASTICS, RUBBER &amp; LEATHER</b>				
<b>1.</b>	<b>Leather</b>	Tensile Strength	ISO 3376: 2011 BSEN ISO 3376: 2011 BSEN ISO 20344: 2004 (Amd1: 2011, Cl.6.4)	15 N to 1800 N
		Tear Strength	ISO 3377-1: 2011 BSEN ISO 3377-1: 2011 ISO 3377-2: 2002 BSEN ISO 20344 (Amd1: 2011, Cl.6.3)	15 N to 1800 N
		Flexing Endurance (Flexo Meter Method)	ISO 5402-1: 2011 BSEN 13512: 2002	500 Cycles to 250,000 Cycles
		Thickness	ISO 2589: 2002	0.5 mm to 5mm
		Apparent Density	ISO 2420: 2002	10 kg/m <sup>3</sup> to 1000 kg/m <sup>3</sup>
		Sole Bond Peeling Strength	BS 5131-5.4: 1978 ISO 17708: 2003 BSEN ISO 20344 (Amd1: 2011, Cl.5.2)	15 N/mm to 1800 N/mm

**Laboratory** UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana

**Accreditation Standard** ISO/IEC 17025: 2005

**Discipline** Mechanical Testing **Issue Date** 15.06.2015

**Certificate Number** T-1527 **Valid Until** 14.06.2017

**Last Amended on** - **Page** 7 of 22

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
<b>III. TOYS</b>				
1.	Toys with Small Parts	Small part test Drop test Torque test Tension test Compression test Flexure Test	IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.4, Cl.5.2 Cl.5.24.2 Cl.5.24.5 Cl.5.24.6 Cl.5.24.7 Cl.5.24  ASTM F 963 – 2011, Cl.4.6 16 CFR 1500.18: 2012 16 CFR 1501: 2012 EN 71-1: 2014, Cl.8.2	Qualitative
2.	Toys with Edges	Sharp Edge Test Torque test Tension Test Compression Test	IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.6, Cl.5.8 Cl.5.24.5 Cl.5.24.6 Cl.5.24.7  ASTM F 963 – 2011, Cl.4.7 16 CFR 1500.49 : 2012  Sharp Edge Test EN 71-1: 2014 Cl.4.7 Cl.8.11	Qualitative
3.	Toys with Points	Sharp Point test	IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.7, Cl 5.9 ASTM F 963 – 2011, Cl.4.9 16 CFR 1500.48: 2012	Qualitative

**Laboratory** UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana

**Accreditation Standard** ISO/IEC 17025: 2005

**Discipline** Mechanical Testing **Issue Date** 15.06.2015

**Certificate Number** T-1527 **Valid Until** 14.06.2017

**Last Amended on** - **Page** 8 of 22

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
4.	Toys with Projections	Drop Test	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.8, Cl.5.24.3	Qualitative
		Torque test	Cl.5.24.5	
		Tension test	Cl.5.24.6	
		Compression test	Cl.5.24.7	
		Flexure test	Cl.5.24.8	
		Normal use test	ASTM F 963 – 2011, Cl.4.8	Qualitative
		Abuse Test	Cl.8.5	
		Drop Test	Cl.8.6	
		Torque Test	Cl.8.7.1	
		Tension test	Cl.8.8	
		Compression test	Cl.8.9 Cl.8.10	
5.	Toys with Protruding	Component	EN 71-1: 2014 Cl.4.9	Qualitative
		Sharp Edge	Cl.8.4.2.3	
		Sharp point	Cl.8.11	
			Cl.8.12	
6.	Toys with Metal Wire and Rod		AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.9	Qualitative
		Flexure test	Cl.5.24.8.	
		Tension test	Cl.5.24.6.4	
		Sharp Edge	Cl.5.8	
		Sharp point	Cl.5.9	



<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>9 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys with Metal Wire and Rod</b>	Tension Test Sharp edge test Sharp point test Flexure test	ASTM F 963 – 2011 Cl.4.10 Cl.8.9 Cl.4.7 Cl.4.9 Cl.8.12	Qualitative
		Sharpness of Point	EN 71-1: 2014 Cl.4.8 Cl.8.12	
<b>7.</b>	<b>Toys with Flexible Plastic Sheeting</b>	Thickness Tension Test	EN 71-1: 2014 Cl.4.3, Cl.5.3, Cl.6 Cl.8.25.1 Cl.8.4.2	0.01 mm to 1 mm Qualitative
		Thickness test	ASTM F 963 – 2011 Cl.4.12, Cl.8.21 AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014	
<b>8.</b>	<b>Toys with Glass &amp; Marbles</b>	Drop Test Impact Test Sharpness of edges Sharpness of Points	EN 71-1: 2014 Cl.4.5, Cl.5.7 Cl.8.5 Cl.8.7 Cl.8.11 Cl.8.12	Qualitative
			ASTM F 963 – 2011 Cl.4.33, Cl.5.3.1, Cl.5.11.4 16 CFR 1500.19 : 2011	

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>10 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys with Glass &amp; Marbles</b>	Drop Test Torque Test Tension Test Compression Test Flexure test Abuse Tests	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.5.7 Cl.5.24.3 Cl.5.24.5 Cl.5.24.6 Cl.5.24.7 Cl.5.24.8 Cl.5.22	Qualitative
<b>9.</b>	<b>Toys Comprising Monofilament Fibers</b>	Length	EN 71-1: 2014 Cl.5.9, Cl.7.17	1 cm to 300 cm
<b>10.</b>	<b>Toys with Expanding Materials</b>	Small part cylinder test Torque Test Tension test Drop Test Impact Test Compression Test Dimension test	EN 71-1: 2014 Cl.4.6 Cl.8.2 Cl.8.3 Cl.8.4.2 Cl.8.5 Cl.8.7 Cl.8.8 Cl.8.14	Qualitative
		Drop Test Torque Test Tension Test Compression Test Small part	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.5.24.2 Cl.5.24.5 Cl.5.24.6 Cl.5.24.7 Cl.5.2	Qualitative

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>11 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
11.	<b>Toys - Parts Moving against each other / Folding Mechanisms and Hinges Driving Mechanism / Springs</b>	Sharpness of edges Sharpness of point Drop test Impact test Folding & Sliding Mechanism  Normal use test Abuse Test Drop Test Torque Test Tension test Compression test Locking mechanism  Toy pushchairs and perambulators Folding mechanism test – Other toy with folding mechanisms  Folding & sliding Mechanism  Accessibility part of component	EN 71-1: 2014 Cl.4.10 Cl.8.11 Cl.8.12 Cl.8.5 Cl.8.7 Cl.8.18  ASTM F 963 – 2011, Cl.4.13 Cl.8.5 Cl.8.6 Cl.8.7.1 Cl.8.8 Cl.8.9 Cl.8.10 Cl.8.25.1, Cl.8.25.2  AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014  Cl.5.22.2, Cl.5.22.3, Cl.5.20 AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1:2014 Cl.5.7	Qualitative
12.	<b>Mouth Actuated and other Toys intended to be put in the Mouth</b>	Small part cylinder test Soaking test Torque test Tension test	EN 71-1: 2014 Cl.4.11 Cl.8.2 Cl.8.9 Cl.8.3 Cl.8.4.2.1	Qualitative

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>12 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Mouth Actuated and other Toys intended to be put in the Mouth</b>	Small part Tension test Torque test Abuse Test	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.5.2 Cl.5.24.6 Cl.5.24.5 Cl.5.22 Cl.5.18	Qualitative
<b>13.</b>	<b>Toys – Balloons</b>	Thickness	EN 71-1: 2014 Cl.4.12, Cl.4.3, Cl.8.25.1 ASTM F 963 – 2011 Cl.4.31, Cl.5.11.5 16 CFR 1500.19 : 2011	0.001mm to 1 mm
		Thickness Small Part Tension test Torque test	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.5.6, Cl.4.10, Cl.4.25 a, b, d Cl.5.10 Cl.5.2 Cl.5.24.6 Cl.5.24.5	0.001mm to 1 mm Qualitative
<b>14.</b>	<b>Toys - Enclosures / Confined Spaces/ Toy Bag</b>	Sharpness of edges Sharpness of point Torque test Tension test Drop test Impact test Compression test Comply With Enclosure	EN 71-1: 2014 Cl. 4.14, Cl.4.10.3, Cl.4.4 Cl.8.11 Cl.8.12 Cl.8.3 Cl.8.4.2.1 Cl.8.5 Cl.8.7 Cl. 8.8 Cl (Cl.4.14.2a)	Qualitative

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>13 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys - Enclosures / Confined Spaces/ Toy Bag</b>	Normal use test	ASTM F 963 – 2011	Qualitative
		Abuse Test	Cl. 4.16	
		Impact test	Cl.8.5	
		Torque test	Cl. 8.6	
		Tension test	Cl.8.7	
		Compression test	Cl.8.8	
			Cl.8.9	
			Cl.8.10	
		Folding & Sliding Mechanism	AS/NZS ISO 8124.1: 2013	
		Folding Mechanisms	IS 9873 (Part 1): 2012	
			ISO 8124-1: 2014	
			Cl.5.22.2, Cl.4.12	
<b>15.</b>	<b>Heavy Immobile Toys / Stability of stationary floor toy/Toys intended to bear the mass of child</b>	Normal use Testing	ASTM F 963 – 2011	Qualitative
		Abuse Test	Cl.4.15, Cl.4.15.4	
		Impact Test	Cl.8.5	
		Torque Test	Cl.8.6	
		Tension Test	Cl.8.7	
		Compression Test	Cl.8.8	
			Cl.8.9	
			Cl.8.10	
		Stability test	AS/NZS ISO 8124.1: 2013	Qualitative
		Abuse Test	IS 9873 (Part 1): 2012	
			ISO 8124-1: 2014	
			Cl.5.12, Cl.5.12.6	
			Cl.5.22	

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>14 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>	
	<b>Heavy Immobile Toys / Stability of stationary floor toy/Toys intended to bear the mass of child</b>	Sharpness of edges	EN 71-1: 2014 Cl. 4.16, Cl.4.15 Cl.8.23.2	Qualitative	
		Sharpness of point	Cl.8.11		
		Static strength	Cl.8.12		
		Stability Test	Cl.8.21		
		Break Performance Test	Cl.8.23 Cl.8.26		
		Strength Of Toys Scooter Steering Tubes	Cl.8.27		
		Determination Speed Test	Cl.8.29		
		Tension Test	EN 71-1: 2014 Cl.4.17 Cl.8.4.2		Qualitative
		Small ball & suction cup	Cl.8.32.1		
		Torque Test	Cl.8.3		0.01 Joules to 10 Joules
	Kinetic Energy Test	Cl.8.24.1 & 2			
<b>16.</b>	<b>Projectile Toys</b>	Normal use Testing	ASTM F 963 – 2011, Cl.4.21 Cl.8.5	Qualitative	
		Abuse Test	Cl.8.6		
		Impact Test	Cl.8.7		
		Torque Test	Cl.8.8		
		Tension Test	Cl.8.9		
		Compression Test	Cl.8.10		
		Kinetic Energy Test	Cl.8.14		0.01 Joules to 10 Joules
		Kinetic Energy Test	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.5.15		
	Torque Test	Cl.5.24.5	Qualitative		
	Small part	Cl.5.2			

**Laboratory** UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana

**Accreditation Standard** ISO/IEC 17025: 2005

**Discipline** Mechanical Testing **Issue Date** 15.06.2015

**Certificate Number** T-1527 **Valid Until** 14.06.2017

**Last Amended on** - **Page** 15 of 22

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	<b>Projectile Toys</b>	Tension Test Abuse Test	Cl.5.24.6 Cl.5.22	Qualitative
17.	<b>Aquatic Toys and Inflatable Toys</b>	Torque Test Tension Test Small Part test	EN 71-1: 2014, Cl.4.18 Cl.8.3 Cl.8.4.2.1 Cl.8.2  AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014	Qualitative
18.	<b>Toys – Acoustics</b>	Emission Sound pressure Level Test	EN 71-1: 2014 Cl.4.20 Cl.8.28	0.05 dB to 135 dB
		Normal use Test Abuse Test Impact Test Torque Test Tension Test Compression Test Emission Sound pressure Level Test	ASTM F 963 – 2011, Cl.4.5 Cl. 8.5 Cl. 8.6 Cl.8.7 Cl.8.8 Cl.8.9 Cl.8.10 Cl.8.19	Qualitative
		Sound pressure level test	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.5.25, Cl.5.23	0.05 dB to 135 dB

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>16 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
19.	<b>Toys Attached to Food</b>	Small Part test Torque Test Tension Test Drop Test Impact Test Compression Test Small Ball and suction cup test	EN 71-1: 2014 Cl.4.25 Cl.8.2 Cl.8.3 Cl.8.4.2.1 Cl.8.5 Cl.8.7 Cl.8.8 Cl.8.32.1	Qualitative
20.	<b>Toys – Length of Cords, Chains and Electrical Cable in Toys / Straps intended to be worn fully or partially around the neck / Cords, Straps and Elastics / Cords</b>	Cord cross-sectional dimension Length of cords, chains electrical cables  Normal use Testing Abuse Test Drop Test Torque Test Tension Test Compression Test Test for Loops and Cords  Determination of cord thickness Self retracting pull cords	EN 71-1: 2014 Cl.5.4 Cl.8.20 Cl.8.40  ASTM F 963 – 2011 1, 2, 3, 5 of Cl.4.14 Cl.8.5 Cl.8.6 Cl.8.7.1 Cl.8.8 Cl.8.9 Cl.8.10 Cl.8.22  AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.5.11.1, Cl.5.11.2	Qualitative



<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>17 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
21.	<b>Liquid Filled Toys</b>	Leakage test	EN 71-1: 2014 Cl.5.5, Cl.8.15 AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.24, Cl.4.21, Cl.5.19	Qualitative
22.	<b>Hemispheric-Shaped Toys</b>	Dimensions & Volume Torque Test Tension Test Drop Test Impact Test Compression Test Soaking Test  Abuse Test Drop Test Torque Test Tension Test Compression Test	EN 71-1: 2014, Cl.5.12 Cl.8.3 Cl.8.4.2.1 Cl.8.5 Cl.8.7 Cl.8.8 Cl.8.9  ASTM F 963 – 2011, Cl.4.36 Cl.8.6 Cl.8.7.1 Cl.8.8 Cl.8.9 Cl.8.10	Qualitative        Qualitative
		Abuse tests	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.5.8, Cl.5.24	
23.	<b>Toys With Suction Cups</b>	Torque Test Tension Test Drop Test Impact Test Compression Test Small ball and suction cup test	EN 71-1:2014, Cl.5.13 Cl.8.3 Cl.8.4.2.1 Cl.8.5 Cl.8.7 Cl.8.8 Cl.8.32.1	Qualitative

**Laboratory** UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana

**Accreditation Standard** ISO/IEC 17025: 2005

**Discipline** Mechanical Testing **Issue Date** 15.06.2015

**Certificate Number** T-1527 **Valid Until** 14.06.2017

**Last Amended on** - **Page** 18 of 22

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
24.	Toys -Nails & Fasteners / Wheels, Tires And Axles	Normal use Testing	ASTM F 963 – 11 Cl.4.11, Cl. 4.17	Qualitative
		Abuse Test	Cl.8.5	
		Drop Test	Cl.8.6	
		Torque Test	Cl.8.7.1	
		Tension Test	Cl.8.8	
	Toys -Nails & Fasteners / Wheels, Tires And Axles	Compression Test	Cl.8.8	Qualitative
		Tire Removal Test	Cl.8.9	
		Small Part test	Cl.8.10	
			Cl.8.11	
			Cl.4.6.1	
25.	Toys With Holes, Clearance and Accessibility of Mechanisms	Normal use Testing	ASTM F 963 – 2011, Cl.4.18	Qualitative
		Abuse Test	Cl.8.5	
		Drop Test	Cl.8.6	
		Torque Test	Cl.8.7.1	
		Tension Test	Cl.8.8	
		Compression Test	Cl.8.9	
	Hole and clearance test		AS/NZS ISO 8124.1: 2013	Qualitative
			IS 9873 (Part 1): 2012	
			ISO 8124-1:2014	
			Cl.5.7	
26.	Toys with simulated protective devices	Impact Test for face	ASTM F 963 – 2011, Cl.4.19	Qualitative
		Torque Test	Cl 8.7.4	
		Tension Test	Cl.8.8	
		Compression Test	Cl.8.9	
		Impact Test	Cl.8.10	
	Hole and clearance test		AS/NZS ISO 8124.1: 2013	Qualitative
			IS 9873 (Part 1): 2012	
			ISO 8124-1: 2014	
			Cl.4.17	

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>19 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
27.	<b>Test with Pacifiers</b>	Test for pacifiers	ASTM F 963 – 2011, Cl.4.20 16 CFR 1511: 2012  AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.5.5 SOR: 2011-17, Cl.M-09	Qualitative
28.	<b>Squeeze toys, Rattles and certain other toys / Certain toys with spherical ends</b>	Template test	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.4.5.1, Cl.5.3  ASTM F 963 – 2011 Cl.4.23, Cl.4.24, Cl.4.32.1 Cl.4.32.2  16 CFR 1500.51 : 2011 16 CFR 1500.10 : 2011  ASTM F 963 – 2011, Cl.4.34 16 CFR 1500.18(a)(17) 16 CFR 1500.19 : 2011	Qualitative
29.	<b>Toys – Balls</b>	Small ball test Drop Test Torque Test Tension Test	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.5.4 Cl.5.24.2 Cl.5.24.5 Cl.5.24.6	Qualitative

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>20 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Toys – Balls</b>	Small ball & suction cup test	EN 71-1: 2014 Cl.4.22, Cl.5.10 Cl.8.32	Qualitative
		Torque Test	Cl.8.3	
		Tension Test	Cl.8.4	
		Tip over Test	Cl.8.6	
		Impact Test	Cl.8.7	
		Compression Test	Cl.8.8	
<b>30.</b>	<b>Toys – Pompoms</b>	Torque Test	ASTM F 963 – 2011, Cl.4.35 Cl.8.8	Qualitative
		Tension Test	Cl.8.16	
		Abuse Test	AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014 Cl.5.24	
		Template test	Cl.5.5	
<b>31.</b>	<b>Toys</b>	Flammability – Burning rate	ASTM F 963 – 2011, Cl.4.2 Annex A5, A6 16 CFR 1500.44 : 2011 ISO 8124-2: 2014 IS 9873-2: 1999 BS EN 71-2: 2014	1s to 1800 s
		Thermal & Flammability Hazard	AS/NZS ISO 8124.2: 2009 Cl.5.1, Cl.5.2, Cl.5.3, Cl.5.4 Cl.5.5, Cl.5.7, Cl.5.8 SOR: 2011-17 Sections 32, 33 & 34 Schedule 5, 6,7	Qualitative

<b>Laboratory</b>	<b>UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Mechanical Testing</b>	<b>Issue Date</b>	<b>15.06.2015</b>
<b>Certificate Number</b>	<b>T-1527</b>	<b>Valid Until</b>	<b>14.06.2017</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>21 of 22</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
32.	<b>Battery Operated Toys</b>	Normal use Testing Abuse Test Drop Test Torque Test Tension Test Compression Test Flexure Test	ASTM F 963 – 2011 Cl.4.25 Cl.8.5 Cl.8.6 Cl.8.7.1 Cl.8.8 Cl.8.9 Cl.8.10 Cl.8.12	Qualitative
33.	<b>Stuffed and Beanbag Type Toys</b>	Tension test	ASTM F 963 – 2011 Cl.4.27, Cl.8.9.1  EN 71-1: 2014 Cl.5.2, Cl.8.4.2.2	Qualitative
34.	<b>Toys stability &amp; over load requirements</b>	Normal use Testing & Abuse Test Drop Test Torque Test Tension Test Compression Test Test for Over load of ride on toys & toys Seats	ASTM F 963 – 2011 Cl.4.15.5, Cl.4.15.6 Cl.8.5  Cl.8.6 Cl.8.7.1 Cl.8.8 Cl.8.9 Cl.8.26	Qualitative
35.	<b>Toys – Scooter</b>	Sharpness of edges Sharpness of point Static strength Stability Test Break Performance Test	EN 71-1: 2014 Cl.4.15.5 Cl.4.15 Cl.8.23.2 Cl.8.11 Cl.8.12	Qualitative

**Laboratory** UL Quality Assurance Private Limited, A-12, Sector-34, Infocity Phase-1, Gurgaon; Haryana

**Accreditation Standard** ISO/IEC 17025: 2005

**Discipline** Mechanical Testing **Issue Date** 15.06.2015

**Certificate Number** T-1527 **Valid Until** 14.06.2017

**Last Amended on** - **Page** 22 of 22

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Toys – Scooter	Strength of Toys Scooter Steering Tubes	Cl.8.21 Cl.8.23	
			AS/NZS ISO 8124.1: 2013 IS 9873 (Part 1): 2012 ISO 8124-1: 2014	Qualitative
		Sharp Edge Test	Cl.4.29	
		Sharp Point test	Cl.5.8	
		Stability & Over load Test	Cl.5.9	
		Static strength for toy scooter	Cl.5.12.2	
		Break Performance for toys scooter		
		Strength of toy scooter tube	Cl.5.26, Cl.5.28, Cl.5.29	

~~-X-X-X-X-X-X-X-X-X-X-X-X-~~