

<b>Laboratory</b>	<b>Bharat Test House, 109, Anupam Bhawan, Azadpur, Delhi</b> Location-1- 109, Anupam Bhawan, Azadpur, Delhi Location-2- 26, Wazirpur Industrial Area, Delhi		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Field</b>	<b>Biological Testing</b>	<b>Issue Date</b>	<b>30.01.2012</b>
<b>Certificate Number</b>	<b>T-2124</b>	<b>Valid Until</b>	<b>15.06.2013</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>1 of 2</b>

<b>S.No</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
-------------	-----------------------------------	--------------------------------	--	---

**LOCATION-2**

**(Biological Tests are performed only at Location -2)**

1.	<b>Egg. Powder</b> <b>IS 4723-1978</b>	TPC	IS 5402-2002	≥ 10 cfu/g
		Coliform count	IS 5401-1969	≥ 10 cfu/g
		Salmonella	IS 5887-3:1999	Present/Absent
2.	<b>Chocolates</b> <b>IS 1163-1992</b>	Salmonella	IS 5887-3:1999	Present/Absent per 25g
		E. coli	IS 5887-1-1976	Present/Absent per 10g
3.	<b>Milk Powder</b> <b>IS 13334 (1&amp;2)</b> <b>1998, IS 1165-2002</b>	Bacterial count	IS5402-2002	≥ 10 cfu/g
		Coliform count	IS 5401-1969	Present/Absent in 0.1g
		Salmonella	IS 5887-3:1999	Present/Absent/ in 25g
4.	<b>Spices</b>	Salmonella	IS 5887-3:1999	Present/absent in 25g
5.	<b>Canned Foods</b> <b>a) Fruit syrups</b> <b>b) Squash</b> <b>c) Crush</b> <b>d) Cordial</b> <b>e) Juices</b> <b>f) Pulp</b> <b>g) Rasgoola &amp; Gulab Jamun</b> <b>h) Jams &amp; Jellies</b> <b>i) Sausages &amp; Ketchup</b>	Bacterial count	IS 5402-2002	≥ 10 cfu/g
		Coliform count	IS 5401-1969	Present/Absent per 10g
		E.coli/g	IS 5887-1-1976	Present/Absent per 10g
		Salmonella	IS 5887-3:1999	Present/Absent/ in 25g

<b>Laboratory</b>	<b>Bharat Test House, 109, Anupam Bhawan, Azadpur, Delhi</b>		
	Location-1- 109, Anupam Bhawan, Azadpur, Delhi		
	Location-2- 26, Wazirpur Industrial Area, Delhi		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Field</b>	<b>Biological Testing</b>	<b>Issue Date</b>	<b>30.01.2012</b>
<b>Certificate Number</b>	<b>T-2124</b>	<b>Valid Until</b>	<b>15.06.2013</b>
<b>Last Amended on</b>	<b>-</b>	<b>Page</b>	<b>2 of 2</b>

<b>S.No</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
6.	<b>Ready to Eat or Prepared Foods</b> a) Mid Day Meals b) Dal c) Daliya d) Khichdi e) Vegetables f) Sweets g) Namkeens	TPC/g  Coliform count	IS 5402-2002  IS 5401-1969	≥ 10 cfu/g or ≥ 1 cfu/ml  ≥ 10 cfu/g
7.	<b>Drinking Water IS 10500-1991</b>	E. coli  Coliform	IS1622:1981 reaffirmed in 2009	Present/Absent/100ml  ≥ 2 MPN/100ml
8.	<b>Packaged Drinking Water IS 14543-2004</b>	E. coli  Coliform bacteria  Aerobic microbial count (at 20-22c 72 hrs and at 37c 24 hrs)  Salmonella	IS 5887-1-2000/ IS 15185-2002  IS 5401-1-2002/ IS 15185-2002  IS 5402-2002  IS 5887-3-1999/ IS 15187-2002	Present/Absent/250ml  Present/Absent/250ml  ≥ 1 cfu/ml  Present/Absent/250ml

~~-X-X-X-X-X-X-X-X-X-X-X-X-~~

**\*NOTE:** The Laboratory has demonstrated competence for the stated scope for **WATER**. This however **does not fully cover** the specification requirements of **BIS for the Packaged Drinking Water as per IS:14543 and the Packaged Natural Mineral Water IS:13428.**