Laboratory		Insecticide Testing Laboratory, Shahanoormiya Dargah Road, Jyotinagar, Aurangabad, Maharashtra				
Accreditation Standard		I ISO/IEC 17025:2005				
Discipline		<b>Chemical Testing</b>		Issue Date	ssue Date 09.03.2014	
Certificate Number		T-2165		Valid Until	/alid Until 08.03.2016	
Last Amended on		-		Page	1 of 1	
S.No.	Product / Material of Test	Specific Test Performed	Test Method Specificati against which tests are performed		Range of Testing / Limits of Detection	
BIOCIDES						
1.	Imidacloprid SL	Active Ingredient	IS 15443: 2004 HPLC Meth	nod 0.01% t	o 99.9%	
		Acidity/ Alkalinity	IS 6940: 1982	0.01%	to 5%	
		Cold Test	IS 6940: 1982	Qualitat	iive	
		Flash Point	ASTM D 6450	10 ° C to	o 100° C	
2.	Chlorpyrifos EC	Active Ingredient	a) IS 8944:2005 GC Meth	od 0.01% t	o 99.9%	
			b) CIPAC 221.b/EC/M H Method	PLC		
		Acidity/ Alkalinity	IS 6940: 1982	0.01%	to 5%	
		Cold Test	IS 6940: 1982	Qualitat	iive	
		Emulsion Stability	IS 6940: 1982	Qualitat	iive	
		Flash Point	ASTM D 6450	10 ° C to	o 100° C	