

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>1 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>	
<b>I. FERTILIZERS</b>					
<b>1.</b>	<b>Ammonium Sulphate (20.6%)</b>	Moisture	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B 2 (i)	0.3 to 15 %	
		Ammoniacal Nitrogen	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B 3 (vii)	0.5 to 50.0%	
		Sulphur(as S)	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B 24(a)	0.50 to 30%	
<b>2.</b>	<b>a.Urea (46%N)</b>	Moisture	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B 2(i)	0.3 to 15%	
		<b>b.Urea (Granular)46%</b>	Total Nitrogen	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B 3 (iv)	0.5 to 50%
			Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to 100%
			Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to 100%
<b>3.</b>	<b>a. Single Superphosphate (16%P<sub>2</sub>O<sub>5</sub> Powdered)</b>	Moisture	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B 2(i)	0.3 to 15%	
		Free phosphoric acid (as P <sub>2</sub> O <sub>5</sub> )	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B4(vii)	0.5 to 10%	
	<b>b. Single Superphosphate (14% P<sub>2</sub>O<sub>5</sub> Powdered)</b>	Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (iii)	0.5 to 60%	
		<b>c. Single Superphosphate (16% P<sub>2</sub>O<sub>5</sub> Granulated)</b>	Sulphur (as S)	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 24(b)	0.50 to30%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>2 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>4.</b>	<b>Triple Superphosphate (46% P<sub>2</sub>O<sub>5</sub> Granulated)</b>	Moisture	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B 2( I)	0.3 to 15%
		Free phosphoric acid	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 4( vii )	0.5 to 10%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 i(ii)	0.5 to 60%
		Total Phosphate	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 ( ii )	0.5 to 60%
<b>5.</b>	<b>a. Potassium Chloride (Muriate of Potash) 60.0%</b>	Moisture	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 2 (i)	0.3 to 15%
		Water soluble potash (as K <sub>2</sub> O)	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B 5(ii)	0.2 to 65.0%
	<b>b. Potassium Sulphate 50.0%</b>	Sulphur (as S)	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 24 (a)	0.50 to 30. %
		Sodium as NaCl	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B – 17	0.10 to 2%
<b>6.</b>	<b>a. Diammonium Phosphate (18x46x0)</b>	Moisture	FCO: 1985 (Amd. Upto Nov.2013) Sch.II-B 2 (Ii)	0.3 to 15%
		Total Nitrogen	FCO: 1985(Amd. Upto Nov.2013) Sch.II-B 3( iv)	0.5 to 50%
	<b>b. Ammonium Phosphate Sulphate (16x20x0)</b>	Ammoniacal nitrogen	FCO: 1985(Amd. Upto Nov.2013) Sch.II-B 3( vii )	0.5 to 50%
		Neutral ammonium citrate soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B 4 (v)	0.5 to 60%
<b>c. Ammonium Phosphate Sulphate (20x20x0)</b>				

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>3 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>d. Ammonium Phosphate Sulphate Nitrate (20x20x0)</b>	Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch.II-B 4( iii)	0.5 to 60%
		Particle Size 4.0mm	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to 100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to 100%
		Sulphur (as S)	FCO: 1985(Amd. Upto Nov.2013)Sch.II-B 24( a)	0.50 to30%
<b>7.</b>	<b>a. Nitrophosphate with potash (15x15x15)</b>	Moisture	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 2 (ii)	0.3 to 15%
		Total Nitrogen	FCO: 1985(Amd. Upto Nov.2013) SchII-B3 (viii)	0.5 to 50%
	<b>b. Nitrophosphate (20x20x0)</b>	Ammoniacal nitrogen	FCO: 1985(Amd. Upto Nov.2013) SchII-B 3 (vii)	0.5 to 50%
	<b>c. Nitrophosphate (23x23x0)</b>	Nitrate nitrogen	FCO: 1985(Amd. Upto Nov.2013)Sch. II-B 3 (iii) FCO: 1985(Amd. Upto Nov.2013)Sch.II-B 3 (vii)	0.5 to 50%
	<b>d. Ammonium Nitrate Phosphate (23x23x0)</b>	Neutral ammonium citrate soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 4(v )	0.5 to 60%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch II-B 4 (iii )	0.5 to 60%
		Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to 100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to 100%
		Water soluble potash	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 5(ii)	0.5 to 62 %

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>4 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>8.</b>	<b>a. Urea Ammonium Phosphate (28-28-0)</b>	Calcium Nitrate	FCO: 1985(Amd. Upto Nov.2013)Sch.II-B3 (XV)	0.5 to 20%
		Moisture	FCO: 1985(Amd. Upto Nov.2013)Sch. II-B 2( Ii )	0.3 to 15%
	<b>b. Urea Ammonium Phosphate (24x24x0)</b>	Total nitrogen	FCO: 1985(Amd. Upto Nov.2013)Sch. II-B 3 (iv)	0.5 to 50%
		Ammoniacal nitrogen	FCO: 1985(Amd. Upto Nov.2013)Sch II-B 3(vii )	0.5 to 50%
	<b>c. Urea Ammonium Phosphate (20x20x0)</b>	Neutral ammonium citrate soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (v)	0.5to 60%
	<b>d. Urea Ammonium Phosphate (28x28x0)</b>	Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (iii)	0.5to 60%
		Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to 100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to 100%
<b>9.</b>	<b>Mono Ammonium Phosphate (11x52x0)</b>	Moisture	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B 2 (ii)	0.3 to 15%
		Ammoniacal nitrogen	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 3 (vii)	0.5 to 50%
		Neutral ammonium citrate soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (v)	0.5to 60%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (iii)	0.5to 60%
		Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to 100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013) Sch. II-B (20)	0.5 to100%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>5 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>10.</b>	<b>a.NPK (10x26x26)</b>	Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4( iii)	0.5 to 60%
		<b>b.NPK (12x32x16)</b>	Moisture	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B2 (ii)
	<b>c.NPK (14X35X14)</b>	Total Nitrogen	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B3 (iv)	0.5 to 50%
		<b>d.NPK (15x15x15)</b>	Ammoniacal nitrogen	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 3 (vii)
	Urea N		FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B 4(xi)	0.5 to 10%
		Neutral ammonium citrate soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (v)	0.5 to 60%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (iii)	0.5 to 52%
		Water-soluble K <sub>2</sub> O.	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B5 (ii)	0.5 to 62%
		Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
<b>11.</b>	<b>a.NPK (19x19x19) b.NPK (17x17x17) c.NPK (20x10x10)</b>	Moisture	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B2 (ii)	0.3 to 15%
		Total nitrogen	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B3 (iv)	0.5 to 50%
		Ammoniacal nitrogen	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B 3 (vii)	0.5 to 50%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>6 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>a.NPK (19x19x19)</b>	Urea N	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B 4(xi)	0.5 to 10%
	<b>b.NPK (17x17x17)</b>	Neutral ammonium citrate soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (v)	0.5to 60%
	<b>c.NPK (20x10x10)</b>	Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B4 (iii)	0.5 to 60%
		Water-soluble K <sub>2</sub> O.	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B5 (ii)	0.5 to 62%
		Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
<b>12.</b>	<b>a.Zinc Sulphate Heptahydrate (ZnSO<sub>4</sub>.7H<sub>2</sub>O)</b>	Zinc as Zn	FCO: 1985 Sch. II-B 8 (ii)	0.2 to 40%
		Copper as Cu	FCO: 1985 Sch. II-B 8(iv)	0.1 to 1.5%
	<b>b.Zinc Sulphate Monohydrate (ZnSO<sub>4</sub>.H<sub>2</sub>O)</b>	Magnesium as Mg	FCO: 1985 Sch. II-B 8(iii)	0.1 to 10%
		pH	FCO: 1985 Sch. II-B 8 (vi)	0.2 to 10
<b>13.</b>	<b>Manganese Sulphate</b>	Manganese as Mn	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 9 (ii)	0.2 to 35%
		Copper as Cu	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B 8 (iv)	0.1 to10%
		Magnesium as Mg	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 8 (iii)	0.1 to 10%
		pH	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 8 (vi)	1 to 10

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>7 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Manganese Sulphate</b>	Sulphur as S	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B24 (a)	0.50 to 30%
		Matter insoluble in water	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 8(vii) (a)	0.1 to 100%
<b>14.</b>	<b>a.Borax (DST) (Na<sub>2</sub>B<sub>4</sub>O<sub>7</sub>.10H<sub>2</sub>O) b.Boric acid c.DSOBTH (Na<sub>2</sub>B<sub>8</sub>O<sub>13</sub>.4H<sub>2</sub>O)</b>	Boron as B	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 11(ii B)	0.5 to 30%
		pH	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B 11 (IV)	1 to 10
		Matter insoluble in water	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 811(iii)	0.1 to 100%
<b>15.</b>	<b>Copper Sulphate (CuSO<sub>4</sub>.5H<sub>2</sub>O)</b>	Copper as Cu	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 12 (ii)	0.2 to 2.0%
		pH	FCO: 1985(Amd. Upto Nov.2013) Sch. II-B 12 (vi)	1 to 10
		Sulphur as S	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 24 (a)	0.50 to 30%
		Matter insoluble in water	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 12 (v)	0.5 to 100%
<b>16.</b>	<b>Ferrous Sulphate FeSO<sub>4</sub>.7H<sub>2</sub>O</b>	Ferrous iron as Fe	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B13 (B)	0.2 to 30%
		pH	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 13 (v)	1 to 10
		Sulphur as S	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B24 (a)	0.50 to 30%
		Matter insoluble in water	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 13 (vi)	0.1 to 100%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>8 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>Ferrous Sulphate FeSO<sub>4</sub>.7H<sub>2</sub>O</b>	Free Acidity	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 13 (viii)	0.5 to 10%
		pH	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 13 (v)	1 to 10
<b>17.</b>	<b>Magnesium Sulphate</b>	Magnesium as Mg	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 19 (ii)	0.5 to 15%
		pH	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 8 (vi)	0.2 to 10
		Sulphur as S	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 24 (a)	0.50 to 30%
		Matter insoluble in water	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 8(vii) (a)	0.1 to 100%
<b>18.</b>	<b>Mono-Potassium Phosphate (0x52x34) (100% Water Soluble)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 2 (i)	0.3 to 15%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4 (III)	0.5 to 60%
		Water soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B5 (ii)	0.5 to 62%
<b>19.</b>	<b>Calcium Nitrate 15.5</b>	Total nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 3 (viii)	0.5 to 50%
		Ammoniacal Nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (vii)	0.5 to 50%
		Nitrate nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (viii) FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (vii)	0.5 to 50%
		Water soluble Ca.	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (xv)	0.5 to 20%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>9 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>20.</b>	<b>NPK 13x40x13 (100% Water Soluble)</b>	Total nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B3 (viii)	0.5 to 50%
		Nitrate nitrogen	FCO: 1985 Sch. II-B 3 (vii) FCO: 1985 Amd. Upto Nov.2013Sch. II-B3 (viii)	0.5 to 50%
		Ammoniacal nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 3 (vii)	0.5 to 50%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013Sch. II-B4 (iii)	0.5 to 60%
		Water soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 5 (ii)	0.5 to 62%
		Matter insoluble in water	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 8(vii) (a)	0.1 to 100%
<b>21.</b>	<b>a.NPK 18x18x18 (100% Water Soluble)</b>	Total nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (v)	0.5 to 50%
		Moisture	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 2 (i)	0.3 to 15%
	<b>b.NPK 19x19x19 (100% Water Soluble)</b>	Nitrate nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 3 (ii) FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (iv)	0.5 to 50%
		Ammoniacal nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (vii)	0.5 to 50%
	<b>c.NPK 20x20x20 (100% Water Soluble)</b>	Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Sch. II-B4( iii)	0.5 to 60%
		Water soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B511	0.5 to 62%
		Matter insoluble in water	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 8(vii) (a)	0.1 to 1.0%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>10 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>22.</b>	<b>NPK 6x12x36 (100% Water Soluble)</b>	Total nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (viii)	0.5 to 50%
		Nitrate nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 3 (ii) FCO: 1985 Sch. II-B3 (iv)	0.5 to 50%
		Ammoniacal nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 3 (vii)	0.5 to 50%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4( iii)	0.5 to 60%
		Water soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B511	0.5 to 65%
		Matter insoluble in water	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 8(vii) (a)	0.1 to 100%
<b>23.</b>	<b>Mono Ammonium Phosphate (12x61x0) (100% Water Soluble)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 2 (i)	0.3 to 15%
		Ammoniacal nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 3 (vii)	0.5 to 50%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4( iii)	0.5 to 60%
		Matter insoluble in water	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 8(vii) (a)	0.1 to 100%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>11 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>24.</b>	<b>a.NPK 18x18x10 Granulated Mixture b.NPK 20x10x10 Granulated Mixture c. NPK 10x20x20 Granulated Mixture</b>	Total nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B3 (IV)	0.5 to 50%
		Total P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4 (II)	0.5 to 60%
		Neutral ammonium citrate soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 4 (V)	0.5 to 60%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013Sch. II-B4 (Ii)	0.5 to 60%
		Water Soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 5 (ii)	0.5 to 62%
		Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
<b>25.</b>	<b>NP 20x20x0 Granulated Mixture</b>	Total nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (IV)	0.5 to 50%
		Total P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4 (II)	0.5 to 60%
		Neutral ammonium citrate soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 4 (V)	0.5 to 60%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4 (Ii)	0.5 to 60
		Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>12 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>26.</b>	<b>Mixture of Micronutrient Fertiliser Soil Application G- 1</b>	Copper as Cu	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B22 A	0.1 to 10%
		Iron as Fe	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B22 A	0.1 to 10%
		Manganese as Mn	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B22A	0.1 to 10%
		Zinc as Zn	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B22 A	0.1 to 15%
		Boron as B	FCO: 1985 Amd. Upto Nov.2013Sch. II-B23	0.1 to 10%
<b>27.</b>	<b>Mixture of Micronutrient Fertiliser Foliar Application G- 2</b>	Copper as Cu	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B22 A	0.1 to 10%
		Iron as Fe	FCO: 1985 Amd. Upto Nov.2013Sch. II-B22 A	0.1 to 10%
		Manganese as Mn	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B22 A	0.1 to 10%
		Zinc as Zn	FCO: 1985 Amd. Upto Nov.2013Sch. II-B22 A	0.1 to 15%
		Boron as B	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B23	0.1 to 15%
		Molybdenum as Mo	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B22 A	0.01 to 5%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>13 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>28.</b>	<b>NPK 13x13x13 (100% water soluble)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 2 (i)	0.3 to 15%
		Total nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (viii)	0.5 to 50%
		Nitrate nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (ii) FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (iv)	0.5 to 50%
		Ammoniacal nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (vii)	0.5 to 50%
<b>29.</b>	<b>NPK 10x36x10 (100% water soluble)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 2 (i)	0.3 to 15%
		Total nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (viii)	0.5 to 50%
		Nitrate nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (ii) FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (iv)	0.5 to 50.0
		Ammoniacal nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (vii)	0.5 to 50%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4( iii)	0.5 to 60%
		Sodium as NaCl	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 17	0.1 to 2%
		Water soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B5 (ii)	0.5 to 65%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>14 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
	<b>NPK 10x36x10 (100% water soluble)</b>	Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
<b>30.</b>	<b>NPK 12x61x00 (100% water soluble)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 2 (i)	0.1 to 15%
		Ammoniacal nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (vii)	0.5 to 50%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4( iii)	0.5 to 60%
		Sodium as Nacl	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 17	0.10 to 2%
<b>31.</b>	<b>NPK 13x0x46 (100% water soluble)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 2 (i)	0.1 to 1.0%
		Nitrate nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (ii) FCO: 1985 Amd. Upto Nov.2013 Sch. II-B3 (iv)	0.5 to 50%
		Water soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013Sch. II-B5 (ii)	0.5 to 60%
		Sodium as Nacl	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 17	0.1 to 2%

<b>Laboratory</b>	<b>Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra</b>		
<b>Accreditation Standard</b>	<b>ISO/IEC 17025: 2005</b>		
<b>Discipline</b>	<b>Chemical Testing</b>	<b>Issue Date</b>	<b>12.09.2014</b>
<b>Certificate Number</b>	<b>T-2333</b>	<b>Valid Until</b>	<b>11.09.2016</b>
<b>Last Amended on</b>	<b>18.09.2014</b>	<b>Page</b>	<b>15 of 16</b>

<b>S.No.</b>	<b>Product / Material of Test</b>	<b>Specific Test Performed</b>	<b>Test Method Specification against which tests are performed</b>	<b>Range of Testing / Limits of Detection</b>
<b>32.</b>	<b>NPK 5x15x30 (100% water soluble)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 2 (i)	0.1 to 15%
		Total nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B3 (viii)	0.5 to 50%
		Ammoniacal nitrogen	FCO: 1985 Sch. II-B 3 (vii)	0.5 to 50%
		Nitrate nitrogen	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 3 (ii) FCO: 1985 Amd. Upto Nov.2013Sch. II-B3 (iv)	0.5 to 50%
		Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4( iii)	0.5 to 62%
		Water soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013Sch. II-B5 (ii)	0.5 to 60%
		Sodium as Nacl	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 17	0.10 to 2%
<b>33.</b>	<b>NPK 20x10x10 (100% water soluble)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 2 (i)	0.1 to 15%
		Total nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B3 (viii)	0.5 to 50%
		Ammoniacal nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 3 (vii)	0.5 to 50%
		Nitrate nitrogen	FCO: 1985 Amd. Upto Nov.2013Sch. II-B 3 (ii) FCO: 1985 Amd. Upto Nov.2013Sch. II-B3 (iv)	0.5 to 50%

**Laboratory** Fertilizer Control Laboratory, Sambhaji Chowk, Untwadi Road, Nashik, Maharashtra

**Accreditation Standard** ISO/IEC 17025: 2005

**Discipline** Chemical Testing **Issue Date** 12.09.2014

**Certificate Number** T-2333 **Valid Until** 11.09.2016

**Last Amended on** 18.09.2014 **Page** 16 of 16

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	<b>NPK 20x10x10 (100% water soluble)</b>	Water soluble P <sub>2</sub> O <sub>5</sub>	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B4( iii)	0.05 to 25%
		Water soluble K <sub>2</sub> O	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B5 (ii)	0.5 to 62%
		Sodium as Nacl	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 17	0.2 to 2%
<b>34.</b>	<b>Bentonite Sulhpur (90%)</b>	Moisture	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 2 (i)	0.5 to 15%
		Sulphur as S	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 24	0.5 to 95%
		Particle size 4.0mm & 1.0mm	FCO: 1985 Amd. Upto Nov.2013 Sch. II-B 20	0.0 to 100%
		Particle Size 4.	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%
		Particle Size 1.0mm	FCO: 1985 (Amd. Upto Nov.2013)Sch. II-B (20)	0.5 to100%

-X-X-X-X-X-X-X-X-X-X-X-X-