

Laboratory Quality Control Laboratory, Syngenta India Limited, Crop Protection Division, Santa Monica Works, Corlim, Ilhas, Goa

Accreditation Standard ISO/IEC 17025: 2005

Discipline Chemical Testing **Issue Date** 17.10.2014

Certificate Number T-2351 **Valid Until** 16.10.2016

Last Amended on - **Page** 1 of 1

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
I. PESTICIDES				
1.	Pretilachlor Technical (Herbicide)	Pretilachlor content	IS 15158: 2002 (RA 2009) QAM-PTC-301 Issue No. : 00 Issue Date: 15.05.2013	90 to 100 % 90 to 100 %
		Acidity (as H ₂ SO ₄)	IS 6940: 1982 (11.3.2) (RA 2007)	0.005 to 1.0 %
		Moisture	IS 2362: 1993 (RA 2010)	0.01 to 1.0 %
2.	Ziram 27% SC (CUMAN - L) (Fungicide)	Suspensibility	IS 11010: 1984 Appendix A (RA 2010)	80 to 100 %
		Colloidal content	IS 11010: 1984 Appendix B (RA 2010)	8 to 30 %
		pH of suspension at 27°C	IS 11010: 1984 Appendix C (RA 2010)	6 to 10

-X-X-X-X-X-X-X-X-X-X-X-X-