

Laboratory Textile Chemical Laboratory, Sarex Chemicals, N-232, M.I.D.C. Tarapur,
 Kumbhavali Naka, Palghar (TK), Thane
Accreditation Standard ISO/IEC 17025:2005
Discipline Chemical Testing **Issue Date** 24.11.2013
Certificate Number T-2718 **Valid Until** 23.11.2015
Last Amended on - **Page** 1 of 1

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
I. TEXTILES & RELATED PRODUCTS				
1.	YARN, FABRICS AND MADE UPS	Estimation of Moisture Content in Grey and Finished Cotton Textile Material	IS: 199: 1989 (Reaffirmed 2005)	0.5% - 20%
		Colour fastness to water	ISO 105-E-01: 2013	Grade 1-5
		Colour fastness to washing with soap or Soap and soda at 60°C	ISO 105-C10: 2006	Grade 1-5
		Colour Fastness to Rubbing	ISO 105-CX12: 2001	Grade 1-5
2.	FABRICS, GARMENTS AND MADE UPS	Method for water repellency by Cone Test	IS: 7941: 1976 (Reaffirmed 2004)	1ml - 400 ml and area of wetting of outer surface

~~-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-~~