

Laboratory	State Public Health Laboratory, Stavelly Road, Cantonment Water Works Compound, Pulgate, Pune, Maharashtra		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Biological Testing	Issue Date	23.02.2015
Certificate Number	T-3314	Valid Until	22.02.2017
Last Amended on	-	Page	1 of 1

S.No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
I. FOODS & AGRICULTURAL PRODUCTS				
1.	Non Alcoholic Beverages – (Carbonated Water/ Ready To Serve Beverages)	Total plate Count	IS 5402: 2012	≥ 1cfu/ml
		Coliform bacteria	IS 5401 (Part 2): 2012	Present / Absent per ml
2.	Milk And Milk Products	Total plate Count	IS 5402: 2012	≥ 1 cfu/ml for liquids
		E. coli	IS 5887 (Part 1): 1976 (RA 2005)	≥ 1 cfu/g for solids
		Coliform Bacteria	IS 5401 (Part 1): 2012	Present/absent in 0.1g Present/absent in 0.1g
		Salmonella	IS 5887 (Part 3) (RA 2009)	Present/absent in 25 g
3.	Malt Based & Malted Milk Foods	Total Plate count	IS 5402: 2012	≥ 1 cfu/ml for liquids
		E. coli	IS 5887 (Part 1): 1976 (RA 2005)	≥ 1 cfu/g for solids
		Coliform Bacteria	IS 5401(Part 1): 2012	Present/absent in 0.1g Present/absent per g
		Salmonella	IS 5887 (Part 3) (RA 2009)	Present/absent in 25 g
II. WATER				
1.	Packaged Drinking Water / Packaged Mineral Water	Aerobic microbial count	IS 5402: 2012	≥ 1 cfu/ml
		E. coli	IS 15185: 2002 (RA 2009)	Present/absent in 250 ml
		Coliform Bacteria	IS 15185: 2002 (RA 2009)	Present/absent in 250 ml
		Salmonella	IS 15187: 2002	Present/absent in 250 ml

~~-X-X-X-X-X-X-X-X-X-X-X-X-~~

Rini Narayan
Convenor

N. Venkateswaran
Program Manager