



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name ANAND PRECISE TESTING LABORATORIES, PLOT NO.-6/6, NIT INDUSTRIAL AREA, FARIDABAD, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5220 Page No. : 1 / 8

Validity 13/01/2019 to 12/01/2021 Last Amended on -

S.No	Discipline / Group	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing/ Limits of Detection
Permanent Facility					
1	MECHANICAL-RUBBER AND RUBBER PRODUCTS	Gaskets, Seals, Packings, Industrial Belts, Natural Rubber and Products, Synthetic Rubber and Products	Compression Set	ASTM D 395: 2016	1 % to 100 %
2	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS, INDUSTRIAL BELTS, NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	Specific Gravity	IS 3400: PART 9: 2014	0.05 to 5
3	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS, INDUSTRIAL BELTS, NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	TENSILE STRENGTH	IS 3400: PART 1: 2017	1 Mpa to 25 Mpa
4	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ABRASION RESISTANCE	IS 3400:PART 3: 2014	10 mm ³ to 600 mm ³



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name ANAND PRECISE TESTING LABORATORIES, PLOT NO.-6/6, NIT INDUSTRIAL AREA, FARIDABAD, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5220 Page No. : 2 / 8

Validity 13/01/2019 to 12/01/2021 Last Amended on -

S.No	Discipline / Group	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing/ Limits of Detection
5	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ABRASION RESISTANCE	ASTM D 5963: 2015	10 mm ³ to 600 mm ³
6	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ACCELERATED AGEING TEST(CHANGE IN ELONGATION AT BREAK)	IS 3400:PART 4: 2017	0.1 % to 500 %
7	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ACCELERATED AGEING TEST(CHANGE IN ELONGATION AT BREAK)	ASTM D 573: 2015	0.1 % to 500 %
8	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ACCELERATED AGEING TEST(CHANGE IN HARDNESS)	IS 3400:PART 4: 2017	1 SHORE A to 30 SHORE A



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name ANAND PRECISE TESTING LABORATORIES, PLOT NO.-6/6, NIT INDUSTRIAL AREA, FARIDABAD, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5220 Page No. : 3 / 8

Validity 13/01/2019 to 12/01/2021 Last Amended on -

S.No	Discipline / Group	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing/ Limits of Detection
9	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ACCELERATED AGEING TEST(CHANGE IN HARDNESS)	ASTM D 573: 2015	1 SHORE A to 30 SHORE A
10	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ACCELERATED AGEING TEST(CHANGE IN TENSILE STRENGTH)	IS 3400:PART 4: 2017	0.1 % to 200 %
11	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ACCELERATED AGEING TEST(CHANGE IN TENSILE STRENGTH)	ASTM D 573: 2015	0.1 % to 200 %
12	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ADHESION OF RUBBER TO TEXTILE FABRIC	IS 3400:PART 5: 2014	0.1 kN/m to 50 kN/m



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name ANAND PRECISE TESTING LABORATORIES, PLOT NO.-6/6, NIT INDUSTRIAL AREA, FARIDABAD, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5220 Page No. : 4 / 8

Validity 13/01/2019 to 12/01/2021 Last Amended on -

S.No	Discipline / Group	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing/ Limits of Detection
13	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ADHESION OF RUBBER TO TEXTILE FABRIC	ASTM D 413: 2017	0.1 kN/m to 50 kN/m
14	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ANGULAR TEAR STRENGTH	IS 3400:PART 17: 2014	10 N/mm to 100 N/mm
15	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ASH CONTENT	ASTM D 297,SECTION 35: 2015	0.01 % to 60 %
16	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	COMPRESSION SET	IS 3400: PART 10: 2014	1 % to 100 %



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name ANAND PRECISE TESTING LABORATORIES, PLOT NO.-6/6, NIT INDUSTRIAL AREA, FARIDABAD, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5220 Page No. : 5 / 8

Validity 13/01/2019 to 12/01/2021 Last Amended on -

S.No	Discipline / Group	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing/ Limits of Detection
17	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	EFFECT OF LIQUID(WATER ABSORPTION/SWELLING TEST)	IS 3400:PART 6: 2017	0.1 % to 100 %
18	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	EFFECT OF LIQUID(WATER ABSORPTION/SWELLING TEST)	ASTM D 471: 2016	0.1 % to 100 %
19	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ELONGATION AT A GIVEN STRESS	IS 3400: PART 1: 2017	1 % to 900 %
20	MECHANICAL-RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ELONGATION AT A GIVEN STRESS	ASTM D 412: 2016	1 % to 900 %



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name ANAND PRECISE TESTING LABORATORIES, PLOT NO.-6/6, NIT INDUSTRIAL AREA, FARIDABAD, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5220 Page No. : 6 / 8

Validity 13/01/2019 to 12/01/2021 Last Amended on -

S.No	Discipline / Group	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing/ Limits of Detection
21	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ELONGATION AT BREAK	IS 3400:PART 1: 2017	1 % to 900 %
22	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	ELONGATION AT BREAK	ASTM D 412: 2016	1 % to 900 %
23	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	HARDNESS	IS 3400: PART 23: 2017	10 SHORE A to 95 SHORE A
24	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	HARDNESS	ASTM D 2240: 2015	10 SHORE A to 95 SHORE A



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name ANAND PRECISE TESTING LABORATORIES, PLOT NO.-6/6, NIT INDUSTRIAL AREA, FARIDABAD, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5220 Page No. : 7 / 8

Validity 13/01/2019 to 12/01/2021 Last Amended on -

S.No	Discipline / Group	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing/ Limits of Detection
25	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	REBOUND RESILIENCE	IS 3400:PART 11: 2017	15 % to 80 %
26	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	REBOUND RESILIENCE	ASTM D 2632: 2015	15 % to 80 %
27	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	SPECIFIC GRAVITY	ASTM D 297: 2015	0.05 to 5
28	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	STRESS AT A GIVEN ELONGATION	IS 3400: PART 1: 2017	1 Mpa to 25 Mpa



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name ANAND PRECISE TESTING LABORATORIES, PLOT NO.-6/6, NIT INDUSTRIAL AREA, FARIDABAD, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-5220 Page No. : 8 / 8

Validity 13/01/2019 to 12/01/2021 Last Amended on -

S.No	Discipline / Group	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing/ Limits of Detection
29	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	STRESS AT A GIVEN ELONGATION	ASTM D 412: 2016	1 MPa to 25 MPa
30	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	TEAR STRENGTH	ASTM D 624: 2012	10 N/mm to 100 N/mm
31	MECHANICAL- RUBBER AND RUBBER PRODUCTS	GASKETS,SEALS,PAC KINGS,INDUSTRIAL BELTS,NATURAL RUBBER AND PRODUCTS,SYNTHETIC RUBBER AND PRODUCTS	TENSILE STRENGTH	ASTM D 412: 2016	1 MPa to 25 MPa