

Laboratory UPL Limited, Quality Assurance Laboratory, Unit-05, 746/750, GIDC, Jhagadia, Dist. Bharuch, Gujarat

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-7094 (in lieu of T-2908)

Page 1 of 1

Validity 05.04.2018 to 04.04.2020

Last Amended on 11.09.2018

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

CHEMICAL TESTING

I.	PESTICIDES			
1.	Mancozeb Technical	Mancozeb Content	CIPAC 34/TC/M/3-Vol. H	500 g/kg to 900 g/kg
		Ethylene Thiourea (ETU)	CIPAC MT 162 Vol. F	0.10 g/kg to 5.0 g/kg
2.	Pendimethalin Technical	Pendimethalin Content	CIPAC 357/TC/M/3 Volume M	900 g/kg to 1000 g/kg
		N-nitrosopendimethalin	UPL/SOP/02	0.0002 ppm to 100 ppm
		N-nitrosodiethylpropylamine	UPL/SOP/02	0.01 ppm to 100 ppm

Ruchi Guntuku
Convenor

Sunita Rawat
Program Manager